



Layer	Stack up	Supplier Description	Description	Stock Number	Base Thickness	Finish Thickness	εr	Impedance ID	N1	Supplier	
1		LEGEND									
		SM/001	Liquid Photolaminate Mask 1	500-001			4.200		0	Polar Samples	
		1 oz	Copper Foil 1.4		1.400	2.800			0	Isola	
		370 HR	2113		3.200	3.200	4.210			ISOLA	
		370 HR	7628		7.000	7.000	4.340			ISOLA	
		370 HR	2113		3.200	3.200	4.210			ISOLA	
		4-7628	370HR		1.400	1.400				ISOLA	
		370 HR	2113		3.200	3.200	4.210			ISOLA	
		370 HR	7628		7.000	7.000	4.340			ISOLA	
		370 HR	2113		3.200	3.200	4.210			ISOLA	
4		1 oz	Copper Foil 1.4		1.400	2.800			0	Isola	
		SM/001	Liquid Photolaminate Mask 1	500-001			4.200		0	Polar Samples	
		LEGEND									

Notes

Copper Thickness = 8.400 | Dielectric Thickness = 50.600 | Overall Processed Thickness = 59.000

StackName: LINEAR TECH	Version: P/N DC1858A	Revision:	Modification:	Date of Revision:	Editor	Page 1/1	
Date: 4/20/2012	Associated Documents:						
Author: CIREXX ENGINEERING							
Department: ENGINEERING							
Site: Corporate HQ, Santa Clara, CA							