

Replacement Part Cross Reference

When selecting replacement parts for your HP products, you may notice that many manuals list only an HP part number for the part, even though it appears that this part is manufactured by one of the large semiconductor manufacturers. Service personnel often ask why only HP part numbers are listed.

It is recommended that HP replacement parts be used to ensure that the original performance of the product will be obtained. While some parts used in HP instruments are identical to that which can be purchased at a local electronics distributor, many times parts will be selected for certain characteristics, such as gain, bandwidth, capacitance, etc. There may also be slight mechanical differences, such as the shaping or length of leads, and in

some cases special quality checks are employed to ensure that only the highest reliability parts are used.

Therefore, we suggest obtaining replacement parts from HP to maintain the quality that you have paid for in your instrument. There may be situations however, where HP replacement parts are not in stock and substituting parts will allow you to return the product to service immediately. In these cases it may be worthwhile to see if a substitute part will work in the circuit. Perhaps an HP part could be ordered and installed at some later date.

To help you in these situations, here is a cross-reference of HP integrated circuit part numbers to manufacturers "generic type" part numbers (whom in most cases is the originator

of the part). Even though the cross-reference only lists one manufacturer, there may actually be several approved sources for an HP part. While every attempt was made to ensure the accuracy of the list, it is advisable to compare the description of the device being replaced with the description of the substituted part. For example, if the service manual describes the device being replaced as a "dual J-K flip-flop", check this against the description of the replacement part.

NOTE

This is not a comprehensive list. If the part number you are looking for is not listed here, the semiconductor is made exclusively for Hewlett-Packard and there is no substitute—it must be replaced with the same HP part number. □

Manufacturers Code Number Cross Reference

No. Manufacturer

00039 NEC ELECTRONICS INC
 00046 UNITRODE CORP
 00350 EXAR INTEGRATED SYSTEMS INC
 00575 WESTERN DIGITAL CORP
 01425 STANDARD MICROSYSTEMS CORP
 01542 HP DIV 01 OED
 01590 PLESSEY SEMICONDUCTORS
 01698 TEXAS INSTRUMENTS INC
 01876 HP DIV 02 SCD IC'S
 01921 RCA CORP
 01973 GE CO SEMICONDUCTOR PROD DEPT
 01991 TRANSIXON ELECTRONIC CORP
 02023 ITW SWITCHES
 02037 MOTOROLA INC
 02180 PRECISION MONOLITHICS INC
 02237 FAIRCHILD SEMICONDUCTOR CORP
 02290 RAYTHEON CO SEMICONDUCTOR DIV HQ
 02598 UNITRODE CORP
 02686 HATKINS-JOHNSON CO
 02713 GENERAL INSTRUMENT CORP (DIODE)
 02763 TELEDYNE SEMICONDUCTOR
 02838 DYNAMIC MEASUREMENTS CORP
 02882 ZELTEK INC SUB OF REDCOR CORP
 02883 SILICONIX INC
 02910 SIGNETICS CORP
 03285 ANALOG DEVICES INC
 03291 AVANTEK INC
 03406 NATIONAL SEMICONDUCTOR CORP
 03545 TELEDYNE PHILBRICK NEXUS
 03677 AMERICAN MICRO SYSTEMS INC
 03688 ANALOGIC CORP
 03714 INTERSIL INC
 03755 HYBRID SYSTEMS CORP
 03780 INTECH INC
 03793 SILICON GENERAL INC
 03794 ADVANCED MICRO DEVICES INC
 03799 HARRIS CORP
 03811 INTEL CORP
 03947 NCR CORP
 04077 CERMETEK INC DIV REPUBLIC CORP
 04078 MOSTEK CORP
 04092 MONOLITHIC MEMORIES INC
 04200 SPRAGUE ELECTRIC CO
 04507 TRW INC
 05436 BURR-BROWN CORP
 05542 HONEYWELL INC

MTN VIEW CA US 94043S0545 8
 LEXINGTON MA US 021739N171 3
 SUNNYVALE CA 9408652063 9
 NEWPORT BEACH CA 9262652840 1
 HAUPPAUGE NY 8
 SAN JOSE CA US 9513128480 0
 SANTA ANA CA 9270552648 9
 DALLAS TX US 7526501295 0
 SANTA CLARA CA US 9505028480 2
 NEW YORK NY US 1011231585 6
 AUBURN NY US 1320103508 7
 WAKEFIELD MA 0188024046 9
 CHICAGO IL US 6063104426 0
 ROSELLE IL US 6019504713 0
 SANTA CLARA CA US 9505406665 8
 CUPERTINO CA US 9501407263 6
 MOUNTAIN VIEW CA 9404007933 5
 WATERTOWN MA 0217212069 1
 PALO ALTO CA US 9430414482 4
 HICKSVILLE NY US 1180214936 6
 MOUNTAIN VIEW CA 9404315818 1
 WINCHESTER MA 0189017191 1
 CONCORD CA 9452017850 9
 SANTA CLARA CA US 9505417856 7
 SUNNYVALE CA US 9408618328 4
 NORWOOD MA US 0206224355 4
 SANTA CLARA CA US 9505424539 2
 SANTA CLARA CA US 9505227014 6
 DENHAM MA 0202629832 1
 SANTA CLARA CA US 9505131471 2
 WAKEFIELD MA 0188031814 9
 CUPERTINO CA CA 9501432293 3
 BURLINGTON MA 0180333256 X 6
 SANTA CLARA CA 9505033967 4
 SAN JOSE CA US 9513434333 7
 SUNNYVALE CA US 9408634335 5
 MELBOURNE FL US 3290134371 4
 SANTA CLARA CA US 9505434649 7
 DAYTON OH US 4547942470 9
 MOUNTAIN VIEW CA 9404050077 4
 CARROLLTON TX US 7500650088 2
 SANTA CLARA CA US 9505450364 3
 LEXINGTON MA US 0217356289 2
 CLEVELAND OH US 4412471785 0
 TUCSON AZ US 857068E175 1
 MINNEAPOLIS MN US 5540891929 6

No. Manufacturer

05917 RIFA AB
 05946 VALVO GMBH
 06121 SIEMENS AG
 06338 SGS ATES
 06344 FUJITSU MICROELECTRONICS INC
 06347 HITACHI AMERICA LTD
 06354 TOSHIBA CORP
 06394 FERRANTI LTD ELECTRONICS DIV
 06545 LAMBDA ELECTRONICS CORP
 06563 SIEMENS CORP COMPONENTS GROUP
 06861 MICRO NETWORKS CORP
 06916 SONY CORP
 07050 MICRO POWER SYSTEMS
 07221 SUPERTEK INC
 07371 SANYO ELECTRIC INC
 07397 ENGINEERED COMPONENTS CO
 08323 HP DIV 49 CICO
 08507 INTERDESIGN
 08565 COMPUTER LABS INC
 08608 SILICON SYSTEMS INC
 08661 TELARIS TELECOMMUNICATIONS INC
 08820 ROCKWELL INTERNATIONAL
 09161 MITEL SEMICONDUCTOR
 09274 ANALOG SYSTEMS
 09283 TOPAZ SEMICONDUCTOR
 10253 INTEGRATED DEVICE TECHNOLOGY. INC
 10321 DATEL-INTERSIL
 10421 EPSON
 10858 LINEAR TECHNOLOGY CORP
 10881 THOMSON-CSF
 11111 SEEQ TECHNOLOGY INC
 11302 MAXIM INTEGRATED PRODUCTS
 11320 ATT TECHNOLOGY
 11345 CYPRESS SEMICONDUCTOR CORP
 11452 ANAHEIM AUTOMATION PRODUCTS DIV
 11561 RELIABILITY INC
 11596 CIRCUIT TECHNOLOGY INC
 11604 COMLINEAR CORP
 11668 ROCKWELL INT'L, SEMICONDUCTOR DIV.
 11688 CALEX MANUFACTURING CO INC
 11825 ANALOG SOLUTIONS
 11943 SIERRA SEMICONDUCTOR
 12125 SAMSUNG SEMICONDUCTOR INC
 12147 TELMOS INC
 12276 NIPPON GAKKI CO LTD

STOCKHOLM SW S-163C0633 0
 HAMBURG GM 2000D2540 9
 MUNICH GM 8000 8
 MILAN IT A3500 8
 SANTA CLARA CA US 95054S0167 6
 SUNNYVALE CA US 94086S4013 9
 TOKYO JP S0562 5
 OLDHAM LANCS EG K1196 1
 MELVILLE NY 1174680103 8
 SCOTTSDALE AZ 8525212954 31
 WORCESTER MA 0160650507 29
 TOKYO JP 141 S0482 1
 SANTA CLARA CA 9505054186 8
 SUNNYVALE CA 94086 5
 TOKYO JP 8
 SAN LUIS OBISPO CA 93401 3
 CUPERTINO CA 8
 SCOTT'S VALLEY CA 6
 GREENSBORO NC 4
 TUSTIN CA 2
 IRVINE CA 1
 ANAHEIM CA 4
 KANATA OTTAWA CN 1
 TUCSON AZ 2
 SAN JOSE CA US 95132 3
 SANTA CLARA CA 3
 MANSFIELD MA 8
 TORRENCE CA 6
 MILPITAS CA US 95035 9
 COURBEVOIE FR 1
 SAN JOSE CA 2
 SUNNYVALE CA 7
 CHICAGO IL 9
 SAN JOSE CA US 95134 6
 ANAHEIM CA 0
 TIPPERARY IR 8
 FARMINGDALE NY 4
 LOWLAND CO US 80537 6
 NEWPORT BEACH CA 1
 PLEASANT HILL CA US 94523 9
 CONCORD CA US 94518 7
 SAN JOSE CA US 95132 8
 SANTA CLARA CA US 95054 1
 SUNNYVALE CA US 94086 5
 TOKYO JP 438-0 2

| HP P N | Mfr. | Desc. | | | | | | | | | |
|-----------|-------|-------------|-----------|-------|-------------|-----------|-------|-------------|-----------|-------|-------------|
| 1820-1241 | 02037 | MC14512BCP | 1820-1372 | 02237 | 74S109DC | 1820-1502 | 02037 | MC14015BCP | 1820-1655 | 03406 | MM74C906N |
| 1820-1242 | 02037 | MC12012L | 1820-1373 | 02237 | 93S10DC | 1820-1503 | 02037 | MC14007UBCP | 1820-1656 | 03406 | MM74C907N |
| 1820-1243 | 01698 | SN74LS15N | 1820-1374 | 03285 | AD7510DIJN | 1820-1504 | 02037 | MC14016BCP | 1820-1657 | 02037 | MM14572UBCP |
| 1820-1244 | 01698 | SN74LS153N | 1820-1375 | 02037 | MC3103L | 1820-1505 | 02037 | MC14049UBCP | 1820-1658 | 02037 | MC14541BCP |
| 1820-1245 | 01698 | SN74LS155AN | 1820-1376 | 03406 | DM76L75N | 1820-1506 | 02037 | MC14024BCP | 1820-1659 | 02037 | MC14582BCP |
| 1820-1246 | 01698 | SN74LS09N | 1820-1377 | 02237 | 93L14DM | 1820-1507 | 02037 | MC14012UBCP | 1820-1660 | 01921 | CD4067BE |
| 1820-1247 | 01698 | SN74L123N | 1820-1378 | 01698 | SN54192N | 1820-1508 | 02037 | MC14017BCP | 1820-1661 | 01921 | CD4089BE |
| 1820-1249 | 02910 | N82S33N | 1820-1379 | 01698 | SN5408N | 1820-1509 | 02037 | MC14023UBCP | 1820-1662 | 01921 | CD4094BE |
| 1820-1250 | 01698 | SN74L136N | 1820-1380 | 01698 | SN5496N | 1820-1510 | 01921 | CD4053BF | 1820-1663 | 01921 | CD4095BE |
| 1820-1251 | 01698 | SN74LS196N | 1820-1381 | 01698 | SN5432N | 1820-1511 | 02037 | MC14002UBCP | 1820-1664 | 01921 | CD4096BE |
| 1820-1252 | 02883 | LD110CJ | 1820-1382 | 02037 | MC10138L | 1820-1512 | 02037 | MC14028BCP | 1820-1665 | 01921 | CD4098BE |
| 1820-1253 | 01698 | SN54S00J | 1820-1384 | 01590 | SP8647BDG | 1820-1513 | 01921 | CD4051BF | 1820-1666 | 02037 | MC14581BCP |
| 1820-1254 | 03406 | DM8095N | 1820-1385 | 02037 | MC14502BCP | 1820-1514 | 02037 | MC14014BCP | 1820-1667 | 01921 | CD4060AE |
| 1820-1255 | 03406 | DM8098N | 1820-1386 | 02037 | MC14506BCP | 1820-1515 | 01921 | CD4556BE | 1820-1668 | 01698 | SN74LS74AJ |
| 1820-1256 | 01698 | SN7422N | 1820-1387 | 02037 | MC14519BCP | 1820-1516 | 01921 | CD4555BE | 1820-1669 | 01698 | SN75452BL |
| 1820-1257 | 01698 | SN74L159N | 1820-1388 | 02037 | MC14071CP | 1820-1518 | 03406 | DM74LOON | 1820-1670 | 03406 | DST5492N |
| 1820-1258 | 01698 | SN74L178N | 1820-1389 | 02037 | MC14583BCP | 1820-1519 | 02037 | MC663P | 1820-1672 | 01921 | CD4077BE |
| 1820-1259 | 01698 | SN74L179N | 1820-1390 | 03406 | MM74C160N | 1820-1520 | 02037 | MC660P | 1820-1673 | 01698 | SN75322N |
| 1820-1260 | 01698 | SN74221N | 1820-1391 | 03406 | MM74C161N | 1820-1521 | 02037 | MC14050BCP | 1820-1674 | 03406 | MM74C30N |
| 1820-1261 | 01698 | SN74283N | 1820-1395 | 03811 | P3404 | 1820-1522 | 02037 | MC3440AP | 1820-1675 | 01921 | CD4016AF |
| 1820-1262 | 01698 | SN74290N | 1820-1398 | 03794 | AM2505PC | 1820-1524 | 02037 | MC8602L | 1820-1676 | 01698 | SN74S373N |
| 1820-1263 | 01698 | SN74H15N | 1820-1399 | 02037 | MC10176P | 1820-1525 | 02037 | MC14008BCL | 1820-1677 | 01698 | SN74S374N |
| 1820-1264 | 01698 | SN74293N | 1820-1400 | 02037 | MC10104P | 1820-1526 | 02037 | MC14028BCL | 1820-1681 | 01698 | TMS6011LNC |
| 1820-1265 | 02037 | MC14527BCP | 1820-1402 | 03406 | MM80C95N | 1820-1527 | 02037 | MC14022BCL | 1820-1682 | 05946 | SAAL1027 |
| 1820-1266 | 03406 | MM80C97N | 1820-1403 | 01921 | CD4072BE | 1820-1528 | 01921 | CD4029BF | 1820-1683 | 02037 | MC14514BCP |
| 1820-1267 | 01698 | SN74L184N | 1820-1404 | 01921 | CD4069UBE | 1820-1529 | 01921 | CD4018AF | 1820-1684 | 02237 | 9LS192PC |
| 1820-1268 | 01698 | SN74L85N | 1820-1405 | 01921 | CD4075BE | 1820-1530 | 01921 | CD4027AF | 1820-1685 | 02037 | MC10195P |
| 1820-1269 | 01698 | SN74L157N | 1820-1407 | 01921 | CD4078BE | 1820-1531 | 01921 | CD4013AF | 1820-1686 | 02037 | MC10103P |
| 1820-1270 | 01698 | SN74L121N | 1820-1408 | 01921 | CD4073BE | 1820-1532 | 01921 | CD4044AF | 1820-1687 | 02037 | MC3443AP |
| 1820-1271 | 01698 | SN74L43J | 1820-1409 | 01921 | CD4082BE | 1820-1533 | 01921 | CD4043AF | 1820-1688 | 01698 | SN74LS247N |
| 1820-1272 | 01698 | SN74LS33N | 1820-1410 | 01921 | CD4068BE | 1820-1534 | 01921 | CD4001AF | 1820-1689 | 02037 | MC3446AP |
| 1820-1273 | 01698 | SN74LS28N | 1820-1411 | 01698 | SN74LS75N | 1820-1535 | 01921 | CD4025AF | 1820-1693 | 02037 | MC14508BCL |
| 1820-1274 | 01698 | SN74LS22N | 1820-1412 | 02037 | MC14556BCP | 1820-1536 | 01921 | CD4030AF | 1820-1699 | 03794 | AM25LS175PC |
| 1820-1275 | 01698 | SN74LS260N | 1820-1413 | 02037 | MC14511BCP | 1820-1537 | 01921 | CD4002AF | 1820-1700 | 03794 | AM25LS174PC |
| 1820-1276 | 01698 | SN74LS194AN | 1820-1414 | 01698 | SN74LS12N | 1820-1538 | 01921 | CD4011AF | 1820-1720 | 03406 | DM2504CN |
| 1820-1277 | 01698 | SN74LS192N | 1820-1415 | 01698 | SN74LS13N | 1820-1539 | 01921 | CD4012AF | 1820-1721 | 02037 | MC14549BCP |
| 1820-1278 | 01698 | SN74LS191N | 1820-1416 | 01698 | SN74LS14N | 1820-1540 | 01921 | CD4042AF | 1820-1722 | 02037 | MC14559BCP |
| 1820-1279 | 01698 | SN74LS190N | 1820-1417 | 01698 | SN74LS26N | 1820-1541 | 01921 | CD4015AF | 1820-1724 | 02883 | DC184BP |
| 1820-1280 | 01698 | SN74LS181N | 1820-1418 | 01698 | SN74LS42N | 1820-1542 | 01921 | CD4049AF | 1820-1725 | 02883 | DG508ACJ |
| 1820-1281 | 01698 | SN74LS130AN | 1820-1419 | 01698 | SN74LS85N | 1820-1543 | 01921 | CD4050AF | 1820-1728 | 01698 | SN74278N |
| 1820-1282 | 01698 | SN74LS109AN | 1820-1420 | 01698 | SN74LS92N | 1820-1544 | 01921 | CD4076BF | 1820-1729 | 01698 | SN74LS259N |
| 1820-1283 | 01698 | SN74LS095BN | 1820-1421 | 01698 | SN74LS96N | 1820-1545 | 01921 | CD4053BY | 1820-1730 | 01698 | SN74LS273N |
| 1820-1284 | 01698 | SN74LS55N | 1820-1422 | 01698 | SN74LS122N | 1820-1546 | 02037 | MC14052BCL | 1820-1731 | 01698 | SN74L73N |
| 1820-1285 | 01698 | SN74LS54N | 1820-1423 | 01698 | SN74LS123N | 1820-1547 | 02037 | MC14051BCL | 1820-1732 | 03794 | AM74LS138N |
| 1820-1286 | 01698 | SN74LS40N | 1820-1424 | 01698 | SN74LS124N | 1820-1548 | 01921 | CD4066AY | 1820-1733 | 03794 | AM74LS175N |
| 1820-1287 | 01698 | SN74LS37N | 1820-1425 | 01698 | SN74LS125N | 1820-1549 | 02037 | MC14539BCL | 1820-1735 | 03406 | MM74C42N |
| 1820-1288 | 02037 | MMH0026CL | 1820-1426 | 01698 | SN74LS145N | 1820-1550 | 01921 | CD4071BF | 1820-1738 | 03406 | DS8884AN |
| 1820-1289 | 02910 | N8T14N | 1820-1427 | 01698 | SN74LS155N | 1820-1551 | 01921 | CD4081BF | 1820-1739 | 03406 | DS8897AN |
| 1820-1290 | 02237 | 93S12DC | 1820-1428 | 01698 | SN74LS158N | 1820-1552 | 01921 | CD4023BF | 1820-1740 | 03406 | DS8863N |
| 1820-1291 | 03406 | DM8554N | 1820-1429 | 01698 | SN74LS160AN | 1820-1553 | 01921 | CD4019AF | 1820-1745 | 02037 | MC14001BCP |
| 1820-1292 | 03406 | DM8520N | 1820-1430 | 01698 | SN74LS161AN | 1820-1554 | 01921 | CD4035AF | 1820-1746 | 02037 | MC14049UBCP |
| 1820-1293 | 03406 | DM8130N | 1820-1431 | 01698 | SN74LS162AN | 1820-1555 | 01921 | CD4556BF | 1820-1747 | 02037 | MC14011BCP |
| 1820-1294 | 03406 | DM8123N | 1820-1432 | 01698 | SN74LS163AN | 1820-1556 | 01921 | CD4555BF | 1820-1750 | 03406 | DM54LS123J |
| 1820-1295 | 03406 | DM8121N | 1820-1433 | 01698 | SN74LS164N | 1820-1557 | 03811 | P8216 | 1820-1752 | 02237 | 93L10CP |
| 1820-1296 | 01698 | SN74LS295BN | 1820-1434 | 01698 | SN74LS668N | 1820-1558 | 02037 | MC3441AP | 1820-1753 | 03406 | MM74C74N |
| 1820-1297 | 01698 | SN74LS266N | 1820-1435 | 01698 | SN74LS669N | 1820-1559 | 03406 | MM74C164N | 1820-1754 | 03677 | S2350-2 |
| 1820-1298 | 01698 | SN74LS251N | 1820-1437 | 01698 | SN74LS221N | 1820-1560 | 03406 | MM74C165N | 1820-1755 | 03406 | MM5371N |
| 1820-1300 | 01698 | SN74LS195AN | 1820-1438 | 01698 | SN74LS257BN | 1820-1561 | 03406 | MM74C193N | 1820-1756 | 03406 | MM5312N |
| 1820-1301 | 01698 | SN74S257N | 1820-1439 | 01698 | SN74LS258BN | 1820-1562 | 03406 | MM74C175N | 1820-1758 | 03811 | D3245 |
| 1820-1302 | 01698 | SN74S251N | 1820-1440 | 01698 | SN74LS279AN | 1820-1563 | 03406 | MM74C14N | 1820-1759 | 03406 | DM81LS97N |
| 1820-1303 | 01698 | SN74S195N | 1820-1441 | 01698 | SN74LS283N | 1820-1568 | 01698 | SN74LS125AN | 1820-1777 | 02910 | N82S83N |
| 1820-1304 | 01698 | SN74S194N | 1820-1442 | 01698 | SN74LS290N | 1820-1569 | 02037 | MC14538BCL | 1820-1778 | 03406 | MM74C914N |
| 1820-1305 | 01698 | SN74S182N | 1820-1443 | 01698 | SN74LS293N | 1820-1570 | 02037 | MC14532BCL | 1820-1779 | 02037 | MC14411P |
| 1820-1306 | 01698 | SN74S134N | 1820-1444 | 01698 | SN74LS298N | 1820-1573 | 02037 | MC14558BCP | 1820-1780 | 02237 | 11C90DC |
| 1820-1307 | 01698 | SN74S132N | 1820-1445 | 01698 | SN74LS375N | 1820-1574 | 01698 | SN74LS73AN | 1820-1781 | 03794 | HT2-0200-5 |
| 1820-1308 | 02037 | MC10116L | 1820-1446 | 01698 | SN74LS395AN | 1820-1575 | 03406 | MM74C192N | 1820-1782 | 03794 | AM26S02PC |
| 1820-1309 | 01698 | SN74S258N | 1820-1448 | 01698 | SN74S09N | 1820-1576 | 03406 | MM74C107N | 1820-1784 | 01698 | SN74LS91N |
| 1820-1310 | 01698 | SN75108BN | 1820-1449 | 01698 | SN74S32N | 1820-1577 | 01921 | CD4093BF | 1820-1785 | 01698 | SN74LS261N |
| 1820-1313 | 01921 | CD4053BE | 1820-1450 | 01698 | SN74S37N | 1820-1578 | 01921 | CD4076BE | 1820-1786 | 02037 | MC3459CP |
| 1820-1314 | 01921 | CD4052BE | 1820-1451 | 01698 | SN74S38N | 1820-1579 | 03811 | M14034 | 1820-1787 | 02237 | 7427DC |
| 1820-1315 | 01921 | CD4051BE | 1820-1452 | 01698 | SN74S162N | 1820-1580 | 01698 | SN74247N | 1820-1788 | 02237 | F10016DC |
| 1820-1316 | 01921 | CD4048AE | 1820-1453 | 01698 | SN74S163N | 1820-1585 | 02910 | 74123N | 1820-1789 | 03285 | AD7530JN |
| 1820-1317 | 01921 | CD4047AE | 1820-1454 | 01698 | SN74S168N | 1820-1586 | 02237 | 4512BPC | 1820-1791 | 01698 | SN74284N |
| 1820-1318 | 01921 | CD4045AE | 1820-1455 | 01698 | SN74S169N | 1820-1587 | 03406 | DS8859AN | 1820-1792 | 01698 | SN74285N |
| 1820-1319 | 01698 | SN74S151N | 1820-1456 | 01698 | SN74S281N | 1820-1588 | 02037 | MC14566BCP | 1820-1793 | 01698 | SN74116N |
| 1820-1320 | 02037 | MC10216L | 1820-1457 | 01698 | SN74S299N | 1820-1590 | 03406 | MM74C14J | 1820-1794 | 03406 | DM81LS95N |
| 1820-1321 | 01698 | SN74S85N | 1820-1458 | 01698 | SN74S381N | 1820-1591 | 02037 | MC14518BCL | 1820-1795 | 03406 | LF13331N |
| 1820-1322 | 01698 | SN74S02N | 1820-1460 | 01698 | SN74265N | 1820-1592 | 02037 | MC14069UBCL | 1820-1796 | 03406 | DS33611N |
| 1820-1323 | 01698 | SN74S30N | 1820-1461 | 01698 | SN74273N | 1820-1594 | 01698 | SN5495AN | 1820-1797 | 03406 | DM0035CG |
| 1820-1324 | 01698 | SN74S124N | 1820-1462 | 01698 | SN74351N | 1820-1595 | 01698 | SN54H106N | 1820-1798 | 01698 | SN54LS74AJ |
| 1820-1325 | 01921 | CD4066AE | 1820-1463 | 01698 | SN74390N | 1820-1598 | 01921 | CD4029AE | 1820-1799 | 01698 | SN54LS02J |
| 1820-1327 | 02037 | MC14530BCP | 1820-1464 | 01698 | SN74393N | 1820-1600 | 01921 | CD4093BE | 1820-1800 | 01698 | SN75452BJG |
| 1820-1328 | 02037 | MC14526BCP | 18 | | | | | | | | |

| HP P/N | Mfr. | Desc. | HP P/N | Mfr. | Desc. | HP P/N | Mfr. | Desc. |
|-----------|-------|--------------|-----------|-------|-----------------|-------------|-------|----------------|
| 1820-1865 | 03794 | AM25LS08PC | | | | | | |
| 1820-1866 | 03794 | AM25LS07PC | 1820-2021 | 02037 | MC14520BCP | 1820-2202 | 01698 | SN74LS323N |
| 1820-1867 | 03794 | AM25LS09PC | 1820-2023 | 02037 | MC10197P | 1820-2203 | 03794 | AM26LS32PC |
| 1820-1868 | 01698 | SN74LS197N | 1820-2024 | 01698 | SN74LS244N | 1820-2204 | 03714 | IM6402-11PL |
| 1820-1869 | 01698 | SN74LS196N | 1820-2025 | 03714 | ICL7101CPL | 1820-2206 | 01698 | SN74LS640N |
| 1820-1870 | 03406 | DS88339N | 1820-2026 | 01698 | SN74LS396N | 1820-2207 | 01698 | SN75471P |
| 1820-1871 | 01698 | SN74LS283N | 1820-2031 | 02037 | MC14021BCP | 1820-2208 | 02037 | MC75462P |
| 1820-1872 | 03406 | DM81LS96N | 1820-2032 | 02237 | 4104PC | 1820-2209 | 01921 | CD4097BE |
| 1820-1873 | 03406 | DM81LS98N | 1820-2033 | 02037 | MC14561BCP | 1820-2210 | 03406 | MM74C00N |
| 1820-1874 | 03406 | DM8556N | 1820-2035 | 03811 | P3205 | 1820-2211 | 03406 | MM74C04N |
| 1820-1875 | 03406 | DS8838N | 1820-2036 | 02037 | MC6875L | 1820-2212 | 03406 | MM74C10N |
| 1820-1876 | 03794 | AM74LS161N | 1820-2037 | 02037 | MC14081BCP | 1820-2213 | 03406 | MM74C32N |
| 1820-1877 | 03794 | AM74LS160N | 1820-2038 | 03406 | MM74C00J | 1820-2214 | 03406 | MM74C162N |
| 1820-1878 | 01698 | SN5423J | 1820-2040 | 03406 | MM5315N | 1820-2215 | 03406 | MM74C373N |
| 1820-1879 | 01698 | SN54LS00J | 1820-2041 | 03406 | DS3612N | 1820-2216 | 03406 | MM74C374N |
| 1820-1880 | 01698 | SN54LS27J | 1820-2042 | 01698 | SN54LS221J | 1820-2217 | 03406 | MM88C29N |
| 1820-1881 | 01921 | CD4097BF | 1820-2043 | 01698 | SN54197J | 1820-2218 | 03406 | MM88C30N |
| 1820-1882 | 02037 | MC10113L | 1820-2044 | 01698 | SN75461P | 1820-2220 | 02037 | MC14076BCP |
| 1820-1884 | 02910 | N8T97N | 1820-2046 | 01698 | SN74LS353N | 1820-2221 | 01921 | CD4067BF |
| 1820-1885 | 03406 | DM74LS173N | 1820-2047 | 01590 | SP8620BDG | 1820-2222 | 01921 | CD4094BF |
| 1820-1887 | 01698 | SN75361AP | 1820-2048 | 01921 | CD40115D | 1820-2223 | 02037 | MC14032BCP |
| 1820-1888 | 02037 | MC12013J | 1820-2049 | 02237 | 74LS196PC | 1820-2224 | 02037 | MC14038BCP |
| 1820-1889 | 01698 | SN74LS26N | 1820-2050 | 02037 | MC14555BCP | 1820-2225 | 01921 | CD4041UBF |
| 1820-1890 | 01698 | SN74LS258BN | 1820-2051 | 02037 | MC14528BCL | 1820-2226 | 01921 | CD4045BF |
| 1820-1891 | 01698 | SN74LS00N | 1820-2053 | 03406 | DM74LS154N | 1820-2227 | 01921 | CD4000BF |
| 1820-1892 | 01698 | SN74LS367AN | 1820-2054 | 02037 | MC14040BCL | 1820-2228 | 02037 | MC14044BCP |
| 1820-1897 | 01921 | CD4024BF | 1820-2055 | 02037 | MC14015BCL | 1820-2229 | 01921 | CD4512BF |
| 1820-1898 | 01921 | CD4021BF | 1820-2056 | 01698 | SN74LS378N | 1820-2230 | 01921 | CD4047BF |
| 1820-1899 | 02037 | MC14516BCL | 1820-2058 | 02037 | MC3448AL | 1820-2231 | 01921 | CD4031BF |
| 1820-1900 | 02037 | MC14520BCL | 1820-2060 | 00039 | UPD369C | 1820-2232 | 02037 | MC14034BCP |
| 1820-1903 | 02237 | 9368PC | 1820-2064 | 01698 | SN54LS174J | 1820-2233 | 01921 | CD4099BF |
| 1820-1905 | 02910 | 74LS260N | 1820-2065 | 03406 | MM74C151N | 1820-2234 | 03406 | DS3649N |
| 1820-1906 | 03406 | MM80C98J | 1820-2066 | 02037 | MC10178L | 1820-2236 | 01698 | SN5453BJG |
| 1820-1907 | 02037 | MC140778CL | 1820-2067 | 02037 | MC10162L | 1820-2237 | 01698 | SN74LS132N |
| 1820-1908 | 02037 | MC14070BCL | 1820-2068 | 01698 | SN74LS325N | 1820-2239 | 03406 | DP830ABF |
| 1820-1909 | 02037 | MC14075BCL | 1820-2071 | 03811 | D4201 | 1820-2241 | 01921 | CD40103BF |
| 1820-1910 | 02037 | MC14073BCL | 1820-2075 | 01698 | SN74LS245N | 1820-2242 | 02237 | 95003DC |
| 1820-1911 | 00575 | TR1602B-05 | 1820-2076 | 03811 | D3242 | 1820-2243 | 01698 | SN75469N |
| 1820-1912 | 02037 | MC14042BCP | 1820-2078 | 01698 | SN74LS490N | 1820-2244 | 01698 | SN74LS379N |
| 1820-1914 | 01698 | SN74LS174N | 1820-2079 | 02037 | MC14002BCP | 1820-2246 | 03406 | MM5369AA/N |
| 1820-1915 | 02037 | MC1204L | 1820-2080 | 02037 | MC14035BCP | 1820-2247 | 02910 | PLS100F UNPRGM |
| 1820-1917 | 01698 | SN74LS240N | 1820-2082 | 01698 | SN5442AJ | 1820-2248 | 01698 | SN54LS08J |
| 1820-1918 | 01698 | SN74LS241N | 1820-2083 | 03406 | CD4029BCN | 1820-2249 | 01698 | SN54LS10J |
| 1820-1922 | 01698 | SN74LS166AN | 1820-2084 | 02037 | MC14018BCP | 1820-2250 | 01698 | SN54LS30J |
| 1820-1924 | 02910 | N8T93N | 1820-2085 | 03406 | CD4019BCN | 1820-2251 | 01698 | SN54LS196J |
| 1820-1925 | 01921 | CD4040AF | 1820-2086 | 02037 | MC14006BCP | 1820-2252 | 01698 | SN54S30J |
| 1820-1927 | 02237 | 9S41PC | 1820-2087 | 03714 | IM6402IDL | 1820-2253 | 01698 | SN54S40J |
| 1820-1930 | 02037 | MC14078BCP | 1820-2088 | 02237 | 9613TC | 1820-2254 | 03406 | DS75492N |
| 1820-1931 | 02037 | MC14068BCP | 1820-2089 | 02237 | 9612TC | 1820-2256 | 03406 | DS8836 |
| 1820-1932 | 02037 | MC14518BCP | 1820-2090 | 02037 | MC14082BCP | 1820-2257 | 02037 | MC14503BCP |
| 1820-1933 | 03406 | MM74C74J | 1820-2091 | 02037 | MC14075BCP | 1820-2258 | 02037 | MC14174BCP |
| 1820-1934 | 02180 | DAC-08EQ | 1820-2092 | 01698 | TMS3129NC | 1820-2259 | 01698 | AC5947NF |
| 1820-1935 | 03406 | MM74C905N | 1820-2093 | 02237 | F1001ODC | 1820-2261 | 01698 | SN54LS11J |
| 1820-1936 | 02037 | MC14093BCL | 1820-2094 | 02237 | 9316HDC | 1820-2262 | 03794 | AM25LS2539PC |
| 1820-1937 | 03406 | MM74C83J | 1820-2095 | 02237 | 9627PC | 1820-2264 | 02237 | 4040BPC |
| 1820-1941 | 03406 | LF13201N | 1820-2096 | 01698 | SN74LS393N | 1820-2265 | 02237 | 4008BPC |
| 1820-1942 | 01698 | SN74LS163J | 1820-2097 | 02037 | MC14543BCP | 1820-2266 | 02910 | NE590F |
| 1820-1943 | 01698 | SN74LS169J | 1820-2098 | 03406 | DM8099N | 1820-2267 | 02910 | NE591F |
| 1820-1944 | 02037 | MC10130L | 1820-2102 | 01698 | SN74LS373N | 1820-2268 | 01698 | SN74LS645N |
| 1820-1945 | 02037 | MC10115L | 1820-2103 | 03794 | DS0056CN | 1820-2270 | 03794 | AM25LS2569DC |
| 1820-1946 | 02037 | MC10117L | 1820-2104 | 01698 | SN74LS242N | 1820-2273 | 04200 | UDN-2981A |
| 1820-1947 | 02037 | MC14490FP | 1820-2106 | 02237 | F11C06DC | 1820-2274 | 04200 | MM74-2068B |
| 1820-1948 | 01698 | TL607CP | 1820-2107 | 02237 | 74LS00FC | 1820-2275 | 03406 | MM74C90N |
| 1820-1949 | 01698 | SN74LS154N | 1820-2110 | 01698 | SN75477P | 1820-2276 | 03406 | MM74C86N |
| 1820-1950 | 02037 | MC10212P | 1820-2111 | 01698 | SN75468N | 1820-2277 | 02037 | MC14022BAL |
| 1820-1955 | 02037 | MC14008BCP | 1820-2114 | 02237 | FCM7002PC | 1820-2279 | 02037 | MC14175BCP |
| 1820-1956 | 02037 | MC14042BCP | 1820-2117 | 02237 | 9636ATC | 1820-2282 | 01698 | SN55461JG |
| 1820-1957 | 02037 | MC14511BCP | 1820-2118 | 02237 | 96S02PC | 1820-2283 | 01698 | SN55462JG |
| 1820-1958 | 02037 | MC14016BCP | 1820-2120 | 03794 | AM25LS14ADC | 1820-2287 | 03406 | DM74S253N |
| 1820-1959 | 02037 | MC14508BCP | 1820-2121 | 01698 | SN74LS348N | 1820-2290 | 03406 | DS3632N |
| 1820-1960 | 02037 | MC14012BCP | 1820-2124 | 02037 | MC14043BCP | 1820-2292 | 01590 | SP8611BDG |
| 1820-1961 | 02037 | MC14023BCP | 1820-2125 | 02237 | 40163BPC | 1820-2296 | 02037 | MC8502P |
| 1820-1962 | 02037 | MC14028BCP | 1820-2126 | 03406 | MM5313N (76+) | 1820-2297 | 02037 | MC8500P |
| 1820-1963 | 02037 | MC14013BCP | 1820-2127 | 01698 | SN74276N | 1820-2304 | 01698 | SN7422J |
| 1820-1964 | 02037 | MC14027BCP | 1820-2128 | 01698 | SN75116N | 1820-2305 | 01698 | SN74LS123J |
| 1820-1965 | 02037 | MC14025BCP | 1820-2129 | 04200 | UHP-407 | 1820-2306 | 02037 | MC14490P |
| 1820-1967 | 08323 | 1AA6-6004 | 1820-2130 | 04200 | ULN-2074B | 1820-2309 | 03406 | MM74C923N |
| 1820-1968 | 03794 | AM93S48PC | 1820-2132 | 03714 | ICM7218A | 1820-2310 | 04078 | MM50399N |
| 1820-1970 | 02037 | MC14071BCP | 1820-2133 | 02037 | MC670P | 1820-2311 | 03794 | AM25LS2521PC |
| 1820-1971 | 02883 | DG201CJ | 1820-2134 | 01698 | SN75234N | 1820-2313 | 01698 | SN74LS673N |
| 1820-1973 | 01698 | TL6041P | 1820-2136 | 03406 | DS8973N | 1820-2321 | 02237 | 95102DC |
| 1820-1974 | 01698 | SN74LS181J | 1820-2138 | 03406 | DS8871N | 1820-2322 | 04078 | MM5009P |
| 1820-1975 | 01698 | SN74LS165AN | 1820-2140 | 02237 | 11C05DC | 1820-2323 | 02037 | MC10166L |
| 1820-1976 | 02037 | MC14050BCP | 1820-2141 | 01698 | SN75498N | 1820-2324 | 02037 | MC10114P |
| 1820-1977 | 02037 | MC12061P | 1820-2144 | 02037 | MC34486P | 1820-2326 | 02037 | MC14504BCP |
| 1820-1978 | 03794 | AM25L04PC | 1820-2145 | 02037 | MC34487P | 1820-2330 | 01921 | CD4068BF |
| 1820-1979 | 02910 | N8T75N | 1820-2146 | 08323 | 1AA7-6002 | 1820-2331 | 01921 | CD4078BF |
| 1820-1980 | 02910 | N82S31N | 1820-2154 | 02237 | 3816PC | 1820-2338 | 01590 | SP8617BDG |
| 1820-1981 | 03794 | AM25S09PC | 1820-2156 | 03406 | MM74C922N | 1820-2343 | 03406 | MM74C83N |
| 1820-1982 | 01698 | SN75363N | 1820-2157 | 02037 | MC3450P | 1820-2344 | 02037 | MC14575BCP |
| 1820-1984 | 03285 | AD561KD | 1820-2158 | 02037 | MC3452P | 1820-2345 | 02883 | D139BF |
| 1820-1985 | 03406 | DM85S68J | 1820-2159 | 01698 | SN75117P | 1820-2346 | 01698 | SN74LS221J |
| 1820-1986 | 03406 | LF13202N | 1820-2160 | 03794 | AM74LS244N | 1820-2347 | 02037 | MC10159L |
| 1820-1987 | 03794 | AM74LS299N | 1820-2161 | 03406 | DS8835N | 1820-2351 | 01698 | SN7438J |
| 1820-1988 | 03406 | AH0019CD | 1820-2163 | 02910 | 26521 | 1820-2352 | 01698 | SN75119P |
| 1820-1989 | 02237 | 74LS393PC | 1820-2164 | 01698 | SN74120N | 1820-2353 | 03406 | DM8131N |
| 1820-1990 | 02037 | MC10100L | 1820-2165 | 02037 | MC6881P/MC3449P | 1820-2359 | 02237 | F10014PC |
| 1820-1991 | 02237 | 74LS390PC | 1820-2166 | 02037 | MC14412VP | 1820-2361 | 01698 | SN75327N |
| 1820-1992 | 03794 | AM25LS160APC | 1820-2168 | 03794 | AM2502PC | 1820-2362 | 01698 | SN75159N |
| 1820-1993 | 02037 | MC10158L | 1820-2170 | 04200 | ULN-2064B | 1820-2363 | 03406 | DS8867N |
| 1820-1994 | 01698 | SN74LS243N | 1820-2174 | 03406 | DS3631N | 1820-2365 | 02237 | 9644PC |
| 1820-1995 | 03285 | AD7550BD | 1820-2178 | 03406 | DS8640N | 1820-2366 | 02237 | 74LS569PC |
| 1820-1997 | 03794 | AM74LS374AP | 1820-2179 | 02910 | N7405F | 1820-2369 | 01698 | SN74LS629N |
| 1820-2001 | 03406 | MM5307AN | 1820-2181 | 01698 | SN75417NE | 1820-2375 | 03794 | AM25S08PC |
| 1820-2002 | 02237 | 9370PC | 1820-2183 | 03714 | TH6216CP1 | 1820-2376 | 02037 | MC10198L |
| 1820-2007 | 01698 | SN74365AN | 1820-2185 | 04092 | SN74S373J | 1820-2381 | 02037 | MC10166P |
| 1820-2008 | 02037 | MC14015BCP | 1820-2186 | 01698 | SN75497N | 1820-2383 | 02037 | MC14569BCP |
| 1820-2009 | 02237 | 4049BPC | 1820-2187 | 03714 | ICM7226AIDL | 1820-2384 | 01698 | SN74LS399N |
| 1820-2013 | 02037 | MC14051BCP | 1820-2190 | 03794 | AM25LS2518PC | 1820-2385</ | | |

| HP P N | Mfr. | Desc. | | | | | | | | | |
|-----------|-------|------------------------|-----------|-------|---------------------|-----------|-------|--------------------|-----------|-------|---------------------|
| 1820-2587 | 01698 | SN74LS86AJ | 1820-2803 | 02037 | MC14001BCL | 1820-3007 | 02037 | MC74HC86N | 1820-3213 | 01698 | SN74LS8647NT |
| 1820-2588 | 01921 | CDN060BE | 1820-2804 | 02037 | MC14025BCL | 1820-3008 | 03406 | MM74HC004N | 1820-3215 | 03677 | S1602P |
| 1820-2590 | 03793 | SG3627 | 1820-2805 | 02037 | MC14017BCL | 1820-3012 | 02237 | 74F534PC | 1820-3216 | 02237 | 74F299PC |
| 1820-2592 | 01698 | SN74ALS320N | 1820-2816 | 03811 | D7250 | 1820-3013 | 03794 | AM25LS2568DC | 1820-3217 | 01698 | SN74ALS569AN |
| 1820-2593 | 01698 | SN7407J | 1820-2817 | 03811 | D7242 | 1820-3014 | 03406 | MM74HC139N | 1820-3220 | 02237 | 74F139PC |
| 1820-2594 | 01698 | AM26LS32ACN (SELECTED) | 1820-2818 | 03811 | D7230 | 1820-3015 | 06354 | TC40H245P | 1820-3221 | 02237 | 74F181PC |
| 1820-2600 | 02237 | 961S02PC | 1820-2819 | 01698 | SN74LS630N | 1820-3018 | 01921 | CD4029AE | 1820-3222 | 02237 | 74F190PC |
| 1820-2605 | 03406 | MM74C73N | 1820-2820 | 02910 | PLS105F UNPRGMD | 1820-3019 | 03794 | AM29825DC | 1820-3223 | 02237 | 74F243PC |
| 1820-2606 | 03406 | MM74C76N | 1820-2821 | 02037 | MC10159P | 1820-3020 | 03794 | AM29845DC | 1820-3224 | 02237 | 74F245PC |
| 1820-2610 | 01698 | SN74LS686WT | 1820-2822 | 02037 | MC10H105P | 1820-3022 | 01698 | SN74LS599N | 1820-3225 | 02237 | 74F251APC |
| 1820-2611 | 02237 | 100101DC | 1820-2823 | 02037 | MC10H102P | 1820-3023 | 03406 | MM74HC174N | 1820-3226 | 02237 | 74F253PC |
| 1820-2613 | 01698 | SN74ALS356N | 1820-2824 | 06354 | TC40H373P | 1820-3026 | 03714 | ICM721TCIPI | 1820-3227 | 02237 | 74F257PC |
| 1820-2614 | 02237 | 100102DC | 1820-2825 | 06354 | TC40H374P | 1820-3062 | 02237 | 10011TDC | 1820-3228 | 02237 | 74F350PC |
| 1820-2621 | 01698 | SN74S225N | 1820-2826 | 03794 | AM2966PC (SELECTED) | 1820-3063 | 02237 | 100118DC | 1820-3229 | 02237 | 74F353PC |
| 1820-2622 | 01698 | SN74LS624N | 1820-2827 | 01698 | NE555JG | 1820-3064 | 02237 | 100124DC | 1820-3230 | 02237 | 74F379PC |
| 1820-2625 | 02713 | AY-5-2376-006 | 1820-2830 | 03794 | AM26LS32BPC | 1820-3065 | 02237 | 100125DC | 1820-3231 | 02237 | 74F381PC |
| 1820-2626 | 01698 | AC5947N | 1820-2831 | 01698 | SN75174N | 1820-3066 | 02237 | 100141DC | 1820-3232 | 02237 | 74F537PC |
| 1820-2630 | 03406 | MM74C941N | 1820-2832 | 01698 | SN74S341N | 1820-3067 | 02237 | 100155DC | 1820-3233 | 02237 | 74F539PC |
| 1820-2634 | 01698 | SN74ALS08BN | 1820-2834 | 02037 | MC10101L | 1820-3068 | 02237 | 100158DC | 1820-3234 | 02237 | 74F580PC |
| 1820-2635 | 01698 | SN74ALS08N | 1820-2835 | 02037 | MC10102L | 1820-3069 | 02237 | 100160DC | 1820-3235 | 03714 | ICM75561PD |
| 1820-2641 | 01698 | SN74ALS374N | 1820-2836 | 02037 | MC10104L | 1820-3070 | 02237 | 100170DC | 1820-3236 | 01698 | SN74ALS1623N |
| 1820-2644 | 03406 | CD4050BCN | 1820-2837 | 02037 | MC10105L | 1820-3071 | 02237 | 100171DC | 1820-3237 | 01698 | SN74ALS873NT |
| 1820-2646 | 03714 | ICM722TAIPI | 1820-2838 | 02037 | MC10106L | 1820-3072 | 02237 | 100180DC | 1820-3238 | 01698 | SN74ALS1245A-1N |
| 1820-2647 | 03714 | ICM722TCIPI | 1820-2839 | 02037 | MC10107L | 1820-3073 | 02237 | 100182DC | 1820-3239 | 01698 | SN74ALS1244A-1N |
| 1820-2648 | 02237 | 100165DC | 1820-2840 | 02037 | MC10121L | 1820-3074 | 02237 | 100183DC | 1820-3240 | 01698 | SN74ALS876NT |
| 1820-2653 | 03794 | AM25LS2569PC | 1820-2841 | 02037 | MC10188L | 1820-3075 | 02037 | MC10H116L | 1820-3241 | 01698 | SN74LS628N |
| 1820-2654 | 02237 | 74F157PC | 1820-2842 | 02037 | MC10189L | 1820-3076 | 02037 | MC10H131L | 1820-3243 | 04200 | UGN-3020P |
| 1820-2655 | 01698 | SN74LS625N | 1820-2843 | 02037 | MC10195L | 1820-3077 | 03794 | AM26S12PC SELECTED | 1820-3246 | 01698 | TMS2150-4JD |
| 1820-2656 | 01698 | SN74ALS00AN | 1820-2844 | 02037 | MC10197L | 1820-3078 | 03406 | DM74LS168AN | 1820-3258 | 01698 | SN74ALS137N |
| 1820-2657 | 01698 | SN74ALS32N | 1820-2845 | 02037 | MC10211L | 1820-3079 | 02037 | MC74HC139N | 1820-3269 | 08323 | 1AET-6200 |
| 1820-2658 | 01921 | CA3161E | 1820-2846 | 02037 | MC10109L | 1820-3080 | 02037 | MC74HC20N | 1820-3270 | 01698 | SN74ALS03BN |
| 1820-2662 | 01921 | CD40116E | 1820-2847 | 02037 | MC10153P | 1820-3081 | 02037 | MC74HC74N | 1820-3271 | 01698 | SN74ALS1244AN |
| 1820-2664 | 02037 | MC1678L | 1820-2848 | 02037 | MC10H116P | 1820-3082 | 02037 | MC74HC374N | 1820-3278 | 02237 | 74F399PC |
| 1820-2666 | 01698 | SN74S37J | 1820-2849 | 02037 | MC10H131P | 1820-3090 | 02237 | 74F161APC | 1820-3279 | 02237 | 74F382PC |
| 1820-2668 | 01698 | SN7511AN | 1820-2850 | 01698 | SN75473P | 1820-3092 | 02237 | 74F538PC | 1820-3280 | 02237 | 74F174PC |
| 1820-2670 | 04092 | PAL16L8A-2CJ UNPRGMD | 1820-2860 | 02037 | MC10H130P | 1820-3097 | 03406 | MM74HC08N | 1820-3281 | 03794 | AM26S10PC |
| 1820-2671 | 04092 | PAL12H6CJ UNPRGMD | 1820-2861 | 02237 | 74F138PC | 1820-3098 | 03406 | MM74HC21N | 1820-3283 | 03794 | AM26LS34PC |
| 1820-2672 | 01698 | SN74LS623N | 1820-2862 | 03406 | DS3667N | 1820-3100 | 01698 | SN74ALS138N | 1820-3287 | 01698 | SN74ALS1245AN |
| 1820-2675 | 01698 | SN74LS646NT | 1820-2863 | 03794 | AM25LS191PC | 1820-3102 | 02037 | MC10H016L | 1820-3289 | 04200 | UCN-5800A |
| 1820-2676 | 02237 | 74F64PC | 1820-2864 | 02910 | PLS153N UNPRGMD | 1820-3104 | 01698 | SN74ALS299N | 1820-3290 | 04092 | PAL16R6-2CJ UNPRGMD |
| 1820-2677 | 04092 | PAL10H8CJ UNPRGMD | 1820-2866 | 09161 | MD74SC245AC | 1820-3105 | 01698 | SN74ALS1002AN | 1820-3291 | 04092 | PAL16R4-2CJ UNPRGMD |
| 1820-2678 | 04092 | PAL14L4CJ UNPRGMD | 1820-2875 | 02037 | MC10H164P | 1820-3106 | 01698 | SN74LS688N | 1820-3292 | 04092 | PAL16C1-2CJ UNPRGMD |
| 1820-2679 | 04092 | PAL16H2CJ UNPRGMD | 1820-2876 | 00575 | BR1941M-06 | 1820-3118 | 01698 | SN74LS294N | 1820-3294 | 01698 | SN74ALS374N |
| 1820-2680 | 04092 | PAL16R6A-2CJ UNPRGMD | 1820-2877 | 02237 | 100151DC | 1820-3120 | 06354 | TC40H032P | 1820-3295 | 02037 | MC10H136L |
| 1820-2681 | 04092 | PAL16R4A-2CJ UNPRGMD | 1820-2878 | 02237 | 100112DC | 1820-3121 | 01698 | SN74ALS245AN | 1820-3296 | 02037 | MC10H176L |
| 1820-2682 | 04200 | UDN-5703A | 1820-2879 | 02037 | MC145151P | 1820-3122 | 00575 | TR1865P-00 | 1820-3297 | 02037 | MC74HC24N |
| 1820-2683 | 04200 | UDN-5706A | 1820-2880 | 02037 | MC145152P | 1820-3124 | 02037 | MC10124P | 1820-3298 | 03406 | MM74HC32N |
| 1820-2684 | 02237 | 74F00PC | 1820-2881 | 01698 | SN74ALS27N | 1820-3125 | 02037 | MC10125P | 1820-3299 | 02037 | MC74HC240N |
| 1820-2685 | 02237 | 74F02PC | 1820-2882 | 01698 | SN74ALS576N | 1820-3126 | 02037 | MC10136P | 1820-3302 | 01698 | SN75153N |
| 1820-2686 | 02237 | 74F08PC | 1820-2883 | 03794 | AM74LS533PC | 1820-3127 | 02037 | MC10141P | 1820-3303 | 04092 | SN74ALS498JS |
| 1820-2687 | 02237 | 74F10PC | 1820-2885 | 06347 | HD74LS390P | 1820-3128 | 02037 | MC10158P | 1820-3304 | 01698 | SN75157P |
| 1820-2688 | 02237 | 74F11PC | 1820-2887 | 02237 | 74F521PC | 1820-3129 | 02037 | MC10164P | 1820-3305 | 01698 | SN74LS684N |
| 1820-2689 | 02237 | 74F20PC | 1820-2888 | 01698 | SN74ALS21N | 1820-3130 | 02037 | MC10181P | 1820-3306 | 03794 | AM29824DC |
| 1820-2690 | 02237 | 74F32PC | 1820-2889 | 01698 | SN74ALS11AN | 1820-3133 | 02237 | 74F283PC | 1820-3307 | 03794 | AM29823DC |
| 1820-2691 | 02237 | 74F74PC | 1820-2891 | 02037 | MC10H101P | 1820-3134 | 00575 | WD1943M-06 | 1820-3308 | 02037 | SN74ALS639N |
| 1820-2692 | 02237 | 74F86PC | 1820-2892 | 04200 | ULN-2814A | 1820-3135 | 02237 | 74F169PC | 1820-3317 | 01698 | SN74LS640-1N |
| 1820-2693 | 02237 | 74F109PC | 1820-2897 | 02037 | MC145145P | 1820-3136 | 03406 | MM74HC154N | 1820-3318 | 01698 | SN74ALS273N |
| 1820-2694 | 02237 | 74F112PC | 1820-2898 | 02237 | 100107DC | 1820-3137 | 08323 | 1AHT-6202 | 1820-3321 | 02037 | MC1489AP |
| 1820-2695 | 02237 | 74F158PC | 1820-2899 | 01698 | SN74AS885NT | 1820-3138 | 08323 | 1AHT-6201 | 1820-3322 | 02037 | MC1488P |
| 1820-2696 | 02237 | 74F175PC | 1820-2900 | 02037 | MC10H109P | 1820-3139 | 08323 | 1AD5-6101 | 1820-3323 | 04092 | PAL20X8CJ UNPRGMD |
| 1820-2697 | 02237 | 74F194PC | 1820-2903 | 03794 | AM29648DC | 1820-3140 | 08323 | 1AD5-6201 | 1820-3324 | 04092 | PAL20R8ACJ UNPRGMD |
| 1820-2698 | 02237 | 74F240PC | 1820-2906 | 03794 | AM25LS299PC | 1820-3142 | 03406 | DP8409N-2 | 1820-3325 | 04092 | PAL20L10CJ UNPRGMD |
| 1820-2699 | 02237 | 74F241PC | 1820-2907 | 06354 | TC40H138P | 1820-3143 | 01698 | SN74ALS874NT | 1820-3329 | 01698 | MC3446N |
| 1820-2700 | 02237 | 74F373PC | 1820-2908 | 06354 | TC40H002P | 1820-3144 | 01698 | SN74LS590N | 1820-3330 | 01698 | MM74HC245N |
| 1820-2701 | 02237 | 74F374PC | 1820-2909 | 06354 | TC40H000P | 1820-3145 | 01698 | SN74ALS244AN | 1820-3333 | 01698 | SN75179AP |
| 1820-2702 | 02037 | MC14521BCP | 1820-2913 | 02037 | SN74ALS245N | 1820-3146 | 02037 | MC74HC175N | 1820-3335 | 01698 | SN74ALS01N |
| 1820-2703 | 01698 | SN75174N | 1820-2914 | 01590 | SP8691A | 1820-3147 | 09161 | MD74HC373RC | 1820-3336 | 01698 | SN74ALS563N |
| 1820-2710 | 01698 | SN74ALS540N | 1820-2921 | 03406 | MM74HC04N | 1820-3152 | 01698 | SN74376N | 1820-3337 | 02037 | MC10H104P |
| 1820-2711 | 01698 | SN74ALS541N | 1820-2922 | 02037 | MC74HC00N | 1820-3154 | 03406 | DP8408N | 1820-3338 | 02037 | MC10H117P |
| 1820-2712 | 03714 | ICM7218B1JI | 1820-2923 | 02037 | MC74HC10N | 1820-3160 | 01698 | SN74LS593N | 1820-3339 | 02037 | MC10H119P |
| 1820-2713 | 01698 | SN74LS682N | 1820-2924 | 02037 | MC74HC02N | 1820-3161 | 01698 | SN74LS606N | 1820-3340 | 02037 | MC10H121P |
| 1820-2715 | 01698 | SN75447P | 1820-2925 | 02037 | MC74HC161N | 1820-3165 | 04200 | UCN-5801A | 1820-3341 | 02037 | MC10H210L |
| 1820-2716 | 02037 | MC14513BCL | 1820-2926 | 03794 | AM25LS2568PC | 1820-3167 | 01698 | SN74LS592N | 1820-3342 | 02037 | MC10H174L |
| 1820-2719 | 04092 | SN74LS33N | 1820-2928 | 02237 | 9639ATC | 1820-3168 | 00575 | WD1010BL | 1820-3343 | 01698 | SN74ALS1034N |
| 1820-2720 | 01698 | SN74LS385N | 1820-2933 | 01590 | SP8606B | 1820-3169 | 02037 | MC74HC42N | 1820-3344 | 02037 | MC74HC595N |
| 1820-2721 | 03406 | MM5837N | 1820-2934 | 02037 | MC12009P | 1820-3170 | 03406 | MM74HC75N | 1820-3348 | 02237 | 74F163APC |
| 1820-2722 | 01698 | SN74LS60AN | 1820-2935 | 02037 | MC12011P | 1820-3171 | 02037 | MC74HC85N | 1820-3349 | 01698 | SN74ALS38AN |
| 1820-2723 | 01698 | SN74LS620N | 1820-2936 | 02237 | 74F151PC | 1820-3172 | 02037 | MC74HC109N | 1820-3350 | 04092 | MM74HC153N |
| 1820-2724 | 01698 | SN74ALS573BN | 1820-2937 | 01698 | SN74LS691N | 1820-3173 | 03406 | MM74HC122N | 1820-3351 | 01698 | SN74LS648NT |
| 1820-2729 | 02910 | 74LS243N | 1820-2937 | 01698 | SN74LS691N | 1820-3173 | 03406 | MC74HC138N | 1820-3352 | 01698 | SN74ALS697N |
| 1820-2735 | 03050 | XR-2242CN | 1820-2938 | 02910 | PLS151N UNPRGMD | 1820-3174 | 03406 | MM74HC147N | 1820-3353 | 01698 | SN74ALS |

| HP P/N | Mfr. | Desc. | | | | | | | | | |
|-----------|-------|--------------------|-----------|-------|------------------------|-----------|-------|----------------------|-----------|-------|-------------------------|
| 1820-3405 | 02037 | MC145146P | 1820-3600 | 04092 | PAL16R4A-2CN UNPRGMD | 1820-3783 | 03794 | AMPAL16R8APC UNPRGMD | 1820-3938 | 06347 | HD6350P |
| 1820-3410 | 01590 | MJ2841DP | 1820-3601 | 04092 | PAL20X8CNS UNPRGMD | 1820-3785 | 02037 | MC74HC162 | 1820-3939 | 02910 | 74F85N |
| 1820-3411 | 01698 | SN74ALS175FN | 1820-3602 | 04092 | PAL16R8A-2CN UNPRGMD | 1820-3786 | 01921 | CD74HC670E | 1820-3940 | 01921 | CD74HC174E |
| 1820-3412 | 01698 | SN74ALS241AFN | 1820-3606 | 01698 | SN74AS27N | 1820-3787 | 03406 | MM74HC640N | 1820-3941 | 02910 | SCN2641CC1N24 |
| 1820-3413 | 01698 | SN74ALS86FN | 1820-3607 | 02037 | SN74ALS244N | 1820-3788 | 02037 | MC74HC58N | 1820-3952 | 01698 | SN74LS161AN |
| 1820-3416 | 01698 | SN74ALS520N | 1820-3608 | 01698 | SN74AS04N | 1820-3789 | 03406 | MM74HC574N | 1820-3953 | 01698 | SN74S74N |
| 1820-3417 | 03406 | DP8340N | 1820-3609 | 03406 | CD4048BCJ | 1820-3790 | 03406 | MM74HC573N | 1820-3954 | 01698 | SN74LS123N |
| 1820-3418 | 03406 | DP8341N | 1820-3610 | 03794 | AMPAL16H8APC UNPRGMD | 1820-3791 | 03406 | MM74HC368N | 1820-3956 | 01698 | SN74LS32N |
| 1820-3421 | 04200 | UDN-6118A | 1820-3611 | 03794 | AMPAL16H8APC UNPRGMD | 1820-3792 | 03406 | MM74HC367N | 1820-3959 | 01698 | SN75478P |
| 1820-3423 | 01698 | SN74LS595N | 1820-3612 | 03794 | AMPAL16L8APC UNPRGMD | 1820-3793 | 01698 | SN74HC21N | 1820-3960 | 01698 | SN74LS596N |
| 1820-3426 | 03794 | AM29863DC | 1820-3613 | 04092 | PAL20R4ACN UNPRGMD | 1820-3794 | 03406 | MM74HC191N | 1820-3961 | 03794 | AM29841DC |
| 1820-3431 | 03406 | DS75160AN | 1820-3614 | 04092 | PAL20R8ACNS UNPRGMD | 1820-3795 | 03406 | MM74HC113N | 1820-3962 | 03794 | AM29843DC |
| 1820-3435 | 02037 | MC10H209L | 1820-3615 | 04092 | PAL20L8ACNS UNPRGMD | 1820-3796 | 03406 | MM74HC139N | 1820-3963 | 02237 | 74F148PC |
| 1820-3437 | 01698 | SN74ALS1035N | 1820-3616 | 03794 | AMPAL22V10AOPC UNPRGMD | 1820-3797 | 01698 | SN74ALS1004FN | 1820-3964 | 02037 | MC12018P |
| 1820-3438 | 01698 | SN74ALS257N | 1820-3617 | 03794 | AMPAL16R8LDC UNPRGMD | 1820-3798 | 01698 | SN74ALS804FN | 1820-3969 | 03406 | DP8451N |
| 1820-3439 | 01698 | SN74ALS253N | 1820-3619 | 04078 | MK5089N | 1820-3799 | 01698 | SN74ALS1010AFN | 1820-3971 | 01698 | SN74AS640N |
| 1820-3440 | 03794 | AM29827DC | 1820-3620 | 02037 | MC10192L | 1820-3800 | 01698 | SN74ALS1020AFN | 1820-3972 | 01698 | SN74LS321N |
| 1820-3442 | 01698 | SN74AS804AN | 1820-3621 | 01698 | SN74LS467N | 1820-3801 | 01698 | SN74ALS805FN | 1820-3973 | 01698 | SN74ALS86N |
| 1820-3443 | 01698 | SN74AS808AN | 1820-3626 | 03406 | MM74HCT241N | 1820-3802 | 01698 | SN74ALS27FN | 1820-3975 | 03406 | MM74HC541N |
| 1820-3445 | 03406 | DS3487N | 1820-3629 | 03406 | MM74HCT04N | 1820-3803 | 01698 | SN74ALS808FN | 1820-3977 | 03794 | MM74HC541N |
| 1820-3446 | 02037 | MC10H164L | 1820-3630 | 03406 | MM74HCT240N | 1820-3804 | 01698 | SN74ALS1011AFN | 1820-3982 | 01698 | SN74ALS166N |
| 1820-3447 | 01698 | SN7406N | 1820-3631 | 03406 | MM74HCT688N | 1820-3805 | 01698 | SN74ALS1240FN | 1820-3983 | 02910 | 74F195N |
| 1820-3456 | 03406 | MM74HCT244N | 1820-3633 | 01698 | SN74ALS1006N | 1820-3806 | 01698 | SN74ALS1244AFN | 1820-3986 | 01698 | AMPAL16R4APC UNPRGMD |
| 1820-3458 | 04092 | C67L401N | 1820-3634 | 01698 | SN74AS867N | 1820-3807 | 01698 | SN74ALS74AFN | 1820-3990 | 01698 | SN74LS601N |
| 1820-3459 | 03406 | DM74LS74N | 1820-3637 | 04200 | ULN-2069B | 1820-3808 | 01698 | SN74ALS112AFN | 1820-3991 | 01698 | SN74AS32N |
| 1820-3460 | 01698 | SN74LS03N | 1820-3638 | 01698 | SN74ALS466AN | 1820-3809 | 01698 | SN74ALS138FN | 1820-3993 | 01698 | SN74ALS575ANT |
| 1820-3461 | 02037 | MC10H115P | 1820-3640 | 04200 | UNG 3030U | 1820-3810 | 01698 | SN74ALS139FN | 1820-3994 | 01698 | SN74ALS243AN |
| 1820-3463 | 03406 | MM74HCT6N | 1820-3645 | 02237 | 74F160APC | 1820-3811 | 01698 | SN74ALS251FN | 1820-3995 | 02910 | PLS155N UNPRGMD |
| 1820-3465 | 01698 | SN74ALS174N | 1820-3646 | 02037 | MC12015P | 1820-3812 | 01698 | SN74ALS253FN | 1820-3996 | 01698 | TIBPAL16L8-15CN UNPRGMD |
| 1820-3466 | 01698 | SN74ALS175N | 1820-3649 | 02237 | 74F164PC | 1820-3813 | 01698 | SN74ALS165FN | 1820-4025 | 01698 | SN74AS575N |
| 1820-3467 | 01698 | SN74ALS832N | 1820-3650 | 01698 | SN74LS445N | 1820-3814 | 01698 | SN74ALS299FN | 1820-4026 | 01698 | SN74AS280N |
| 1820-3468 | 01698 | SN74ALS122AN | 1820-3658 | 03406 | DS3674N | 1820-3815 | 01698 | SN74ALS373FN | 1820-4027 | 03406 | MM74HC4049N |
| 1820-3469 | 01698 | SN74ALS538N | 1820-3664 | 03406 | MM74HCT00N | 1820-3816 | 01698 | SN74ALS160BFN | 1820-4031 | 02302 | 74F569PC |
| 1820-3471 | 01698 | TMS2150-5JD | 1820-3665 | 03406 | MM74HCT245N | 1820-3817 | 01698 | SN74ALS161BFN | 1820-4032 | 03714 | ICL7667CPA |
| 1820-3472 | 01698 | SN74ALS525N | 1820-3666 | 02037 | MC10115P | 1820-3818 | 01698 | SN74ALS168BFN | 1820-4033 | 01698 | SN74AS842MT |
| 1820-3473 | 01698 | SN74ALS645-1N | 1820-3668 | 01698 | SN74ALS6424N | 1820-3819 | 01698 | SN74ALS169BFN | 1820-4034 | 03794 | AMPAL22V10PC UNPRGMD |
| 1820-3475 | 01698 | SN74LS132N | 1820-3669 | 01698 | SN74LS674N | 1820-3820 | 01698 | SN74AS74FN | 1820-4044 | 01698 | TIFPAL839NT UNPRGMD |
| 1820-3479 | 01698 | SN74ALS28AN | 1820-3670 | 03406 | MM74HCL133N | 1820-3821 | 01698 | SN74AS112FN | 1820-4050 | 01698 | TIBPAL16R8-15CN UNPRGMD |
| 1820-3480 | 01698 | SN74ALS1008AN | 1820-3672 | 02037 | MC74HC253N | 1820-3822 | 01698 | SN74AS168FN | 1820-4051 | 01698 | TIBPAL16R6-15CN UNPRGMD |
| 1820-3481 | 01698 | SN74ALS645AN | 1820-3673 | 03406 | MM74HCL125AN | 1820-3823 | 01698 | SN74AS169FN | 1820-4052 | 01698 | TIBPAL16R4-15CN UNPRGMD |
| 1820-3485 | 02037 | MC12090L | 1820-3674 | 03406 | MM74HCL23AN | 1820-3824 | 01698 | SN74AS374FN | 1820-4053 | 01698 | SN74HC05N |
| 1820-3486 | 03799 | CP82C82 | 1820-3675 | 03406 | MM74HC30N | 1820-3828 | 03794 | AM7990DC/70 | 1820-4054 | 01698 | SN74HC190N |
| 1820-3487 | 02037 | MC14410P | 1820-3676 | 03406 | MM74HC237N | 1820-3829 | 03794 | AM7991ADC | 1820-4055 | 02037 | MC74HC162N |
| 1820-3489 | 01698 | SN75407P | 1820-3677 | 03406 | MM74HC366N | 1820-3830 | 04092 | SN74S37N | 1820-4056 | 02037 | MC74HC4511N |
| 1820-3490 | 09161 | MT8870BC | 1820-3678 | 03406 | MM74HC4050N | 1820-3831 | 02037 | MC10H174P | 1820-4057 | 02910 | 74F38N |
| 1820-3492 | 04092 | PAL16R4ACN UNPRGMD | 1820-3683 | 02037 | MC74HCL017N | 1820-3834 | 03406 | MM58274N | 1820-4059 | 01698 | SN74AS194N |
| 1820-3493 | 01698 | SN74AS74N | 1820-3685 | 02883 | D169CK | 1820-3835 | 01698 | SN74ALS680N | 1820-4060 | 03794 | AM29821DC |
| 1820-3495 | 01698 | SN74ALS279AN | 1820-3686 | 02037 | MC10H100P | 1820-3837 | 01698 | SN74LS164N | 1820-4061 | 03794 | AM29822DC |
| 1820-3496 | 01698 | SN74ALS51N | 1820-3690 | 02037 | SN74ALS377N | 1820-3838 | 01698 | SN74LS132N | 1820-4062 | 03794 | AM29828DC |
| 1820-3497 | 01698 | SN74ALS645A-1N | 1820-3691 | 02883 | D169CK | 1820-3839 | 01698 | SN74LS08N | 1820-4063 | 03794 | AM29834DC |
| 1820-3498 | 01698 | SN74ALS640A-1N | 1820-3692 | 03406 | MM74HCL053N | 1820-3840 | 01698 | SN74LS02N | 1820-4064 | 03794 | AM29842DC |
| 1820-3499 | 03285 | ADSP-1012A2D | 1820-3693 | 03406 | MM74HCL066N | 1820-3841 | 01698 | SN74AS168N | 1820-4065 | 03794 | AM29844DC |
| 1820-3500 | 09283 | SP74HCT138N | 1820-3694 | 01698 | SN74LS171N | 1820-3842 | 01698 | SN74AS169N | 1820-4066 | 03794 | AM29846DC |
| 1820-3501 | 09283 | SP74HCT244N | 1820-3695 | 01698 | SN74AS374N | 1820-3843 | 01698 | SN74AS645N | 1820-4067 | 03794 | AM29853DC |
| 1820-3502 | 09283 | SP74HCT245N | 1820-3696 | 02910 | 74LS364N | 1820-3844 | 01921 | CD74HCT173E | 1820-4068 | 03794 | AM29861DC |
| 1820-3503 | 09283 | SP74HCT373N | 1820-3698 | 01698 | SN74AS175N | 1820-3845 | 01698 | SN75437ANE | 1820-4069 | 03794 | AM29862DC |
| 1820-3504 | 09283 | SP74HCT374N | 1820-3699 | 02037 | MC10H176P | 1820-3846 | 07221 | 74HCT563P | 1820-4070 | 03794 | AM29864DC |
| 1820-3505 | 01698 | SN74ALS191N | 1820-3700 | 02037 | MC10H159P | 1820-3847 | 03406 | MM74HCT138N | 1820-4075 | 01698 | SN74ALS259N |
| 1820-3506 | 01698 | SN74LS384N | 1820-3701 | 02037 | MC10H113P | 1820-3848 | 03406 | MM74HCT374N | 1820-4076 | 01698 | SN74ALS577NT |
| 1820-3512 | 04200 | ULN-2061N | 1820-3702 | 02037 | MC10H188P | 1820-3849 | 03406 | MM74HCT373N | 1820-4077 | 01698 | SN74AS580N |
| 1820-3513 | 03406 | DS75161AN | 1820-3703 | 02037 | MC10H189P | 1820-3852 | 03794 | AMPAL16L8LDC UNPRGMD | 1820-4078 | 02910 | 74HCT257N |
| 1820-3516 | 03406 | CD4541BCN | 1820-3704 | 01921 | CA3199E | 1820-3859 | 06347 | HD44102CH | 1820-4079 | 02037 | MC10H125P |
| 1820-3517 | 01590 | SP8680BDG | 1820-3705 | 03406 | DP8461N | 1820-3860 | 06743 | HD44103CH | 1820-4080 | 02037 | MC10135P |
| 1820-3518 | 03406 | DS75162AN | 1820-3706 | 01698 | SN74LS652NT | 1820-3861 | 02362 | T5C9404CJ | 1820-4081 | 02037 | MC10H124P |
| 1820-3521 | 02037 | MC10H124L | 1820-3707 | 01698 | SN74ALS514N | 1820-3863 | 02237 | 74F378PC | 1820-4082 | 03794 | AMPAL16R6APC UNPRGMD |
| 1820-3522 | 02037 | MC10H125L | 1820-3708 | 01698 | SN74ALS1000AN | 1820-3864 | 11452 | SMC20 | 1820-4084 | 02037 | MC74HC137N |
| 1820-3524 | 01698 | SN75446P | 1820-3714 | 01698 | SN74ALS245A-1N | 1820-3865 | 03794 | AMPAL16R8LDM UNPRGMD | 1820-4085 | 04078 | MK4501N-15 |
| 1820-3528 | 03794 | AM2965PC | 1820-3718 | 01698 | SN74ALS805N | 1820-3866 | 02037 | MC1052BCL SELECTED | 1820-4086 | 02910 | TIC74CT273N |
| 1820-3530 | 04092 | PAL16L6CN UNPRGMD | 1820-3719 | 02037 | MC14051BCP | 1820-3868 | 04092 | SN74LS794L | 1820-4096 | 01698 | SN74AS245N |
| 1820-3531 | 02910 | PLS153AN UNPRGMD | 1820-3720 | 00575 | WD1100-13 | 1820-3869 | 01698 | SN74ALS832FN | 1820-4097 | 01698 | SN74AS652MT |
| 1820-3536 | 01698 | SN74LS597N | 1820-3721 | 02037 | MC145440P SELECTED | 1820-3870 | 01698 | SN74ALS1245AFN | 1820-4109 | 01698 | SN74AS841NT |
| 1820-3537 | 01921 | CD74HCT74E | 1820-3728 | 02237 | 74F352PC | 1820-3871 | 01698 | SN74ALS273FN | 1820-4110 | 04092 | PAL20R6ACNS UNPRGMD |
| 1820-3538 | 02910 | SCN2681AC1N40 | 1820-3729 | 01698 | SN74AS02N | 1820-3872 | 01698 | SN74ALS574AFN | 1820-4119 | 06354 | TC74HC04F |
| 1820-3539 | 01698 | SN75123N | 1820-3730 | 01698 | SN74AS08N | 1820-3873 | 01698 | SN74ALS190FN | 1820-4120 | 06354 | TC74HC74F |
| 1820-3540 | 01698 | SN75129N | 1820-3731 | 01698 | SN74AS10N | 1820-3874 | 01698 | SN74ALS257FN | 1820-4121 | 06354 | TC74HC138F |
| 1820-3541 | 01698 | SN74AS244N | 1820-3732 | 01698 | SN74AS11N | 1820-3875 | 01698 | SN74ALS164FN | 1820-4122 | 06354 | TC74HC374F |
| 1820-3542 | 01698 | SN74AS373N | 1820-3733 | 01698 | SN74AS20N | 1820-3876 | 01698 | SN74ALS573BFN | 1820-4123 | 06354 | TC74HC245F |
| 1820-3543 | 01698 | SN74AS240N | 1820-3734 | 01698 | SN74AS30N | 1820-3878 | 03794 | AM26LS29PC | 1820-4124 | 06354 | TC74HC245F |
| 1820-3544 | 01698 | SN74AS873MT | 1820-3735 | 01698 | SN74AS190N | 1820-3881 | 01698 | SN74AS573N | 1820-4125 | 02910 | 74F269N |
| 1820-3545 | 03406 | MM80C96N | 1820-3736 | 01698 | SN74AS151N | 1820-3882 | 01698 | SN74AS623N | 1820-4126 | 01698 | |

| HP P/N | Mfr. | Desc. | | | | | | | | | |
|-----------|-------|--------------|-----------|-------|--------------|-----------|-------|---------------|-----------|-------|----------------------|
| 1826-1568 | 02180 | OP-37EZ | 1826-1606 | 11668 | R5311-18 | 1826-1652 | 02037 | MC34084AP | 1826-1712 | 10858 | LT1019ACH-5 |
| 1826-1569 | 03406 | LM3524N | 1826-1607 | 02037 | MC14051BCD | 1826-1653 | 06338 | L4962 | 1826-1713 | 02037 | MPC2014 |
| 1826-1571 | 01698 | TLC27M41D | 1826-1608 | 10858 | LT1024ACN | 1826-1654 | 05436 | OPA606KP | 1826-1714 | 01921 | CA3306E |
| 1826-1572 | 02910 | LM393D | 1826-1609 | 02883 | DG2111DY | 1826-1655 | 02883 | DG301ACJ | 1826-1715 | 06338 | LM922 |
| 1826-1573 | 03688 | MP260 | 1826-1610 | 01698 | TLC555TD | 1826-1656 | 03285 | AD7547BQ | 1826-1716 | 03285 | AD6211RH |
| 1826-1574 | 03285 | AD592BN | 1826-1611 | 01698 | TLC27L7CP | 1826-1664 | 11604 | CLC2221AI | 1826-1717 | 11302 | MAX633HCPA |
| 1826-1575 | 03406 | LM110H | 1826-1612 | 03291 | MAS-0385 | 1826-1666 | 03406 | MF10CCM | 1826-1720 | 03406 | LM675T |
| 1826-1576 | 00046 | UC3846N | 1826-1613 | 03291 | MSA-0485 | 1826-1670 | 10858 | LT3337AT | 1826-1722 | 03291 | MSA-0185 |
| 1826-1577 | 02910 | TDA3047 | 1826-1614 | 02037 | MWA0204 | 1826-1672 | 07050 | MP7684KD | 1826-1723 | 03291 | MSA-0885 |
| 1826-1578 | 02180 | OP-17EZ | 1826-1616 | 02910 | LM393AFE | 1826-1675 | 05436 | DAC703CH | 1826-1724 | 03291 | MSA-0785 |
| 1826-1579 | 03285 | AD595AD | 1826-1617 | 02883 | DG509ABK | 1826-1676 | 02910 | NE5568N | 1826-1725 | 03406 | LM833N |
| 1826-1580 | 03406 | MF10ACN | 1826-1618 | 08608 | SSI510-4-CSE | 1826-1677 | 06338 | TD8A173 | 1826-1726 | 03406 | LP411CNA+ (SELECTED) |
| 1826-1581 | 02037 | MC34081AP | 1826-1619 | 03285 | AD7528JP | 1826-1678 | 03714 | IHS149CPE | 1826-1728 | 10858 | LT1028CJ8 |
| 1826-1582 | 02037 | MC34082AP | 1826-1620 | 03285 | AD7533KP | 1826-1679 | 03714 | IHS151CPE | 1826-1729 | 03406 | LM3866-4 |
| 1826-1583 | 02883 | SI7661CJ | 1826-1621 | 02037 | MC1496D | 1826-1683 | 03714 | ICL7673CBA | 1826-1730 | 03285 | AD7578BD |
| 1826-1584 | 00046 | UC2846E | 1826-1622 | 01698 | TL074CD | 1826-1684 | 02290 | RC4200ADE | 1826-1731 | 02037 | MC10319L |
| 1826-1585 | 10858 | LT1033CK | 1826-1623 | 03406 | LM319N | 1826-1685 | 01698 | TL7702ACD | 1826-1733 | 02883 | DG221CJ |
| 1826-1586 | 03406 | LM2935T | 1826-1627 | 01698 | TL082CD | 1826-1687 | 10858 | LT1021DCS8-10 | 1826-1734 | 02037 | MC78M05CDT |
| 1826-1587 | 03794 | AM6012ADC | 1826-1628 | 03285 | AD625CD | 1826-1688 | 03799 | HA1-5190-2 | 1826-1735 | 10858 | LT1007CS |
| 1826-1588 | 02686 | WJ-A19-1 | 1826-1631 | 02180 | OP-227EY | 1826-1689 | 11604 | CLC104AI | 1826-1736 | 02037 | MC78M12CDT |
| 1826-1590 | 10858 | LT1014CN | 1826-1632 | 10881 | TSG85101P | 1826-1690 | 10858 | LT1022ACH | 1826-1737 | 02037 | MC79M12CDT |
| 1826-1591 | 03285 | AD654JN | 1826-1634 | 03799 | HA3-2539-5 | 1826-1691 | 03799 | HA1-2539-5 | 1826-1738 | 02037 | MC79M05CDT |
| 1826-1592 | 03285 | AD7535AD | 1826-1635 | 10858 | OP-07CS8 | 1826-1692 | 10858 | LT1056CN8 | 1826-1739 | 03406 | LM318M |
| 1826-1593 | 03799 | HI1-674AKD-5 | 1826-1636 | 01698 | TL081CD | 1826-1693 | 03406 | ADC1205BCJ-1 | 1826-1740 | 05436 | OPA606LM |
| 1826-1594 | 03406 | LM3111M | 1826-1639 | 01698 | TLC271ACP | 1826-1694 | 03799 | HA3-5033-5 | 1826-1754 | 03406 | LM2935TO5B |
| 1826-1595 | 12147 | TML184Z | 1826-1640 | 03406 | LM360J | 1826-1699 | 03799 | HA3-5002-5 | 1826-1752 | 03285 | AD667JP |
| 1826-1596 | 02883 | DG145BP | 1826-1641 | 02180 | GAP-01FP | 1826-1700 | 03285 | AD7225LP | 1826-1753 | 03406 | DAC1218LCD |
| 1826-1597 | 03406 | LM2940CT-5.0 | 1826-1643 | 02037 | TL431ACD | 1826-1701 | 03406 | DS3695TN | 1826-1754 | 01590 | SL952 |
| 1826-1600 | 01698 | LM324D | 1826-1644 | 02037 | TL072BCD | 1826-1702 | 10858 | LT1055CN8 | 1826-1756 | 11668 | RS3312 |
| 1826-1601 | 01698 | TL431CD | 1826-1645 | 03285 | AD7828KP | 1826-1703 | 11604 | CLC203AI | 1826-1757 | 11668 | RS3313 |
| 1826-1602 | 01698 | TLC555CD | 1826-1646 | 03406 | LP2950ACZ | 1826-1705 | 04507 | TDC1016B7C8 | 1826-1732 | 11668 | 10464 |
| 1826-1603 | 11561 | 2VP5U9 | 1826-1649 | 05436 | DAC700KH | 1826-1706 | 10858 | LT1021BCN8-5 | 1902-0908 | 03406 | LM399H |
| 1826-1604 | 03285 | AD585AQ | 1826-1650 | 05436 | OPAL11AM | 1826-1708 | 02180 | CMP-05FZ | 1902-0928 | 03406 | LM329D |
| 1826-1605 | 11668 | R5310-25 | 1826-1651 | 01698 | NE592D | 1826-1710 | 01698 | SN75068P | 1902-1331 | 03406 | LM392D (SEL) |

| JDEC | Mfr. | HP P/N | | | | | | | |
|-----------|-------|-----------|-----------------|-------|-----------|------------------|-------|-----------|--|
| 10000DC | 02237 | 1820-2398 | 3341DC | 02237 | 1818-0093 | 74F112PC | 02237 | 1820-2694 | |
| 100010DC | 02237 | 1820-2611 | 334CJ | 02263 | 1820-1129 | 74F114PC | 02237 | 1820-4343 | |
| 100010FC | 02237 | 1820-2390 | 33511DC | 02237 | 1818-0422 | 74F111PC | 02237 | 1820-2688 | |
| 1000102DC | 02237 | 1820-2614 | 3527AM SELECTED | 05436 | 1813-0151 | 74F1240D | 02910 | 1820-5333 | |
| 100102PC | 02237 | 1820-2391 | 3528AM | 05436 | 1826-0767 | 74F125D | 02910 | 1820-5053 | |
| 100107DC | 02237 | 1820-2898 | 3528BM | 05436 | 1826-1134 | 74F125N | 02910 | 1820-4777 | |
| 100107FC | 02237 | 1820-2392 | 3627AM | 05436 | 1826-1434 | 74F126N | 02910 | 1820-4779 | |
| 100112DC | 02237 | 1820-2878 | 3816PC | 02237 | 1820-2154 | 74F132N SELECTED | 02910 | 1820-4164 | |
| 100112FC | 02237 | 1820-2393 | 4008BPC | 02237 | 1820-2265 | 74F138D | 02910 | 1820-5130 | |
| 100114DC | 02237 | 1820-2515 | 40098PC | 02237 | 1820-1484 | 74F138PC | 02237 | 1820-2861 | |
| 100117DC | 02237 | 1820-3062 | 4011BCD | 02237 | 1820-1336 | 74F139PC | 02237 | 1820-3220 | |
| 100118DC | 02237 | 1820-3063 | 40163BPC | 02237 | 1820-2125 | 74F148PC | 02237 | 1820-3963 | |
| 100122DC | 02237 | 1820-2509 | 4027BCD | 02237 | 1820-1813 | 74F14N | 02910 | 1820-4163 | |
| 100124DC | 02237 | 1820-3064 | 4040BPC | 02237 | 1820-2264 | 74F151D | 02910 | 1820-5052 | |
| 100125DC | 02237 | 1820-3065 | 4049BPC | 02237 | 1820-2009 | 74F151PC | 02237 | 1820-2936 | |
| 100131DC | 02237 | 1820-2767 | 40K | 03285 | 1813-0013 | 74F153PC | 02237 | 1820-2769 | |
| 100136DC | 02237 | 1820-2394 | 410APC | 02237 | 1820-2032 | 74F157AD | 02910 | 1820-5042 | |
| 100136FC | 02237 | 1820-2510 | 4512BPC | 02237 | 1820-1586 | 74F157PC | 02237 | 1820-2654 | |
| 100141DC | 02237 | 1820-2395 | 4702BCD | 02237 | 1820-1854 | 74F158PC | 02237 | 1820-2695 | |
| 100141FC | 02237 | 1820-3066 | 4JX19A519 | 01973 | 1820-0005 | 74F160APC | 02237 | 1820-3645 | |
| 100141FC | 02237 | 1820-2396 | 4JX19A555 | 01973 | 1820-0001 | 74F161APC | 02237 | 1820-3090 | |
| 100151DC | 02237 | 1820-2877 | 4JX19A581 | 01973 | 1820-0010 | 74F163APC | 02237 | 1820-3348 | |
| 100151FC | 02237 | 1820-2397 | 5084-0128 | 01876 | 1820-0754 | 74F166N | 02237 | 1820-3649 | |
| 100155DC | 02237 | 1820-3067 | 5416DM | 02237 | 1820-1172 | 74F166N | 02910 | 1820-5375 | |
| 100158DC | 02237 | 1820-3068 | 5D12.075 | 11688 | 1813-0491 | 74F169PC | 02237 | 1820-3135 | |
| 100160DC | 02237 | 1820-3069 | 5D15.060 | 11688 | 1813-0489 | 74F174PC | 02237 | 1820-3280 | |
| 100163DC | 02237 | 1820-2511 | 585.600 | 11688 | 1813-0490 | 74F175D | 02910 | 1820-5043 | |
| 100164DC | 02237 | 1820-2512 | 606HM | 11320 | 1813-0496 | 74F175PC | 02237 | 1820-2696 | |
| 100164FC | 02237 | 1820-2408 | 613SS2 | 05542 | 1826-1270 | 74F181PC | 02237 | 1820-3221 | |
| 100165DC | 02237 | 1820-2648 | 630AG | 11320 | 1813-0495 | 74F182PC | 02237 | 1820-2951 | |
| 100166DC | 02237 | 1820-2768 | 67401N | 04092 | 1820-4500 | 74F190PC | 02237 | 1820-3222 | |
| 100170DC | 02237 | 1820-3070 | 67S376J | 04092 | 1820-2521 | 74F191PC | 02237 | 1820-2760 | |
| 100171DC | 02237 | 1820-3071 | 702HC | 02237 | 1820-0051 | 74F193PC | 02237 | 1820-4310 | |
| 100179DC | 02237 | 1820-2513 | 709HC | 02237 | 1820-0058 | 74F194PC | 02237 | 1820-2697 | |
| 100180DC | 02237 | 1820-3072 | 710HC | 02237 | 1820-0321 | 74F195N | 02910 | 1820-3983 | |
| 100181DC | 02237 | 1820-2514 | 710HM | 02237 | 1826-0114 | 74F20PC | 02237 | 1820-2689 | |
| 100182DC | 02237 | 1820-3073 | 716Z | 02838 | 1813-0133 | 74F240D | 02910 | 1820-4860 | |
| 100183DC | 02237 | 1820-3074 | 723BE | 02763 | 1826-0177 | 74F240PC | 02237 | 1820-2698 | |
| 10188N | 02910 | 1820-2522 | 723HC | 02237 | 1820-0196 | 74F241PC | 02237 | 1820-2699 | |
| 10464 | 11668 | 1826-4238 | 725HC | 02237 | 1826-0009 | 74F243PC | 02237 | 1820-3223 | |
| 106A | 03285 | 1820-0218 | 727HL | 02237 | 1820-0408 | 74F244D | 02910 | 1820-5218 | |
| 10938P | 08810 | 1820-3916 | 7400DC | 02237 | 1820-0856 | 74F244PC | 02237 | 1820-2795 | |
| 10939P | 08810 | 1820-3917 | 7403DC | 02237 | 1820-0864 | 74F245PC | 02237 | 1820-3224 | |
| 118A | 03285 | 1820-0470 | 7404DC | 02237 | 1820-0894 | 74F251APC | 02237 | 1820-3225 | |
| 11C01FC | 02237 | 1820-2407 | 7408DC | 02237 | 1820-0870 | 74F253PC | 02237 | 1820-3226 | |
| 11C05DC | 02237 | 1820-2140 | 7411PC | 02237 | 1820-1066 | 74F257AD | 02910 | 1820-5377 | |
| 11C70DC | 02237 | 1820-1834 | 74123N | 02910 | 1820-1585 | 74F257PC | 02237 | 1820-3227 | |
| 11C90DC | 02237 | 1820-1780 | 741DC | 02237 | 1826-0070 | 74F258APC | 02237 | 1820-2732 | |
| 11C91DC | 02237 | 1820-2404 | 741HM | 02237 | 1826-0011 | 74F260N | 02910 | 1820-5136 | |
| 1801DC | 02237 | 1820-0868 | 7420DC | 02237 | 1820-0857 | 74F269D | 02910 | 1820-5051 | |
| 1AA6-6004 | 08323 | 1820-1967 | 7427DC | 02237 | 1820-1787 | 74F269N | 02910 | 1820-4125 | |
| 1AA7-6002 | 08323 | 1820-2146 | 742PC | 02237 | 1826-0164 | 74F273D | 02910 | 1820-5050 | |
| 1AA7-6202 | 08323 | 1820-2940 | 747DC | 02237 | 1820-0859 | 74F273N | 02910 | 1820-4235 | |
| 1AA7-6203 | 08323 | 1820-2942 | 7476DC | 02237 | 1820-0858 | 74F27N | 02910 | 1820-4492 | |
| 1AD5-6101 | 08323 | 1820-3139 | 747DC | 02237 | 1826-0100 | 74F280PC | 02237 | 1820-3234 | |
| 1AD5-6201 | 08323 | 1820-3140 | 74AC00PC | 02237 | 1820-5423 | 74F283PC | 02237 | 1820-3133 | |
| 1AE7-6200 | 08323 | 1820-3269 | 74AC0APC | 02237 | 1820-5058 | 74F299PC | 02237 | 1820-3216 | |
| 1AF9-6101 | 08323 | 1820-2994 | 74AC157SC | 02237 | 1820-5376 | 74F3037N | 02910 | 1820-5237 | |
| 1AG4-6201 | 08323 | 1820-2941 | 74AC373PC | 02237 | 1820-5068 | 74F30N | 02910 | 1820-4551 | |
| 1AH7-6201 | 08323 | 1820-3138 | 74AC74PC | 02237 | 1820-5067 | 74F32D | 02910 | 1820-4998 | |
| 1AH7-6202 | 08323 | 1820-3137 | 74AC737PC | 02237 | 1820-4738 | 74F32PC | 02237 | 1820-2690 | |
| 1DC4-0901 | 01876 | 1820-0755 | 74AC752NS | 04092 | 1820-4139 | 74F350PC | 02237 | 1820-3228 | |
| 1DC4-0902 | 01876 | 1820-0756 | 74F00D | 02910 | 1820-4377 | 74F352PC | 02237 | 1820-3728 | |
| 1DC4-0903 | 01876 | 1820-0757 | 74F00PC | 02237 | 1820-2684 | 74F353PC | 02237 | 1820-3229 | |
| 1DC4-0903 | 01876 | 1820-0759 | 74F02D</ | | | | | | |

| JDEC | Mfr. | HP P/N | | | | | | |
|------------|-------|-----------|----------|-------|-----------|----------------------|-------|-----------|
| 74F381PC | 02237 | 1820-3231 | 7806KC | 02237 | 1826-0160 | 9636ATC | 02237 | 1820-2117 |
| 74F382PC | 02237 | 1820-3279 | 7815UC | 02237 | 1826-0396 | 9636ATC | 02237 | 1820-3778 |
| 74F38D | 02910 | 1820-4861 | 7818UC | 02237 | 1826-0126 | 9637ATC | 02237 | 1820-2198 |
| 74F38N | 02910 | 1820-4057 | 7824UC | 02237 | 1826-0150 | 9638TC | 02237 | 1820-2199 |
| 74F395D | 02910 | 1820-5436 | 78H05A | 02237 | 1826-0656 | 9639ATC | 02237 | 1820-2928 |
| 74F399PC | 02237 | 1820-3278 | 78L12AHC | 02237 | 1826-0333 | 963DC | 02237 | 1820-0351 |
| 74F403DC | 02237 | 1820-5080 | 79MCT2C | 02237 | 1826-0305 | 9644TC | 02237 | 1820-2365 |
| 74F40N | 02910 | 1820-5212 | 8007C | 03714 | 1826-0121 | 964DC | 02237 | 1820-0964 |
| 74F51N | 02910 | 1820-4778 | 8023A | 11111 | 1820-4562 | 965DC | 02237 | 1820-0965 |
| 74F521PC | 02237 | 1820-2887 | 8242A | 02910 | 1820-0719 | 966DC | 02237 | 1820-0966 |
| 74F524PC | 02237 | 1820-4900 | 8258B | 03811 | 1820-4659 | 967DC | 02237 | 1820-0967 |
| 74F525DC | 02237 | 1820-5014 | 82S41A | 02910 | 1820-1862 | 967DC | 02237 | 1820-0975 |
| 74F533PC | 02237 | 1820-2786 | 8702CN | 02763 | 1826-0621 | 968DC | 02237 | 1820-0968 |
| 74F534PC | 02237 | 1820-3012 | 8750CJ | 02763 | 1826-0593 | 96102DC | 03794 | 1820-0730 |
| 74F537PC | 02237 | 1820-3232 | 88S7 | 05542 | 1826-1137 | 961S02PC | 02237 | 1820-2600 |
| 74F538PC | 02237 | 1820-3092 | 8T26AN | 02910 | 1820-1081 | 96S02PC | 02237 | 1820-2118 |
| 74F539PC | 02237 | 1820-3233 | 8T34A | 02910 | 1820-1845 | 971DC | 02237 | 1820-0971 |
| 74F543SPC | 02237 | 1820-4597 | 8T9BB | 02910 | 1820-1863 | 9806DC | 02237 | 1820-0520 |
| 74F568N | 02910 | 1820-5467 | 9000DC | 02237 | 1820-0330 | 9816DC | 02237 | 1820-0485 |
| 74F569PC | 02237 | 1820-4031 | 9002DC | 02237 | 1820-0127 | 9822DC | 02237 | 1820-0519 |
| 74F573PC | 02237 | 1820-5149 | 9003DC | 02237 | 1820-0129 | 9834DC | 02237 | 1820-0486 |
| 74F579N | 02910 | 1820-4739 | 9004DC | 02237 | 1820-0130 | 9838DC | 02237 | 1820-0482 |
| 74F583PC | 02237 | 1820-5386 | 9009DC | 02237 | 1820-0131 | 9842DC | 02237 | 1820-0488 |
| 74F64D | 02910 | 1820-5045 | 9015DC | 02237 | 1820-0745 | 9852DC | 02237 | 1820-0187 |
| 74F64PC | 02237 | 1820-2676 | 9016DC | 02237 | 1820-0132 | 9853DC | 02237 | 1820-0518 |
| 74F673APC | 02237 | 1820-5374 | 9094DC | 02237 | 1820-0341 | 9856DC | 02237 | 1820-0186 |
| 74F676SDC | 02237 | 1820-4537 | 9097DC | 02237 | 1820-0342 | 9865DC | 02237 | 1820-0517 |
| 74F74D | 02910 | 1820-5040 | 9112DC | 02237 | 1820-0516 | 9L24DC | 02237 | 1820-1085 |
| 74F74PC | 02237 | 1820-2691 | 911HC | 02237 | 1820-0081 | 9L86PC | 02237 | 1820-1117 |
| 74F85N | 02910 | 1820-3939 | 9158DC | 02237 | 1820-0863 | 9LS192PC | 02237 | 1820-1684 |
| 74F86PC | 02237 | 1820-2692 | 923HC | 02237 | 1820-0052 | 9S11PC | 02237 | 1820-1927 |
| 74H40DC | 02237 | 1820-0867 | 9300PC | 02237 | 1820-0134 | A-4350 | 03780 | 1826-0247 |
| 74HC138D | 02910 | 1820-4215 | 9301PC | 02237 | 1820-0111 | A110A-0100 | 01876 | 1820-0729 |
| 74HC240D | 02910 | 1820-4216 | 9304PC | 02237 | 1820-0357 | A139A-0100 | 01876 | 1820-0412 |
| 74HC245D | 02910 | 1820-4188 | 9305PC | 02237 | 1820-0898 | A141A-0100 | 01876 | 1820-0117 |
| 74HC27D | 02910 | 1820-4219 | 9307PC | 02237 | 1820-0914 | A141A-0100 | 01876 | 1820-0119 |
| 74HC32D | 02910 | 1820-4220 | 9308PC | 02237 | 1820-0742 | A141A-0100 | 01876 | 1820-0254 |
| 74HC4053D | 02910 | 1820-4346 | 9310PC | 02237 | 1820-0705 | A142A-0100 | 01876 | 1820-0116 |
| 74HC85D | 02910 | 1820-4218 | 9311PC | 02237 | 1820-0495 | A148A-0100 | 01876 | 1820-1060 |
| 74HC86D | 02910 | 1820-4938 | 9313PC | 02237 | 1820-1063 | A152A-0100 | 01876 | 1820-0292 |
| 74HCT00D | 02910 | 1820-5469 | 9314PC | 02237 | 1820-0626 | A152B-0100 | 01876 | 1820-0293 |
| 74HCT02D | 02910 | 1820-5470 | 9316DCD | 02237 | 1820-2094 | A154B-0100 | 01876 | 1820-0296 |
| 74HCT02N | 02910 | 1820-4643 | 9316PC | 02237 | 1820-0231 | A159-0150 | 01876 | 1820-0285 |
| 74HCT03N | 02910 | 1820-4863 | 9318PC | 02237 | 1820-0657 | A159-0200 | 01876 | 1820-0286 |
| 74HCT04D | 02910 | 1820-5471 | 9319PC | 02237 | 1820-2414 | A165-0100 | 01876 | 1820-0329 |
| 74HCT08D | 02910 | 1820-5181 | 931HC | 02237 | 1820-0313 | A167A-0100 | 01876 | 1820-0098 |
| 74HCT08N | 02910 | 1820-4583 | 9321PC | 02237 | 1820-0727 | AC5947H | 01698 | 1820-2626 |
| 74HCT109D | 02910 | 1820-5472 | 9322PC | 02237 | 1820-0616 | AC5947NF | 01698 | 1820-2259 |
| 74HCT10N | 02910 | 1820-5057 | 9324PC | 02237 | 1820-0706 | AC5948N | 01698 | 1820-2567 |
| 74HCT123D | 02910 | 1820-4352 | 9328PC | 02237 | 1820-0741 | AD380KH | 03285 | 1826-1523 |
| 74HCT125D | 02910 | 1820-5473 | 93334PC | 02237 | 1820-0833 | AD503K(SEL) | 03285 | 1826-0074 |
| 74HCT125N | 02910 | 1820-4577 | 9333DC | 02237 | 1820-0346 | AD504J | 03285 | 1826-0249 |
| 74HCT126N | 02910 | 1820-4667 | 9348PC | 02237 | 1820-0737 | AD506JH | 03285 | 1826-0176 |
| 74HCT132N | 02910 | 1820-5073 | 9356PC | 02237 | 1820-1347 | AD509JH | 03285 | 1826-1088 |
| 74HCT138D | 02910 | 1820-5182 | 935DC | 02237 | 1820-0869 | AD514K | 03285 | 1826-0251 |
| 74HCT14N | 02910 | 1820-4242 | 9368PC | 02237 | 1820-1903 | AD517J | 03285 | 1826-0897 |
| 74HCT151N | 02910 | 1820-5055 | 936PC | 02237 | 1820-0307 | AD518J | 03285 | 1826-0309 |
| 74HCT161N | 02910 | 1820-5056 | 9370PC | 02237 | 1820-2002 | AD518KH | 03285 | 1826-0672 |
| 74HCT163N | 02910 | 1820-4630 | 9374PC | 02237 | 1820-1361 | AD518KH SELECTED | 03285 | 1826-0327 |
| 74HCT175D | 02910 | 1820-5474 | 937DC | 02237 | 1820-0128 | AD522A(SEL) | 03285 | 1826-0595 |
| 74HCT175N | 02910 | 1820-4780 | 93L00PC | 02237 | 1820-0659 | AD522B | 03285 | 1813-0142 |
| 74HCT20N | 02910 | 1820-4945 | 93L01PC | 02237 | 1820-0627 | AD524AD | 03285 | 1826-1191 |
| 74HCT21N | 02910 | 1820-5111 | 93L08PC | 02237 | 1820-0614 | AD524DC | 03285 | 1826-1195 |
| 74HCT245N | 02910 | 1820-4212 | 93L09PC | 02237 | 1820-0708 | AD532JD | 03285 | 1826-0263 |
| 74HCT251N | 02910 | 1820-4584 | 93L10PC | 02237 | 1820-0669 | AD533JH | 03285 | 1826-0295 |
| 74HCT253BN | 02910 | 1820-4585 | 93L10PC | 02237 | 1820-1752 | AD534JH | 03285 | 1826-0758 |
| 74HCT257N | 02910 | 1820-4078 | 93L11PC | 02237 | 1820-0702 | AD536AJD | 03285 | 1826-0421 |
| 74HCT259N | 02910 | 1820-4567 | 93L12PC | 02237 | 1820-0658 | AD536AJH (BURNED-IN) | 03285 | 1826-0893 |
| 74HCT273D | 02910 | 1820-5475 | 93L14DM | 02237 | 1820-1377 | AD536AKD | 03285 | 1826-0500 |
| 74HCT273N | 02910 | 1820-4086 | 93L14PC | 02237 | 1820-0701 | AD536AKH | 03285 | 1826-0969 |
| 74HCT27N | 02910 | 1820-4946 | 93L16PC | 02237 | 1820-0778 | AD540J | 03285 | 1826-0182 |
| 74HCT32N | 02910 | 1820-4721 | 93L18PC | 02237 | 1820-0987 | AD542KH | 03285 | 1826-0822 |
| 74HCT365N | 02910 | 1820-4602 | 93L21PC | 02237 | 1820-1017 | AD542L | 03285 | 1826-0627 |
| 74HCT377N | 02910 | 1820-4465 | 93L22PC | 02237 | 1820-0710 | AD544JH SELECTED | 03285 | 1826-0891 |
| 74HCT393N | 02910 | 1820-4948 | 93L24PC | 02237 | 1820-0904 | AD545J | 03285 | 1813-0232 |
| 74HCT4020D | 02910 | 1820-5479 | 93L28PC | 02237 | 1820-0709 | AD558JD | 03285 | 1826-0858 |
| 74HCT4020N | 02910 | 1820-4949 | 93L34PC | 02237 | 1820-1358 | AD559KD | 03285 | 1826-0430 |
| 74HCT540N | 02910 | 1820-5424 | 93L40DC | 02237 | 1820-1111 | AD561JD | 03285 | 1826-0508 |
| 74HCT541D | 02910 | 1820-5476 | 93S10DC | 02237 | 1820-1373 | AD561KD | 03285 | 1820-1984 |
| 74HCT563P | 07221 | 1820-3846 | 93S12DC | 02237 | 1820-1290 | AD562JD/BIN | 03285 | 1820-1838 |
| 74HCT573D | 02910 | 1820-5477 | 93S16DC | 02237 | 1820-1475 | AD562KD/BIN | 03285 | 1826-0308 |
| 74HCT597N | 02910 | 1820-5177 | 9400CJ | 02763 | 1826-0575 | AD565AJD | 03285 | 1826-1013 |
| 74HCT74D | 02910 | 1820-5478 | 9401PC | 02237 | 1820-2016 | AD565JD | 03285 | 1826-0896 |
| 74HCT86N | 02910 | 1820-4589 | 9403PC | 02237 | 1816-0934 | AD565JH/BIN | 03285 | 1826-0726 |
| 74LS00D | 02910 | 1820-4376 | 944DC | 02237 | 1820-0865 | AD566AJD | 03285 | 1826-1044 |
| 74LS00PC | 02237 | 1820-2107 | 944PC | 02237 | 1820-0348 | AD566JH | 03285 | 1826-0839 |
| 74LS04D | 02910 | 1820-4367 | 946DC | 02237 | 1820-0861 | AD567JD | 03285 | 1826-1240 |
| 74LS04N | 02910 | 1820-2195 | 948DC | 02237 | 1820-0862 | AD567KD | 03285 | 1826-1219 |
| 74LS08D | 02910 | 1820-4363 | 949DC | 02237 | 1820-0866 | AD570JD | 03285 | 1826-1100 |
| 74LS10D | 02910 | 1820-4372 | 949PC | 02237 | 1820-0349 | AD571JD(SEL) | 03285 | 1826-0597 |
| 74LS11D | 02910 | 1820-4365 | 95003DC | 02237 | 1820-2242 | AD571KD | 03285 | 1826-0973 |
| 74LS175D | 02910 | 1820-4368 | 9504DC | 02237 | 1820-1222 | AD573JD | 03285 | 1826-1359 |
| 74LS191D | 02910 | 1820-4358 | 95102DC | 02237 | 1820-2321 | AD573JN | 03285 | 1826-1418 |
| 74LS196PC | 02237 | 1820-2049 | 951DC | 02237 | 1820-0860 | AD573KD | 03285 | 1826-1483 |
| 74LS20D | 02910 | 1820-4361 | 952DC | 02237 | 1820-0952 | AD574AJD | 03285 | 1826-1296 |
| 74LS240D | 02910 | 1820-4359 | 952DC | 02237 | 1820-0972 | AD574AKD | 03285 | 1813-0257 |
| 74LS243N | 02910 | 1820-2729 | 953DC | 02237 | 1820-0953 | AD578ZD | 03285 | 1826-1184 |
| 74LS244D | 02910 | 1820-4360 | 953DC | 02237 | 1820-0973 | AD581J | 03285 | 1826-0742 |
| 74LS260N | 02910 | 1820-1905 | 954DC | 02237 | 1820-0954 | AD581JH | 03285 | 1826-1187 |
| 74LS27D | 02910 | 1820-4366 | 955DC | 02237 | 1820-0955 | AD581KH | 03285 | 1826-1043 |
| 74LS30D | 02910 | 1820-4362 | 956DC | 02237 | 1820-0956 | AD581LH | 03285 | 1826-0730 |
| 74LS32D | 02910 | 1820-4371 | 956DC | 02237 | 1820-0974 | AD584KH | 03285 | 1826-0650 |
| 74LS364N | 02910 | 1820-3696 | 957DC | 02237 | 1820-0957 | AD584LH | 03285 | 1826-0657 |
| 74LS390PC | 02237 | 1820-1991 | 959DC | 02237 | 1820-0110 | AD585AQ | 03285 | 1826-1604 |
| 74LS393PC | 02237 | 1820-1989 | 9590DC | 02237 | 1820-1009 | AD589JH | 03285 | 1826-0964 |
| 74LS569PC | 02237 | 1820-2366 | 9600DC | 02237 | 1820-0875 | AD589LH | 03285 | 1826-0913 |
| 74LS74AD | 02910 | 1820-4369 | 9601PC | 02237 | 1820-0207 | AD590LH | 03285 | 1826-1188 |
| 74S109DC | 02237 | 1820-1372 | 9602PC | 02237 | 1820-0515 | AD590TH | 03285 | 1826-0698 |
| 74S273N | 02910 | 1820-4449 | 960DC | 02237 | 1820-0309 | AD590TH | 03285 | 1826-0764 |
| 74S533N | 04092 | 1820-2527 | 9612TC | 02237 | 1820-2089 | AD590KH | 03285 | 1826-0661 |
| 74S534N | 04092 | 1820-2526 | 9613TC | 02237 | 1820-2088 | AD590LH | 03285 | 1826-0830 |
| 7516 | 08661 | 1813-0168 | 961DC | 02237 | 1820-0350 | | | |

| JDEC | Mfr. | HP P/N | | | | | | |
|------------------------|-------|-----------|------------------------|-------|-----------|-----------------------|-------|-----------|
| AD624BD | 03285 | 1826-1312 | ADOP07CH | 03285 | 1826-0844 | AM74LS148N | 03794 | 1820-1851 |
| AD625CD | 03285 | 1826-1628 | ADOP07HE | 03285 | 1826-0957 | AM74LS157N | 03794 | 1820-1733 |
| AD625JN | 03285 | 1826-1559 | ADSP-1012AJD | 03285 | 1820-3499 | AM74LS244N | 03794 | 1820-2160 |
| AD632AH | 03285 | 1826-1287 | ADSP1401KN | 03285 | 1820-5155 | AM74LS299N | 03794 | 1820-1987 |
| AD636JD | 03285 | 1826-0935 | ADSP3210KG | 03285 | 1820-5157 | AM74LS374P | 03794 | 1820-1997 |
| AD637J | 03285 | 1826-1314 | ADSP3221KG | 03285 | 1820-5156 | AM74LS533PC | 03794 | 1820-2883 |
| AD642JH | 03285 | 1826-0949 | AF120CH | 03406 | 1826-0469 | AM74S160N | 03794 | 1820-1877 |
| AD642JH | 03285 | 1826-1129 | AF134-1CJ | 03406 | 1826-0580 | AM74S161N | 03794 | 1820-1876 |
| AD644JH | 03285 | 1826-1196 | AH0019JC | 03406 | 1820-1988 | AM74S244N | 03794 | 1820-2565 |
| AD654JN | 03285 | 1826-1591 | AH0134CD | 03406 | 1820-1370 | AM7910DC | 03794 | 1826-1363 |
| AD667AD | 03285 | 1826-1246 | AH0140CD | 03406 | 1826-0919 | AM7911PC | 03794 | 1820-5161 |
| AD667JN | 03285 | 1826-1424 | AH0145CD | 03406 | 1826-0920 | AM7960 | 03794 | 1826-1388 |
| AD667JP | 03285 | 1826-1752 | AH0152CD | 03406 | 1820-1371 | AM7990DC/70 | 03794 | 1820-3828 |
| AD7111KN | 03285 | 1826-1489 | AH0154AD | 03406 | 1813-0054 | AM7991ADC | 03794 | 1820-3829 |
| AD7118BD | 03285 | 1826-1111 | AH5010CN | 03406 | 1826-1017 | AM7992BDC | 03794 | 1820-4401 |
| AD7224CQ | 03285 | 1826-1486 | AH5020C | 03406 | 1826-1468 | AM8151DC | 03794 | 1826-1547 |
| AD7224LN | 03285 | 1826-1425 | AH5020PC | 03794 | 1820-2168 | AM93548PC | 03794 | 1820-1968 |
| AD7225LP | 03285 | 1826-1700 | AM2503PC | 03794 | 1820-2738 | AMPAL16H8APC UNPRGMD | 03794 | 1820-3610 |
| AD7226BQ | 03285 | 1826-1234 | AM2505PC | 03794 | 1820-1398 | AMPAL16H8LPC UNPRGMD | 03794 | 1820-3772 |
| AD7226KN | 03285 | 1826-1379 | AM25L02DC | 03794 | 1820-2990 | AMPAL16HD8APC UNPRGMD | 03794 | 1820-3611 |
| AD7240BQ | 03285 | 1826-1190 | AM25L04PC | 03794 | 1820-1978 | AMPAL16L8ADPC UNPRGMD | 03794 | 1820-3556 |
| AD741KH (SEL) | 03285 | 1826-0090 | AM25LS07PC | 03794 | 1820-1866 | AMPAL16L8APC UNPRGMD | 03794 | 1820-3355 |
| AD741LH | 03285 | 1826-0082 | AM25LS08PC | 03794 | 1820-1865 | AMPAL16L8LPC UNPRGMD | 03794 | 1820-3852 |
| AD7502JN | 03285 | 1826-0779 | AM25LS09PC | 03794 | 1820-2167 | AMPAL16L8LPC UNPRGMD | 03794 | 1820-3356 |
| AD7503JD | 03285 | 1826-0898 | AM25LS14ADC | 03794 | 1820-2120 | AMPAL16LD8APC UNPRGMD | 03794 | 1820-3612 |
| AD7503JN | 03285 | 1826-0878 | AM25LS14AFC | 03794 | 1820-4609 | AMPAL16R4ADC UNPRGMD | 03794 | 1820-3557 |
| AD7503KN | 03285 | 1826-1451 | AM25LS16AFC | 03794 | 1820-1992 | AMPAL16R4APC UNPRGMD | 03794 | 1820-3986 |
| AD7506KD | 03285 | 1826-0602 | AM25LS161AFC | 03794 | 1820-2445 | AMPAL16R4LDC UNPRGMD | 03794 | 1820-3359 |
| AD7506KN | 03285 | 1826-1401 | AM25LS174PC | 03794 | 1820-1700 | AMPAL16R4LPC UNPRGMD | 03794 | 1820-4435 |
| AD7510DJN | 03285 | 1820-1374 | AM25LS175PC | 03794 | 1820-1699 | AMPAL16R6ADC UNPRGMD | 03794 | 1820-3554 |
| AD7511DKN | 03285 | 1826-0916 | AM25LS191PC | 03794 | 1820-2863 | AMPAL16R6APC UNPRGMD | 03794 | 1820-4082 |
| AD7512DJN | 03285 | 1826-0821 | AM25LS218PC | 03794 | 1820-2190 | AMPAL16R6LDC UNPRGMD | 03794 | 1820-3358 |
| AD7516KN (SEL) | 03285 | 1826-0671 | AM25LS220DC | 03794 | 1820-2405 | AMPAL16R6LPC UNPRGMD | 03794 | 1820-4939 |
| AD7520JN | 03285 | 1826-0252 | AM25LS220PC | 03794 | 1820-4610 | AMPAL16R8ADC UNPRGMD | 03794 | 1820-3555 |
| AD7520JN (SEL) | 03285 | 1826-0541 | AM25LS221PC | 03794 | 1820-2311 | AMPAL16R8APC UNPRGMD | 03794 | 1820-3783 |
| AD7520LN | 03285 | 1826-0264 | AM25LS221PC | 03794 | 1820-2740 | AMPAL16R8LDC UNPRGMD | 03794 | 1820-3617 |
| AD7521LN (SEL) | 03285 | 1826-0647 | AM25LS2538PC | 03794 | 1820-2465 | AMPAL16R8LDC UNPRGMD | 03794 | 1820-3865 |
| AD7522JN | 03285 | 1826-0729 | AM25LS2539PC | 03794 | 1820-2262 | AMPAL16R8LPC UNPRGMD | 03794 | 1820-4436 |
| AD7522LN | 03285 | 1826-0857 | AM25LS2548PC | 03794 | 1820-3588 | AMPAL18P8BPC UNPRGMD | 03794 | 1820-5480 |
| AD7523AD | 03714 | 1826-0944 | AM25LS2568DC | 03794 | 1820-3013 | AMPAL18P8LPC UNPRGMD | 03794 | 1820-5507 |
| AD7523JN | 03285 | 1826-0707 | AM25LS2568PC | 03794 | 1820-2926 | AMPAL18P8QPC UNPRGMD | 03794 | 1820-5493 |
| AD7524AD | 03285 | 1826-0699 | AM25LS2569DC | 03794 | 1820-2270 | AMPAL22V10ADC UNPRGMD | 03794 | 1820-4975 |
| AD7524JN | 03285 | 1826-0639 | AM25LS2569PC | 03794 | 1820-2653 | AMPAL22V10APC UNPRGMD | 03794 | 1820-3616 |
| AD7524LN | 03285 | 1826-1118 | AM25LS299PC | 03794 | 1820-2906 | AMPAL22V10DC UNPRGMD | 03794 | 1820-4074 |
| AD7525CD | 03285 | 1826-1303 | AM25LS381PC | 03794 | 1820-2999 | AMPAL22V10DC UNPRGMD | 03794 | 1820-4034 |
| AD7525KN | 03285 | 1826-0636 | AM25LS533PC | 03794 | 1820-2784 | AY-5-2376-006 | 02713 | 1820-2625 |
| AD7528BQ | 03285 | 1826-1107 | AM25S07DC | 03794 | 1820-2454 | B091-0100 | 01876 | 1820-0634 |
| AD7528JN | 03285 | 1826-1204 | AM25S08PC | 03794 | 1820-2375 | B149A-0150 | 01876 | 1820-0736 |
| AD7528JN | 03285 | 1826-1232 | AM25S09PC | 03794 | 1820-1981 | B149A-0150 | 01876 | 1820-1354 |
| AD7528JP | 03285 | 1826-1619 | AM25S10PC | 03794 | 1820-2458 | B149A-0200 | 01876 | 1820-0557 |
| AD7528KN | 03285 | 1826-1231 | AM25S18PC | 03794 | 1820-2459 | BR1941M-06 | 00575 | 1820-2876 |
| AD7530JD | 03285 | 1826-0356 | AM26LS29PC | 03794 | 1820-3878 | C1402A | 03811 | 1820-0733 |
| AD7530JN | 03285 | 1820-1789 | AM26LS30DC | 03794 | 1820-3755 | C164A-0150 | 01876 | 1820-0753 |
| AD7530LD | 03285 | 1826-0504 | AM26LS31D | 01698 | 1820-5326 | C164B-0150 | 01876 | 1820-0982 |
| AD7530LN | 03285 | 1826-0485 | AM26LS31PC | 03794 | 1820-2749 | C3207 | 03811 | 1820-1008 |
| AD7531JN | 03285 | 1826-0874 | AM26LS32ACD | 01698 | 1820-5327 | C67401J RELAXED | 04092 | 1816-1536 |
| AD7533 (SEL) | 03285 | 1826-1202 | AM26LS32ACN (SELECTED) | 01698 | 1820-2594 | C67L401N | 04092 | 1820-3458 |
| AD7533AD | 03285 | 1826-1031 | AM26LS32BPC | 03794 | 1820-2830 | CA 3001 | 01921 | 1820-0192 |
| AD7533CD | 03285 | 1826-0921 | AM26LS32PC | 03794 | 1820-2203 | CA101AE | 01921 | 1826-0927 |
| AD7533JN | 03285 | 1826-0838 | AM26LS34PC | 03794 | 1820-3283 | CA207E | 01921 | 1826-0296 |
| AD7533KP | 03285 | 1826-1620 | AM26LS38DC | 03794 | 1820-4133 | CA239AE | 01921 | 1826-0814 |
| AD7533LN | 03285 | 1826-0861 | AM26S02PC | 03794 | 1820-1782 | CA258AE | 01921 | 1826-0813 |
| AD7534AD | 03285 | 1826-1442 | AM26S10PC | 03794 | 1820-3281 | CA3000 | 01921 | 1820-0297 |
| AD7534JN | 03285 | 1826-1399 | AM26S11PC | 03794 | 1820-4128 | CA3002 | 01921 | 1820-0417 |
| AD7535AD | 03285 | 1826-1592 | AM26S12PC | 03794 | 1820-3077 | CA3004 | 01921 | 1826-0087 |
| AD7541A | 03285 | 1826-1158 | AM2813ADC | 03794 | 1818-0277 | CA3005 | 01921 | 1820-0046 |
| AD7541ABQ | 03285 | 1826-1169 | AM2960DC | 03794 | 1820-2954 | CA3010 | 01921 | 1820-0047 |
| AD7541AKN | 03285 | 1826-1386 | AM2964BDC | 03794 | 1820-2903 | CA3012 | 01921 | 1820-0474 |
| AD7541BD (SEL) | 03285 | 1826-0684 | AM2965PC | 03794 | 1820-3528 | CA3020 | 01921 | 1820-0298 |
| AD7541BD (SEL) | 03285 | 1826-0797 | AM2966PC | 03794 | 1820-2981 | CA3023 | 01921 | 1820-0433 |
| AD7541JN | 03285 | 1826-0697 | AM2966PC (SELECTED) | 03794 | 1820-2826 | CA3028A | 01921 | 1820-0306 |
| AD7541KN | 03285 | 1826-0865 | AM29821DC | 03794 | 1820-4060 | CA3028B | 01921 | 1820-0137 |
| AD7542BD | 03285 | 1826-0752 | AM29822DC | 03794 | 1820-4061 | CA3029 | 01921 | 1820-0326 |
| AD7543JN | 03285 | 1826-1453 | AM29823DC | 03794 | 1820-3307 | CA3030 | 01921 | 1826-0078 |
| AD7545BQ | 03285 | 1826-1170 | AM29824DC | 03794 | 1820-3306 | CA3051 | 01921 | 1820-0249 |
| AD7545GLN | 03285 | 1826-1407 | AM29825DC | 03794 | 1820-3019 | CA3053 | 01921 | 1826-0230 |
| AD7545JN | 03285 | 1826-1393 | AM29826DC | 03794 | 1820-3977 | CA3054 | 01921 | 1826-0780 |
| AD7545KN (SELECTED) | 03285 | 1826-1400 | AM29827DC | 03794 | 1820-3440 | CA3059 | 01921 | 1826-0041 |
| AD7546BD | 03285 | 1826-1416 | AM29828DC | 03794 | 1820-4062 | CA3060D | 01921 | 1826-0015 |
| AD7547BQ | 03285 | 1826-1656 | AM29834DC | 03794 | 1820-4063 | CA3075 | 01921 | 1826-0153 |
| AD7548JN | 03285 | 1826-1284 | AM29841DC | 03794 | 1820-3961 | CA3079 | 01921 | 1826-0075 |
| AD7549BD | 03285 | 1826-1443 | AM29842DC | 03794 | 1820-4064 | CA307T | 01921 | 1826-1254 |
| AD7550BD | 03285 | 1820-1995 | AM29843DC | 03794 | 1820-3962 | CA3080 | 01921 | 1826-0185 |
| AD7574JN | 03285 | 1826-0713 | AM29843PC | 03794 | 1820-4770 | CA3080E | 01921 | 1826-0534 |
| AD7574KN | 03285 | 1826-0877 | AM29844DC | 03794 | 1820-4065 | CA3085 | 01921 | 1826-0292 |
| AD7578BD | 03285 | 1826-1730 | AM29845DC | 03794 | 1820-3020 | CA3094AE | 01921 | 1826-0946 |
| AD7581LN | 03285 | 1826-1198 | AM29846DC | 03794 | 1820-4066 | CA3094AT | 01921 | 1826-0167 |
| AD7828KP | 03285 | 1826-1645 | AM29853DC | 03794 | 1820-4067 | CA3099E | 01921 | 1826-0321 |
| ADC-856C | 10321 | 1826-0881 | AM29854DC | 03794 | 1820-3888 | CA3100T | 01921 | 1826-0218 |
| ADC-HZ12BGC (SELECTED) | 10321 | 1813-0155 | AM29861DC | 03794 | 1820-4068 | CA3130AS | 01921 | 1826-0626 |
| ADC0800PCD | 03406 | 1826-0517 | AM29862DC | 03794 | 1820-4069 | CA3130T | 01921 | 1826-0307 |
| ADC0801LCN | 03406 | 1826-0750 | AM29863DC | 03794 | 1820-3426 | CA3140AE | 01921 | 1826-1535 |
| ADC0802LCN | 03406 | 1826-1552 | AM29864DC | 03794 | 1820-4070 | CA3140AS | 01921 | 1826-0930 |
| ADC08031CJ | 03406 | 1826-0733 | AM3011AH | 03794 | 1826-0392 | CA3140AT | 01921 | 1826-0679 |
| ADC08031CN | 03406 | 1826-0894 | AM6012ADC | 03794 | 1826-1587 | CA3140E | 01921 | 1826-0506 |
| ADC0804LCN | 03406 | 1826-0756 | AM6012AFC | 03794 | 1826-1236 | CA3140H | 01921 | 1826-0549 |
| ADC0804LN | 03406 | 1826-0717 | AM6012DC | 03794 | 1826-0705 | CA3140T | 01921 | 1826-0465 |
| ADC0808CCN | 03406 | 1826-1139 | AM6012PC | 03794 | 1826-1334 | CA3161E | 01921 | 1820-2658 |
| ADC0809CCN | 03406 | 1826-1477 | AM6070ADC | 03794 | 1826-1253 | CA3162E | 01921 | 1826-0854 |
| ADC0816CCN | 03406 | 1826-0710 | AM6080AFC | 03794 | 1826-0856 | CA3189E | 01921 | 1826-1326 |
| ADC0820BCN | 03406 | 1826-1332 | AM6080DC | 03794 | 1826-1015 | CA3199E | 01921 | 1820-3704 |
| ADC0833BCJ | 03406 | 1826-1375 | AM6080PC | 03794 | 1826-0832 | CA3240AE | 01921 | 1826-0653 |
| ADC0833BCN | 03406 | 1826-1390 | AM6081PC | 03794 | 1826-0659 | CA3240E | 01921 | 1826-0794 |
| ADC0844CCN | 03406 | 1826-1248 | AM6120C | 03794 | 1826-1070 | CA3290E | 01921 | 1826-0810 |
| ADC1205BCC-1 | 03406 | 1826-1693 | AM6120C (SELECTED) | 03794 | 1826-1226 | CA3300D | 01921 | 1826-0970 |
| ADC1242Q003 | 03285 | 0960-0397 | AM6148DC | 03794 | 1826-1211 | CA3306E | 01921 | 1826-1714 |
| ADC71KG | 05436 | 1813-0450 | AM6683HL | 03794 | 1826-1445 | CA339E | 01921 | 1826-0347 |
| ADC767G | 05436 | 1813-0322 | AM6687DL | 03794 | 1826-1378 | CA6741T SELECTED | 01921 | 1826-0261 |
| ADC76KG | 05436 | 1813-0511 | AM68 | | | | | |

| JDEC | Mfr. | HP P N | | | | | | | |
|------------|-------|-----------|-----------------------|-------|-----------|---------------------|-------|-----------|--|
| CD4002AF | 01921 | 1820-1537 | CD4081BF | 01921 | 1820-1551 | DAC71-CSB-I | 05436 | 1813-0251 | |
| CD4002BUE | 01921 | 1820-0948 | CD4082BE | 01921 | 1820-1409 | DAC71-CSB-V | 05436 | 1813-0283 | |
| CD4006AF | 01921 | 1820-0962 | CD4085BF | 01921 | 1820-2017 | DAC80-CBI-I (SEL'D) | 05436 | 1813-0094 | |
| CD4007AE | 01921 | 1820-0978 | CD4086BF | 01921 | 1820-2018 | DAC80-CBI-I (SEL'D) | 05436 | 1813-0118 | |
| CD4008AF | 01921 | 1820-0926 | CD4089BE | 01921 | 1820-1661 | DAC80-CBI-V | 06861 | 1813-0105 | |
| CD4009AF | 01921 | 1820-0979 | CD4093BE | 01921 | 1820-1600 | DAC80-CBI-V (SEL'D) | 05436 | 1813-0125 | |
| CD40103BF | 01921 | 1820-2241 | CD4093BF | 01921 | 1820-1577 | DAC80-CCD-V | 05436 | 1813-0092 | |
| CD40106BE | 01921 | 1820-2950 | CD4094BE | 01921 | 1820-1662 | DAC800-CBI-I | 05436 | 1826-1450 | |
| CD40109BE | 01921 | 1820-3907 | CD4094BF | 01921 | 1820-2222 | DAC800-CBI-I-7 | 05436 | 1826-1497 | |
| CD4010AF | 01921 | 1820-0980 | CD4095BE | 01921 | 1820-1663 | DAC800-CBI-V | 05436 | 1826-1008 | |
| CD40115D | 01921 | 1820-2048 | CD4096BE | 01921 | 1820-1664 | DAC811AH | 05436 | 1826-1406 | |
| CD40116E | 01921 | 1820-2662 | CD4097BE | 01921 | 1820-2209 | DAC9331-16-4 | 03755 | 1826-1089 | |
| CD4011AF | 01921 | 1820-1538 | CD4097BF | 01921 | 1820-1881 | DAC9331-16-5 | 03755 | 1826-1242 | |
| CD4011URE | 01921 | 1820-0949 | CD4098BE | 01921 | 1820-1650 | DAC9377-16-6 | 03755 | 1813-0410 | |
| CD4012AF | 01921 | 1820-1539 | CD4099BE | 01921 | 1820-1665 | DG133BF | 02883 | 1826-1484 | |
| CD4012URE | 01921 | 1820-0950 | CD4099BF | 01921 | 1820-2233 | DG145BF | 02883 | 1826-1596 | |
| CD4013AF | 01921 | 1820-1531 | CD4502BE | 01921 | 1820-2945 | DG172BK | 02883 | 1826-0105 | |
| CD4013BE | 01921 | 1820-0939 | CD4512BF | 01921 | 1820-2229 | DG180-BA | 02883 | 1826-1209 | |
| CD4014AE | 01921 | 1820-0970 | CD4541BCN | 03406 | 1820-3516 | DG180BP | 02883 | 1826-0914 | |
| CD4015AF | 01921 | 1820-1541 | CD4555BE | 01921 | 1820-1516 | DG182BP | 02883 | 1826-0669 | |
| CD4015BE | 01921 | 1820-0976 | CD4555BF | 01921 | 1820-1556 | DG184BP | 02883 | 1820-1724 | |
| CD40163BCN | 03406 | 1820-4166 | CD4556BE | 01921 | 1820-1515 | DG200ABA | 02883 | 1826-1020 | |
| CD4016AF | 01921 | 1820-0981 | CD4556BF | 01921 | 1820-1555 | DG200ABK | 02883 | 1826-1161 | |
| CD4017AE | 01921 | 1820-1675 | CD74HC67OE | 01921 | 1820-3786 | DG200ACK (SELECTED) | 02883 | 1826-1518 | |
| CD4017AF | 01921 | 1820-0933 | CD74HCCT154E | 01921 | 1820-4862 | DG200BA | 02883 | 1820-1807 | |
| CD4018AF | 01921 | 1820-0934 | CD74HCCT164E | 01921 | 1820-4865 | DG200BA | 02883 | 1826-0154 | |
| CD4018BF | 01921 | 1820-1529 | CD74HCCT173E | 01921 | 1820-3844 | DG201ABK | 02883 | 1826-0606 | |
| CD4019AF | 01921 | 1820-1553 | CD74HCCT174E | 01921 | 1820-3940 | DG201ABK | 02883 | 1826-1019 | |
| CD4019BCN | 03406 | 1820-2085 | CD74HCCT193E | 01921 | 1820-4151 | DG201ACJ | 02883 | 1826-1018 | |
| CD4019BE | 01921 | 1820-0951 | CD74HCCT194E | 01921 | 1820-3537 | DG201ACJ (SEL) | 02883 | 1826-1123 | |
| CD4020BE | 01921 | 1820-0935 | CDR125BK | 02883 | 1826-0152 | DG201CJ | 02883 | 1820-1840 | |
| CD4021AF | 01921 | 1820-0961 | CHI1710-01 | 04077 | 1813-0310 | DG201CJ | 02883 | 1820-1971 | |
| CD4021BF | 01921 | 1820-1898 | CHI1720-01 | 04077 | 1813-0311 | DG211CJ | 02883 | 1826-0850 | |
| CD4022BE | 01921 | 1820-0929 | CHI1730-01 | 04077 | 1813-0312 | DG211DY | 02883 | 1826-1609 | |
| CD4023BF | 01921 | 1820-1552 | CHI1740-01 | 04077 | 1813-0313 | DG212CJ | 02883 | 1826-1361 | |
| CD4023URE | 01921 | 1820-0943 | CLC103AT | 11604 | 1813-0508 | DG221CJ | 02883 | 1826-1733 | |
| CD4024BE | 01921 | 1820-0936 | CLC104AT | 11604 | 1826-1689 | DG243CK | 02883 | 1826-1247 | |
| CD4024BF | 01921 | 1820-1897 | CLC203AT | 11604 | 1826-1703 | DG271CJ | 02883 | 1826-1487 | |
| CD4025AF | 01921 | 1820-1535 | CLC220AI-SCD | 11604 | 1813-0476 | DG300CJ | 02883 | 1826-0778 | |
| CD4025URE | 01921 | 1820-0944 | CLC221AI | 11604 | 1826-1664 | DG301ACJ | 02883 | 1826-1655 | |
| CD4026AE | 01921 | 1820-0930 | CMP-01-CJ | 02180 | 1826-0116 | DG301BA | 02883 | 1826-0879 | |
| CD4027AF | 01921 | 1820-1530 | CMP-01CF | 02180 | 1826-1122 | DG302ACJ | 02883 | 1826-0776 | |
| CD4027BE | 01921 | 1820-0938 | CMP-01CZ | 02180 | 1826-1384 | DG303ACJ | 02883 | 1826-0777 | |
| CD4028AF | 01921 | 1820-0927 | CMP-02CJ | 02180 | 1826-1272 | DG303BP | 02883 | 1826-0769 | |
| CD4029AE | 01921 | 1820-1598 | CMP-04GP | 02180 | 1826-0787 | DG308ACJ | 02883 | 1826-0907 | |
| CD4029AE | 01921 | 1820-3018 | CMP-05FZ | 02180 | 1826-1708 | DG381CJ | 02883 | 1826-0951 | |
| CD4029BCN | 03406 | 1820-2083 | COM8116T | 01425 | 1820-2960 | DG390ACK | 02883 | 1826-0950 | |
| CD4029BE | 01921 | 1820-0931 | CP820C82 | 03799 | 1820-3486 | DG390CJ | 02883 | 1826-1205 | |
| CD4029BF | 01921 | 1820-1528 | CT1602 | 11596 | 1813-0468 | DG506BR | 02883 | 1820-1841 | |
| CD4030AE | 01921 | 1820-0947 | CT3231 | 11596 | 1813-0469 | DG508ABK | 02883 | 1826-0605 | |
| CD4030AF | 01921 | 1820-1536 | CX20052A | 06916 | 1826-1237 | DG508ACJ | 02883 | 1820-1725 | |
| CD4031AE | 01921 | 1820-0963 | CX20220A-1 | 06916 | 1826-1556 | DG508ABK | 02883 | 1826-1021 | |
| CD4031BF | 01921 | 1820-2231 | CY74C04-15PC | 11345 | 1820-4160 | DG509ABK | 02883 | 1826-1617 | |
| CD4032AE | 01921 | 1820-0925 | D139BP | 02883 | 1820-2345 | DH0034CD | 03406 | 1813-0160 | |
| CD4033AE | 01921 | 1820-0932 | D169CJ | 02883 | 1820-3691 | DH0035CG | 03406 | 1820-1797 | |
| CD4034AE | 01921 | 1820-0977 | D169CK | 02883 | 1820-3685 | DM2504CN | 03406 | 1820-1720 | |
| CD4035AE | 01921 | 1820-0969 | D2910A-4 | 03811 | 1826-0941 | DM5406N | 03406 | 1820-1043 | |
| CD4035AF | 01921 | 1820-1554 | D2911A-2 | 03811 | 1826-0940 | DM54LS123J | 03406 | 1820-1750 | |
| CD4037AE | 01921 | 1820-0945 | D2912 | 03811 | 1826-0943 | DM74193N | 03406 | 1820-0233 | |
| CD4038AE | 01921 | 1820-0924 | D2912-3 | 03811 | 1826-0942 | DM7441AN | 03406 | 1820-0100 | |
| CD4040AF | 01921 | 1820-1925 | D2913 | 03811 | 1826-1030 | DM74ALS373M | 03406 | 1820-3378 | |
| CD4040BE | 01921 | 1820-0937 | D3242 | 03811 | 1820-2076 | DM74400N | 03406 | 1820-0583 | |
| CD4041AE | 01921 | 1820-0928 | D3245 | 03811 | 1820-1758 | DM74400N | 03406 | 1820-1518 | |
| CD4041UBF | 01921 | 1820-2225 | D4201 | 03811 | 1820-2071 | DM74402N | 03406 | 1820-0584 | |
| CD4042AF | 01921 | 1820-0958 | D469CJ | 02883 | 1820-3377 | DM74403N | 03406 | 1820-0585 | |
| CD4042AF | 01921 | 1820-1540 | D58859N | 03406 | 1820-2971 | DM74410N | 03406 | 1820-0586 | |
| CD4043AE | 01921 | 1820-0941 | D5C060-35 | 03811 | 1820-5346 | DM74410N | 03406 | 1820-0587 | |
| CD4043AF | 01921 | 1820-1533 | D7230 | 03811 | 1820-2818 | DM744164AN | 03406 | 1820-0602 | |
| CD4044AE | 01921 | 1820-0940 | D7234 | 03811 | 1820-4971 | DM74420N | 03406 | 1820-0588 | |
| CD4044AF | 01921 | 1820-1532 | D7242 | 03811 | 1820-2817 | DM74430N | 03406 | 1820-0589 | |
| CD4044BF | 01921 | 1820-4876 | D7245 | 03811 | 1820-4968 | DM74442AN | 03406 | 1820-1047 | |
| CD4045AE | 01921 | 1820-1318 | D7250 | 03811 | 1820-2816 | DM74451N | 03406 | 1820-0590 | |
| CD4045BF | 01921 | 1820-2226 | DAC-01CY | 02180 | 1826-0020 | DM74454N | 03406 | 1820-0591 | |
| CD4046AF | 01921 | 1820-1188 | DAC-08CP | 02180 | 1826-1035 | DM74455N | 03406 | 1820-0592 | |
| CD4047AE | 01921 | 1820-1317 | DAC-08ED | 02910 | 1826-1458 | DM74471N | 03406 | 1820-0593 | |
| CD4047BF | 01921 | 1820-2230 | DAC-08EN | 03794 | 1826-0550 | DM74472N | 03406 | 1820-0594 | |
| CD4048AE | 01921 | 1820-1316 | DAC-08EQ | 02180 | 1820-1934 | DM74473N | 03406 | 1820-0595 | |
| CD4048BCJ | 03406 | 1820-3609 | DAC-100ACQ3 | 02180 | 1826-0453 | DM74474N | 03406 | 1820-0596 | |
| CD4049AF | 01921 | 1820-1542 | DAC-100BCQ3 | 02180 | 1826-0127 | DM74478N | 03406 | 1820-0597 | |
| CD4049URE | 01921 | 1820-1145 | DAC-100CCQ3 | 02180 | 1826-0197 | DM74485N | 03406 | 1820-0603 | |
| CD4050AF | 01921 | 1820-1543 | DAC-100CCQ4 | 02180 | 1826-0577 | DM74486N | 03406 | 1820-0598 | |
| CD4050BCN | 03406 | 1820-2644 | DAC-10FX | 02180 | 1826-0938 | DM74490N | 03406 | 1820-0600 | |
| CD4050BE | 01921 | 1820-1146 | DAC-20CQ | 02180 | 1826-1304 | DM74493N | 03406 | 1820-0601 | |
| CD4051BE | 01921 | 1820-1315 | DAC-210FX | 02180 | 1826-1155 | DM74495N | 03406 | 1820-0599 | |
| CD4051BF | 01921 | 1820-1513 | DAC-312PF | 02180 | 1826-1036 | DM744LS154N | 03406 | 1820-2053 | |
| CD4052BE | 01921 | 1820-1314 | DAC-888 | 02180 | 1826-1143 | DM744LS168AN | 03406 | 1820-3078 | |
| CD4053BE | 01921 | 1820-1313 | DAC-888FX | 02180 | 1826-1174 | DM744LS173N | 03406 | 1820-1885 | |
| CD4053BF | 01921 | 1820-1510 | DAC-88EX | 02180 | 1826-1193 | DM744LS74N | 03406 | 1820-3459 | |
| CD4053BY | 01921 | 1820-1545 | DAC-89 (SEL) | 02180 | 1826-0864 | DM744S253N | 03406 | 1820-2287 | |
| CD4054BE | 01921 | 1820-1331 | DAC-HAL2DC | 10321 | 1813-0147 | DM76L75N | 03406 | 1820-1376 | |
| CD4055BE | 01921 | 1820-1646 | DAC0800LCJ | 03406 | 1826-1331 | DM8090N | 03406 | 1820-1148 | |
| CD4056BE | 01921 | 1820-2487 | DAC0802LCN | 03406 | 1826-1385 | DM8093M | 03406 | 1820-1121 | |
| CD4059AD | 01921 | 1820-1649 | DAC0808LCN | 03406 | 1826-1305 | DM8094N | 03406 | 1820-0846 | |
| CD4060AE | 01921 | 1820-1667 | DAC0832LCN | 03406 | 1826-1068 | DM8095N | 03406 | 1820-1254 | |
| CD4060BE | 01921 | 1820-2588 | DAC1006LCJ | 03406 | 1826-1206 | DM8096N | 03406 | 1820-1368 | |
| CD4066AE | 01921 | 1820-1325 | DAC1006LCN | 03406 | 1826-1342 | DM8097N | 03406 | 1820-1049 | |
| CD4066AY | 01921 | 1820-1548 | DAC1136K | 03285 | 1826-1032 | DM8098N | 03406 | 1820-1255 | |
| CD4067BE | 01921 | 1820-1660 | DAC1200HCD | 03406 | 1826-0674 | DM8099N | 03406 | 1820-2098 | |
| CD4067BF | 01921 | 1820-2221 | DAC1202HCD | 03406 | 1826-0751 | DM8121N | 03406 | 1820-1295 | |
| CD4068BE | 01921 | 1820-1410 | DAC1208LCD | 03406 | 1826-1548 | DM8123N | 03406 | 1820-1294 | |
| CD4068BF | 01921 | 1820-2330 | DAC1218LCD | 03406 | 1826-1753 | DM8130N | 03406 | 1820-1293 | |
| CD4069URE | 01921 | 1820-1404 | DAC1219LCJ | 03406 | 1826-1101 | DM8131N | 03406 | 1820-2353 | |
| CD4070BE | 01921 | 1820-1601 | DAC1230LCJ (SELECTED) | 03406 | 1826-1488 | DM8160N | 03406 | 1820-1131 | |
| CD4071BE | 01921 | 1820-1483 | DAC1232LCJ | 03406 | 1826-1341 | DM81L23N | 03406 | 1820-1167 | |
| CD4071BF | 01921 | 1820-1550 | DAC1245C-B | 03285 | 0960-0632 | DM81LS95N | 03406 | 1820-1794 | |
| CD4072BE | 01921 | 1820-1403 | DAC124ZCB | 03285 | 1820-1362 | DM81LS96N | 03406 | 1820-1872 | |
| CD4073BE | 01921 | 1820-1408 | DAC160M/C-B | 03285 | 0960-0631 | DM81LS97N | 03406 | 1820-1759 | |
| CD4075BE | 01921 | 1820-1405 | DAC37E-12-BCD | 03755 | 1813-0036 | DM81LS98N | 03406 | 1820-1873 | |
| CD4076BE | 01921 | 1820-1578 | DAC653CM | 05436 | 1826-1238 | DM8200N | 03406 | 1820-0623 | |
| CD4076BF | 01921 | 1820-1544 | DAC700KH | 05436 | 1826-1649 | DM8214N | 03406 | 1820-0906 | |
| CD4077BE | 01921 | 1820-1672 | DAC701KH | 05436 | 1826-13 | | | | |

| JDEC | Mfr. | HP P N | | | | | | | |
|-----------------------|-------|-----------|------------------------|------------|-------|-----------|-------------------|-------|-----------|
| DM8553N | 03406 | 1820-1113 | HA2-2625-5 | (SELECTED) | 03799 | 1826-0487 | IH5020CPA | 03714 | 1826-0790 |
| DM8554N | 03406 | 1820-1291 | HA2-2625-5 | (SELECTED) | 03799 | 1826-0670 | IH5020NPA | 03714 | 1820-1353 |
| DM8555N | 03406 | 1820-1857 | HA2-2655-5 | | 03799 | 1826-0425 | IH5027CPE | 03714 | 1826-0442 |
| DM8556N | 03406 | 1820-1874 | HA3-2539-5 | | 03799 | 1826-1634 | IH5028CPE | 03714 | 1826-0489 |
| DM8570N | 03406 | 1820-0294 | HA3-2605-5 | | 03799 | 1826-0721 | IH5032CPE | 03714 | 1826-0490 |
| DM8590N | 03406 | 1820-0262 | HA3-2625-5 | | 03799 | 1826-0736 | IH5035CPA | 03714 | 1820-1234 |
| DM85L51N | 03406 | 1820-1166 | HA3-2625-5 | SELECTED | 03799 | 1826-1309 | IH5042CPE | 03714 | 1826-1159 |
| DM85L52N | 03406 | 1820-1472 | HA3-5002-5 | | 03799 | 1826-1699 | IH5108CPE | 03714 | 1826-0924 |
| DM85L54N | 03406 | 1820-1349 | HA3-5033-5 | | 03799 | 1826-1694 | IH5149CPE | 03714 | 1826-1678 |
| DM85S68J | 03406 | 1820-1985 | HA7-2505-5 | | 03799 | 1826-0735 | IH5151CPE | 03714 | 1826-1679 |
| DM86L75N | 03406 | 1820-0986 | HA7-2515-5 | | 03799 | 1826-1045 | IH6108CPE | 03714 | 1826-1241 |
| DM86L76N | 03406 | 1820-1057 | HA7-2525-5 | | 03799 | 1826-1220 | IH6216CPI | 03714 | 1820-2183 |
| DMPAL1618B2VC UNPRGMD | 03406 | 1820-5336 | HA7-2645-5 | | 03799 | 1826-0929 | IM5013ACDD | 03714 | 1820-1363 |
| DP830AN | 03406 | 1820-2239 | HA7-5130-5 | | 03799 | 1826-1420 | IM5013CDD | 03714 | 1820-0781 |
| DP8340N | 03406 | 1820-3417 | HCTL-2000 | | 0542 | 1820-4792 | IM6402-1IPL | 03714 | 1820-2204 |
| DP8341N | 03406 | 1820-3418 | HD100112 | | 06347 | 1820-3887 | IM6402IIDL | 03714 | 1820-2087 |
| DP8344 | 03406 | 1820-5411 | HD100131 | | 06347 | 1820-4228 | INAL01AM | 05436 | 1826-1027 |
| DP8392AN | 03406 | 1820-4889 | HD100150 | | 06347 | 1820-3595 | INAL01SG | 05436 | 1826-1519 |
| DP8392N | 03406 | 1820-4896 | HD44102CH | | 06347 | 1820-3859 | KS74AHCT00N | 12125 | 1820-4781 |
| DP8408N | 03406 | 1820-3154 | HD44103CH | | 06347 | 1820-3860 | KS74AHCT02N | 12125 | 1820-5147 |
| DP8409N-2 | 03406 | 1820-3142 | HD6350P | | 06347 | 1820-3938 | KS74AHCT138N | 12125 | 1820-4754 |
| DP8451N | 03406 | 1820-3969 | HD74HCT449P | | 06347 | 1820-5432 | KS74AHCT14N | 12125 | 1820-5098 |
| DP8451V-4 | 03406 | 1820-4877 | HD74L5390P | | 06347 | 1820-2885 | KS74AHCT240N | 12125 | 1820-4748 |
| DP8461N | 03406 | 1820-3705 | HDS1015EM | | 03285 | 1826-1094 | KS74AHCT244N | 12125 | 1820-4749 |
| DP8461N | 03406 | 1820-4334 | HEF4001BT | | 02910 | 1820-4333 | KS74AHCT257N | 12125 | 1820-5100 |
| DP8464BV | 03406 | 1820-5242 | HEF4066BT | | 02910 | 1826-1207 | KS74AHCT258N | 12125 | 1820-5101 |
| DQ8023A | 11111 | 1820-4189 | HEF4069UBT | | 02910 | 1820-4332 | KS74AHCT259N | 12125 | 1820-4752 |
| DRAM 6.8B10 | 06563 | 1826-0091 | HEF4076BT | | 02910 | 1820-4217 | KS74AHCT273N | 12125 | 1820-4753 |
| DS0025CN | 03406 | 1820-0718 | HEF4724BP | | 02910 | 1820-4229 | KS74AHCT32N | 12125 | 1820-5099 |
| DS0026CC | 03406 | 1820-1065 | H11-0201-4 | | 03799 | 1826-1012 | KS74AHCT404N | 12125 | 1820-4747 |
| DS0026CN | 03406 | 1820-1366 | H11-0508A-5 | | 03799 | 1826-0983 | L-35-OV-5 | 06545 | 1826-1498 |
| DS0056CN | 03794 | 1820-2103 | H11-0509A-5 | | 03799 | 1826-1063 | L144CJ | 02883 | 1826-0401 |
| DS1489AN | 03406 | 1820-4253 | H11-0518-5 | | 03799 | 1826-1438 | L146CB | 06338 | 1826-1132 |
| DS14C88N | 03406 | 1820-4691 | H11-0539-5 | | 03799 | 1826-1366 | L165V | 06338 | 1826-1124 |
| DS14C89AN | 03406 | 1820-4690 | H11-0562A-5 | | 03799 | 1826-0860 | L2-OV-12 | 06545 | 1826-0693 |
| DS3245N | 03406 | 1820-3769 | H11-1818A-5 | | 03799 | 1826-0429 | L2-OV-15 | 06545 | 1826-0692 |
| DS3487M | 03406 | 1820-5438 | H11-200-4 | | 03799 | 1826-1102 | L2-OV-20 | 06545 | 1826-0691 |
| DS3487M | 03406 | 1820-3445 | H11-303-5 | | 03799 | 1826-1414 | L2-OV-5 | 06545 | 1826-0694 |
| DS3611N | 03406 | 1820-1796 | H11-5042-5 | | 03799 | 1826-0958 | L292 | 06338 | 1826-0895 |
| DS3612N | 03406 | 1820-2041 | H11-5043-5 | | 03799 | 1826-0740 | L293B | 06338 | 1820-5494 |
| DS3630N | 03406 | 1826-0492 | H11-5044-5 | | 03799 | 1826-0952 | L293D | 06338 | 1820-4997 |
| DS3631N | 03406 | 1820-2174 | H11-507A-2 | | 03799 | 1826-1503 | L293E | 06338 | 1826-1266 |
| DS3632N | 03406 | 1820-2290 | H11-507A-5 | | 03799 | 1826-1252 | L296P | 06338 | 1826-1199 |
| DS3640N | 03406 | 1820-2234 | H11-508-5 | | 03799 | 1826-1277 | L297 | 06338 | 1826-1267 |
| DS3658N | 03406 | 1820-4185 | H11-509A-5 | | 03799 | 1826-1276 | L298 | 06338 | 1820-4205 |
| DS3667N | 03406 | 1820-2862 | H11-674AKD-5 | | 03799 | 1826-1593 | L4922 | 06338 | 1826-1715 |
| DS3669N | 03406 | 1820-4186 | HI2-0200-5 | | 03799 | 1820-1781 | L4962 | 06338 | 1826-1653 |
| DS3674N | 03406 | 1820-3658 | HI3-0201-5 | | 03799 | 1826-1282 | L6-OV-5 | 06545 | 1826-0731 |
| DS3686N | 03406 | 1820-2973 | HI3-0201-5 | | 03799 | 1826-1291 | L6-OV-5 | 06545 | 1826-0732 |
| DS3687N | 03406 | 1820-3581 | HI3-0508A-5 | | 03799 | 1826-1064 | LAS-1515 | 06545 | 1826-0402 |
| DS3695N | 03406 | 1820-4527 | HI3-0509-5 | | 03799 | 1826-1482 | LAS-1815 | 06545 | 1826-0403 |
| DS3695TN | 03406 | 1826-1701 | HI3-201HS-5 | | 03799 | 1826-1346 | LAS-19U | 06545 | 1826-0591 |
| DS75160AN | 03406 | 1820-3431 | HOS-1004H | | 03285 | 1813-0486 | LAS15A15 | 06545 | 1826-0819 |
| DS75161AN | 03406 | 1820-3513 | HPL1-161CC8-9 UNPRGMD | | 03799 | 1820-4523 | LAS18A15 | 06545 | 1826-0820 |
| DS75162AN | 03406 | 1820-3518 | HPL1-16RC4-9 UNPRGMD | | 03799 | 1820-4524 | LAS1912 | 06545 | 1826-0784 |
| DS75492M | 03406 | 1820-1670 | HPL1-16RC6-9 UNPRGMD | | 03799 | 1820-4522 | LAS1915 | 06545 | 1826-0754 |
| DS75492N | 03406 | 1820-2254 | HS3120-C2 | | 03755 | 1826-1114 | LB124E | 07371 | 1820-4761 |
| DS8640N | 03406 | 1820-2178 | ICL 8013CC TZ | | 03714 | 1826-0455 | LD1100CJ | 02883 | 1820-1252 |
| DS8654N | 03406 | 1820-2957 | ICL 8049 CC PE | | 03714 | 1826-0432 | LD1111CJ | 02883 | 1826-0195 |
| DS8800H | 03406 | 1820-1021 | ICL 8250 C PE | | 03714 | 1826-0387 | LD1140CJ | 02883 | 1820-1474 |
| DS8820AN | 03406 | 1820-0721 | ICL7101CPL | | 03714 | 1820-2025 | LD1200CJ | 02883 | 1826-0588 |
| DS8822N | 03406 | 1820-1115 | ICL7107CPL | | 03714 | 1826-0876 | LD1212CJ | 02883 | 1826-0587 |
| DS8830N | 03406 | 1820-0720 | ICL7109CPL | | 03714 | 1826-0746 | LD1300CJ | 02883 | 1826-0452 |
| DS8831N | 03406 | 1820-0780 | ICL7109CPL | | 11302 | 1826-1455 | LF11508D | 03406 | 1826-0695 |
| DS8835N | 03406 | 1820-2161 | ICL7109DPL | | 03714 | 1826-1053 | LF13007M | 03406 | 1826-1516 |
| DS8836 | 03406 | 1820-2256 | ICL7109TLP | | 03714 | 1826-1510 | LF13201D | 03406 | 1826-0582 |
| DS8838N | 03406 | 1820-1875 | ICL741C-LN-TY | | 03714 | 1826-0391 | LF13201N | 03406 | 1820-1941 |
| DS8839N | 03406 | 1820-1870 | ICL7605CJN | | 03714 | 1826-0761 | LF13202D | 03406 | 1826-0720 |
| DS8859AN | 03406 | 1820-1587 | ICL7611BMTY | | 03714 | 1826-0765 | LF13202N | 03406 | 1820-1986 |
| DS8863N | 03406 | 1820-1740 | ICL7613BCTV | | 03714 | 1826-0963 | LF13331D | 03406 | 1826-0416 |
| DS8867N | 03406 | 1820-2363 | ICL7650CPD | | 03714 | 1826-1373 | LF13331N | 03406 | 1820-1795 |
| DS8871N | 03406 | 1820-2138 | ICL76501JA-1 | | 03714 | 1826-1376 | LF13332D | 03406 | 1826-0846 |
| DS8884AN | 03406 | 1820-1738 | ICL76501JD | | 03714 | 1826-0968 | LF13332N | 03406 | 1826-0510 |
| DS8897AN | 03406 | 1820-1739 | ICL7660CBA | | 03714 | 1826-1350 | LF13333D | 03406 | 1826-0417 |
| DS88C20N | 03406 | 1820-2417 | ICL7660CPA | | 03714 | 1826-0851 | LF13333N | 03406 | 1826-0480 |
| DS8921N | 03406 | 1820-4890 | ICL7660CPA | | 03714 | 1826-0906 | LF13508D | 03406 | 1826-0581 |
| DS8922AN | 03406 | 1820-5371 | ICL7667CPA | | 03714 | 1820-4032 | LF13509D | 03406 | 1826-0590 |
| DS8973N | 03406 | 1820-2136 | ICL7673CBA | | 03714 | 1826-1683 | LF13744H | 03406 | 1826-0552 |
| E144C-0200 | 1876 | 1820-1003 | ICL7673CPA | | 03714 | 1826-1526 | LF156H | 03406 | 1826-1052 |
| E144D-0200 | 1876 | 1820-0714 | ICL8001CTZ | | 03714 | 1826-0129 | LF255H | 03406 | 1826-0458 |
| E144D-0200 | 1876 | 1820-1019 | ICL8008CTY | | 03714 | 1826-0131 | LF255N | 02037 | 1826-0801 |
| F10010DC | 02237 | 1820-2093 | ICL8038BCJD (SELECTED) | | 03714 | 1826-1109 | LF256H | 03406 | 1826-0371 |
| F10014PC | 02237 | 1820-2359 | ICL8052CPD | | 03714 | 1826-0446 | LF256H, SEL NOISE | 03406 | 1826-0358 |
| F10016DC | 02237 | 1820-1788 | ICL8069DCP | | 03714 | 1826-0573 | LF257H | 03406 | 1826-0447 |
| F11C06DC | 02237 | 1820-2106 | ICL8211CPA | | 03714 | 1826-0978 | LF298H | 03406 | 1826-0422 |
| F135-0100 | 1876 | 1820-1226 | ICL8211CTY | | 03714 | 1826-0540 | LF298H SELECTED | 03406 | 1826-0619 |
| FCM7002PC | 02237 | 1820-2114 | ICL82111PA (SELECTED) | | 03714 | 1826-1508 | LF311H | 03406 | 1826-0497 |
| FDC9229BTP | 01425 | 1820-4686 | ICL8212CPA | | 03714 | 1826-0408 | LF347BN | 03406 | 1826-0665 |
| GAP-01FP | 02180 | 1826-1641 | ICM7207/AIPD | | 03714 | 1826-1337 | LF351AH | 03406 | 1826-0686 |
| GPD-1003 | 03291 | 1813-0315 | ICM7209IPA | | 03714 | 1813-0150 | LF351BH | 03406 | 1826-0908 |
| GPD-321 | 03291 | 1826-1147 | ICM7217CPI | | 03714 | 1820-3060 | LF351H | 03406 | 1826-0685 |
| GPD-331 | 03291 | 1813-0320 | ICM7218A | | 03714 | 1820-2132 | LF351N | 03406 | 1826-0667 |
| GPD-410 | 03291 | 1813-0318 | ICM7218A1PI | | 11302 | 1820-4688 | LF353AH | 03406 | 1826-0741 |
| GPD-420 | 03291 | 1813-0319 | ICM7218B1JI | | 03714 | 1820-2712 | LF353AN | 03406 | 1826-0888 |
| GPD-430 | 03291 | 1813-0385 | ICM7218B1PI | | 11302 | 1820-5060 | LF353BH | 03406 | 1826-0843 |
| GS-R405S | 06338 | 1813-0544 | ICM7218E1JL | | 03714 | 1820-4503 | LF353BN | 03406 | 1826-0734 |
| HA-2005A | 03799 | 1826-0270 | ICM7226AIDL | | 03714 | 1820-2187 | LF353H | 03406 | 1826-0704 |
| HA1-2425-5 | 03799 | 1826-0840 | ICM7227A1PI | | 03714 | 1820-2646 | LF353N | 03406 | 1826-0712 |
| HA1-2539-5 | 03799 | 1826-1691 | ICM7227C1PI | | 03714 | 1820-2647 | LF355H | 03406 | 1826-0304 |
| HA1-4605-5 | 03799 | 1826-0532 | ICM7228B1JI | | 03714 | 1820-4983 | LF355H | 03406 | 1826-1180 |
| HA1-4741-5 (SELECTED) | 03799 | 1826-0323 | ICM75551PA | | 03714 | 1820-2466 | LF355N | 03406 | 1826-0491 |
| HA1-4905-5 | 03799 | 1826-0792 | ICM75561PD | | 03714 | 1820-3235 | LF356AH | 03406 | 1826-0668 |
| HA1-4925-5 | 03799 | 1826-0714 | IDT49C460AG | | 10253 | 1820-5385 | LF356BH | 03406 | 1826-0528 |
| HA1-5190-2 | 03799 | 1826-1688 | IDT7210-100C | | 10253 | 1820-4864 | LF356BJ | 03406 | 1826-1557 |
| HA1-5195-5 | 03799 | 1826-0700 | IDT74AHCT245P | | 10253 | 18 | | | |

| JDEC | Mfr. | HP P/N | | | | | | |
|----------------------|-------|-----------|------------------|-------|-----------|----------------------|-------|-----------|
| LF411ACH | 03406 | 1826-1148 | LM306H | 03406 | 1826-0475 | LM343H | 03406 | 1826-0634 |
| LF411ACN | 03406 | 1826-1081 | LM307H | 03406 | 1826-0043 | LM346J | 03406 | 1826-0719 |
| LF411CH | 03406 | 1826-1071 | LM307J | 03406 | 1826-0989 | LM348J | 03406 | 1826-0557 |
| LF411CN | 03406 | 1826-0961 | LM307N | 03406 | 1826-0493 | LM348N | 03406 | 1826-0315 |
| LF411CNA+ (SELECTED) | 03406 | 1826-1726 | LM307N SELECTED | 03406 | 1826-0068 | LM350K | 03406 | 1826-0631 |
| LF412ACH | 03406 | 1826-1077 | LM308AH | 03406 | 1826-0035 | LM350K SELECTED | 03406 | 1826-0724 |
| LF412ACN | 03406 | 1826-1128 | LM308AN | 03406 | 1826-0493 | LM350T | 03406 | 1826-1166 |
| LF412CH | 03406 | 1826-1127 | LM308H | 03406 | 1826-0478 | LM3524N | 03406 | 1826-1569 |
| LF412CN | 03406 | 1826-0962 | LM308N | 03406 | 1826-0172 | LM355-1H | 03406 | 1826-0314 |
| LF412CN | 03406 | 1826-0997 | LM309H | 03406 | 1826-0429 | LM358AH | 03406 | 1826-0592 |
| LF412CN (SELECTED) | 03406 | 1826-0887 | LM309H SELECTED | 03406 | 1826-0265 | LM358AN | 03406 | 1826-0890 |
| LF441CN | 03406 | 1826-1074 | LM309K | 03406 | 1826-0430 | LM358H | 03406 | 1826-0678 |
| LF442ACN | 03406 | 1826-1405 | LM310H | 03406 | 1826-0021 | LM358N | 03406 | 1826-0346 |
| LF442CN | 03406 | 1826-1075 | LM310H SELECTED | 03406 | 1826-0354 | LM35CAH | 03406 | 1826-1473 |
| LF444ACN | 03406 | 1826-1302 | LM310H SELECTED | 03406 | 1826-0515 | LM35CZ | 03406 | 1826-1365 |
| LF444CN | 03406 | 1826-1076 | LM310J-8 | 03406 | 1826-0947 | LM360J | 03406 | 1826-1640 |
| LH-0053CG | 03406 | 1826-0439 | LM310N | 03406 | 1826-0208 | LM360N | 03406 | 1826-0638 |
| LH0002CH | 03406 | 1820-0224 | LM311F | 03406 | 1826-0077 | LM361H | 03406 | 1826-0272 |
| LH0002CN | 03406 | 1826-1067 | LM311H | 03406 | 1826-0026 | LM361N | 03406 | 1826-0210 |
| LH0021CK | 03406 | 1813-0058 | LM311H | 03406 | 1826-1113 | LM370N | 03406 | 1826-0245 |
| LH0022CH | 03406 | 1826-0405 | LM311H | 02037 | 1826-1179 | LM371H | 03406 | 1826-0104 |
| LH0024CH | 03406 | 1813-0057 | LM311J-8 | 03406 | 1826-1221 | LM377N | 03406 | 1826-0348 |
| LH0033CG | 03406 | 1826-0481 | LM311M | 03406 | 1826-1594 | LM380N | 03406 | 1826-0709 |
| LH0041CG | 03406 | 1826-1449 | LM311N | 03406 | 1826-0065 | LM380N-8 | 03406 | 1826-0209 |
| LH0042CD | 03406 | 1826-0459 | LM311N | 03406 | 1826-1292 | LM381N | 03406 | 1826-0206 |
| LH0042CH | 03406 | 1813-0041 | LM312H | 03406 | 1826-0102 | LM385BZ-1.2 | 03406 | 1826-0774 |
| LH0044ACH | 03406 | 1826-0472 | LM312J | 03406 | 1826-0201 | LM385BZ-2.5 | 03406 | 1826-1235 |
| LH0044CN | 03406 | 1826-0594 | LM316AH | 03406 | 1826-0112 | LM385BZ-2.5 | 03406 | 1826-1251 |
| LH0062CD | 03406 | 1826-0267 | LM317H | 03406 | 1826-0539 | LM386N-1 | 03406 | 1826-0682 |
| LH0062CH | 03406 | 1826-0108 | LM317HVK | 03406 | 1826-0687 | LM386N-4 | 03406 | 1826-1729 |
| LH0063CK | 03406 | 1820-4446 | LM317K | 03406 | 1826-0423 | LM388N | 03406 | 1826-1016 |
| LH0070-1H | 03406 | 1826-0316 | LM317K SELECTED | 03406 | 1826-0722 | LM3900N | 03406 | 1826-0120 |
| LH0070-1H | 03406 | 1826-0826 | LM317LZ | 02037 | 1826-0772 | LM3909N | 03406 | 1826-0419 |
| LH0070-2H | 03406 | 1826-0414 | LM317MP | 03406 | 1826-1152 | LM390N | 03406 | 1826-1315 |
| LH0071-1H | 03406 | 1826-0388 | LM317T | 03406 | 1826-0393 | LM3911N | 03406 | 1826-0390 |
| LH0071-2H | 03406 | 1826-1130 | LM318H | 03406 | 1826-0081 | LM3914N | 03406 | 1826-0655 |
| LH0075CG | 03406 | 1826-1354 | LM318J-8 | 03406 | 1826-1271 | LM392N | 03406 | 1826-1126 |
| LH0091CD | 03406 | 1826-0499 | LM318M | 03406 | 1826-1739 | LM393AFE | 02910 | 1826-1616 |
| LM103H-2.0 | 03406 | 1826-0812 | LM318N | 03406 | 1826-0207 | LM393D | 02910 | 1826-1572 |
| LM104H | 03406 | 1826-0016 | LM318N | 03406 | 1826-1034 | LM393JG | 01698 | 1826-1229 |
| LM105H | 03406 | 1826-0017 | LM319D | 02910 | 1826-1551 | LM393N | 03406 | 1826-0412 |
| LM109H | 03406 | 1826-0954 | LM319H | 03406 | 1826-0191 | LM395K | 03406 | 1826-0320 |
| LM109K | 03406 | 1826-0324 | LM319J | 03406 | 1826-0141 | LM395T | 03406 | 1826-0886 |
| LM10BLH | 03406 | 1826-1223 | LM319M | 03406 | 1826-1623 | LM396K | 03406 | 1826-0966 |
| LM10CH | 03406 | 1826-0773 | LM319N | 03406 | 1826-0175 | LM3999Z | 03406 | 1826-0825 |
| LM10CN | 03406 | 1826-1004 | LM320H-05 | 03406 | 1826-0220 | LM399AH(SEL) | 10858 | 1826-1249 |
| LM110H | 03406 | 1826-1575 | LM320H-12 | 03406 | 1826-0178 | LM399H | 03406 | 1902-0908 |
| LM113-2H | 03406 | 1826-0329 | LM320H-15 | 03406 | 1826-0192 | LM4250CH | 03406 | 1826-0165 |
| LM117K | 03406 | 1826-0673 | LM320H-5.2 | 03406 | 1826-0179 | LM4250CN | 03406 | 1826-0747 |
| LM11CH | 03406 | 1826-0909 | LM320H-6 | 03406 | 1826-0568 | LM555CN | 03406 | 1826-0355 |
| LM11CN | 03406 | 1826-1133 | LM320K-05 | 03406 | 1826-0202 | LM555CN | 03406 | 1826-0373 |
| LM120K-15 | 03406 | 1826-1157 | LM320K-12 | 03406 | 1826-0123 | LM565CH | 03406 | 1826-0101 |
| LM120K-5.0 | 03406 | 1826-0397 | LM320K-15 | 03406 | 1826-0169 | LM675T | 03406 | 1826-1720 |
| LM129AH | 03406 | 1826-0802 | LM320K-5.2 | 03406 | 1826-0173 | LM709AH | 03406 | 1820-0197 |
| LM13340-1N | 03406 | 1826-0336 | LM320LZ-5.0 | 03406 | 1826-1383 | LM709H | 03406 | 1820-0162 |
| LM135AH | 03406 | 1826-1138 | LM320T-12 | 03406 | 1826-0418 | LM725AH | 03406 | 1826-0711 |
| LM136H | 03406 | 1826-1541 | LM320T-15 | 03406 | 1826-0277 | LM741CN | 03406 | 1826-0271 |
| LM137K | 03406 | 1826-0763 | LM320T-18 | 03406 | 1826-0377 | LM747D | 03406 | 1826-0135 |
| LM138K (STEEL) | 03406 | 1826-0837 | LM320T-24 | 03406 | 1826-0299 | LM78L10ACH | 03406 | 1826-0394 |
| LM145K-5.2 | 03406 | 1826-1026 | LM320T-8.0 | 03406 | 1826-0449 | LM78L15ACH | 03406 | 1826-0353 |
| LM1558H | 03406 | 1826-0243 | LM321AH SELECTED | 03406 | 1826-0234 | LM78M05CP | 03406 | 1826-1299 |
| LM161J | 03406 | 1826-0548 | LM321H | 03406 | 1826-0162 | LM7966T | 03406 | 1826-0478 |
| LM1875 | 03406 | 1826-1389 | LM322N | 03406 | 1826-0225 | LM833N | 03406 | 1826-1725 |
| LM1877N-9 | 03406 | 1826-0863 | LM323K | 03406 | 1826-0181 | LP2950ACZ | 03406 | 1826-1646 |
| LM201ADP | 10881 | 1826-1460 | LM324AN | 03406 | 1826-0524 | LP311N | 03406 | 1826-1162 |
| LM201AH | 03406 | 1826-0059 | LM324D | 02910 | 1826-1072 | LP339M | 03406 | 1826-1225 |
| LM201AH SELECTED | 03406 | 1826-0045 | LM324H | 01698 | 1826-1600 | LP339N | 03406 | 1826-1289 |
| LM201AJ | 03406 | 1826-1491 | LM324F | 03406 | 1826-0291 | LP365N | 03406 | 1826-1370 |
| LM201AN | 02037 | 1826-0311 | LM324N | 03406 | 1826-0161 | LT1001ACH | 10858 | 1826-1479 |
| LM201H | 03406 | 1820-0104 | LM325AS | 03406 | 1826-0238 | LT1001CN8 (SELECTED) | 10858 | 1826-1382 |
| LM207H | 03406 | 1826-0113 | LM325H | 03406 | 1826-0457 | LT1002CN | 10858 | 1826-1368 |
| LM208AH | 03406 | 1826-0025 | LM325S | 03406 | 1826-0283 | LT1004CZ | 10858 | 1826-1167 |
| LM208D | 03406 | 1826-0268 | LM326H | 03406 | 1826-0533 | LT1007CH | 10858 | 1826-1433 |
| LM208H | 03406 | 1826-0072 | LM329 | 03406 | 1902-0928 | LT1007CN8 | 10858 | 1826-1316 |
| LM210H SELECTED | 03406 | 1826-0097 | LM329D (SEL) | 03406 | 1902-1331 | LT1007CS | 10858 | 1826-1735 |
| LM211H | 03406 | 1826-0098 | LM329DZ | 03406 | 1826-0585 | LT1009CZ | 10858 | 1826-1435 |
| LM212H | 03406 | 1826-0110 | LM330T-5.0 | 03406 | 1826-0904 | LT1011ACH | 10858 | 1826-1539 |
| LM218H | 03406 | 1826-0488 | LM333K STEEL | 03406 | 1826-1415 | LT1011CN8 | 10858 | 1826-1475 |
| LM220K-12 | 03406 | 1826-0235 | LM334H | 03406 | 1826-1046 | LT1012CH | 10858 | 1826-1462 |
| LM220K-15 | 03406 | 1826-0233 | LM334Z | 03406 | 1826-0623 | LT1012CN8 | 10858 | 1826-1381 |
| LM220K-5.2 | 03406 | 1826-0537 | LM335AZ | 03406 | 1826-0760 | LT1013ACJ8 | 10858 | 1826-1436 |
| LM224J | 03406 | 1826-0232 | LM335Z | 03406 | 1826-0880 | LT1013CN8 | 10858 | 1826-1409 |
| LM236AH | 03406 | 1826-0855 | LM336BZ | 03406 | 1826-0910 | LT1014CN | 10858 | 1826-1590 |
| LM236H | 03406 | 1826-0766 | LM336BZ-5.0 | 03406 | 1826-1297 | LT1014DN | 10858 | 1826-1553 |
| LM250K STEEL | 03406 | 1826-0748 | LM336Z-5.0 | 03406 | 1826-1065 | LT1019ACH-5 | 10858 | 1826-1712 |
| LM258AH | 03406 | 1826-0768 | LM337H | 03406 | 1826-0558 | LT1021BCN8-10 | 10858 | 1826-1514 |
| LM258H | 03406 | 1826-0745 | LM337HVK-STEEL | 03406 | 1826-0870 | LT1021BCN8-5 | 10858 | 1826-1706 |
| LM261H | 03406 | 1826-0762 | LM337K | 03406 | 1826-0523 | LT1021CN8-10 | 10858 | 1826-1437 |
| LM271H | 03406 | 1826-0398 | LM337K(SELECTED) | 03406 | 1826-0690 | LT1021CCN8-5 | 10858 | 1826-1431 |
| LM285BYZ-1.2 | 03406 | 1826-1509 | LM337LZ | 03406 | 1826-0994 | LT1021DCN8-10 | 10858 | 1826-1369 |
| LM285BYZ-2.5 | 03406 | 1826-1464 | LM337LZ | 03406 | 1826-1099 | LT1021DCS8-10 | 10858 | 1826-1687 |
| LM285H-2.5 | 03406 | 1826-1288 | LM337T | 03406 | 1826-0527 | LT1022ACH | 10858 | 1826-1690 |
| LM2900N | 03406 | 1826-0939 | LM338K | 03406 | 1826-0677 | LT1024ACN | 10858 | 1826-1608 |
| LM2901N | 03406 | 1826-1506 | LM339AJ | 03406 | 1826-0306 | LT1028CJ8 | 10858 | 1826-1728 |
| LM2904N | 03406 | 1826-0611 | LM339AN | 03406 | 1826-0666 | LT1031DCH | 10858 | 1826-1429 |
| LM2917N | 03406 | 1826-0842 | LM339J | 03406 | 1826-0759 | LT1032CN | 10858 | 1820-4311 |
| LM2930P-5.0TB | 03406 | 1826-1005 | LM339M | 03406 | 1826-1528 | LT1033CP | 10858 | 1826-1585 |
| LM2930T-5.0 | 03406 | 1826-1201 | LM339N | 03406 | 1826-0138 | LT1037CH | 10858 | 1826-1374 |
| LM2931AZ-5.0 | 03406 | 1826-1397 | LM339N SELECTED | 01698 | 1826-1033 | LT1037CN8 | 10858 | 1826-1317 |
| LM2931CT | 03406 | 1826-1090 | LM340-12AT | 03406 | 1826-1121 | LT1039CN | 10858 | 1820-4887 |
| LM2935T | 03406 | 1826-1586 | LM340AK-15 | 03406 | 1826-1181 | LT1055CN8 | 10858 | 1826-1702 |
| LM2935T05B | 03406 | 1826-1750 | LM340AK-5 | 03406 | 1826-0536 | LT1056CN8 | 10858 | 1826-1692 |
| LM293P | 01698 | 1826-0479 | LM340AT-15 | 03406 | 1826-0607 | LT1081-CN | 10858 | 1820-5338 |
| LM2940CT-5.0 | 03406 | 1826-1597 | LM340AT-5 | 03406 | 1826-0551 | LT317AT | 10858 | 1826-1403 |
| LM299AH | 03406 | 1826-1239 | LM340K-24 | 03406 | 1826-0559 | LT318AN8 (SELECTED) | 10858 | 1826-1265 |
| LM299H | 03406 | 1826-0330 | LM340K-8 | 03406 | 1826-0370 | LT337AK | 10858 | 1826-1395 |
| LM300H | 03406 | 1820-0123 | LM340LAH-12 | 03406 | 1826-0438 | LT337AT | 10858 | 1826-1670 |
| LM301AH | 03406 | 1820-0223 | LM340LAZ-12 | 03406 | 1826-0554 | LT338AK | 10858 | 1826-1396 |
| LM301AH, 22V | 03406 | 1820-0242 | LM340LAZ-5 | 03406 | 1826-0555 | LT350AT | 10858 | 1826-1216 |
| LM301AJ | 03406 | 1826-1227 | LM340LAZ-5 | 03406 | 1826-1203 | LTCL044CN | 10858 | 1826-1529 |
| LM301AJ-14 | 03406 | 1826-0069 | LM341P-12 | 03406 | 1826-0435 | LTCL052CJ8 | 10858 | 1826-1562 |

| JDEC | Mfr. | HP P/N | | | | | | |
|-------------|-------|-----------|------------|-------|-----------|----------------|----------|-----------|
| MAS-0385 | 03291 | 1826-1612 | MC10179L | 02037 | 1820-0830 | MC10H350P | 02037 | 1820-4204 |
| MAS634CPA | 11302 | 1826-1717 | MC10179P | 02037 | 1820-2474 | MC10H423P | 02037 | 1820-4700 |
| HBX107 | 06344 | 1826-1408 | MC1017F | 02037 | 1820-0146 | MC10H424P | 02037 | 1820-4201 |
| MB506-DIP-8 | 06344 | 1820-5276 | MC10180P | 02037 | 1820-2481 | MC12002P | 02037 | 1826-0598 |
| MB7030 | 06344 | 1820-5366 | MC10181L | 02037 | 1820-0831 | MC12009L | 02037 | 1820-3935 |
| MC1001P | 02037 | 1820-0472 | MC10181P | 02037 | 1820-3130 | MC12009P | 02037 | 1820-2934 |
| MC1004P | 02037 | 1820-0142 | MC10182P | 02037 | 1820-2478 | MC12011P | 02037 | 1820-2935 |
| MC1006P | 02037 | 1820-0666 | MC10183J | 02037 | 1820-2479 | MC12012L | 02037 | 1820-1242 |
| MC1007P | 02037 | 1820-0147 | MC10186P | 02037 | 1820-2403 | MC12013L | 02037 | 1820-1888 |
| MC10100L | 02037 | 1820-1990 | MC10188L | 02037 | 1820-2841 | MC12015P | 02037 | 1820-3646 |
| MC10100P | 02037 | 1820-2517 | MC10189L | 02037 | 1820-2842 | MC12018P | 02037 | 1820-3964 |
| MC10101L | 02037 | 1820-2834 | MC10189P | 02037 | 1820-2385 | MC12040L | 02037 | 1820-1344 |
| MC10101P | 02037 | 1820-0801 | MC10189P | 02037 | 1820-2450 | MC12040P | 02037 | 1826-0364 |
| MC10102L | 02037 | 1820-2835 | MC1018P | 02037 | 1820-0144 | MC1204L | 02037 | 1820-1915 |
| MC10102P | 02037 | 1820-0802 | MC10192L | 02037 | 1820-3620 | MC12061P | 02037 | 1820-1977 |
| MC10103L | 02037 | 1820-1831 | MC10192P | 02037 | 1820-4438 | MC12090L | 02037 | 1820-3485 |
| MC10103P | 02037 | 1820-1686 | MC10194L | 02037 | 1820-2480 | MC1210L | 02037 | 1820-1025 |
| MC10104L | 02037 | 1820-2836 | MC10195L | 02037 | 1820-2843 | MC1213L | 02037 | 1820-1026 |
| MC10104P | 02037 | 1820-1400 | MC10195P | 02037 | 1820-1685 | MC1306P | 02037 | 1826-0293 |
| MC10105L | 02037 | 1820-2837 | MC10197L | 02037 | 1820-2844 | MC1349P | 02037 | 1826-1160 |
| MC10105P | 02037 | 1820-0803 | MC10197P | 02037 | 1820-2023 | MC1350P | 02037 | 1826-0159 |
| MC10106L | 02037 | 1820-2838 | MC10198L | 02037 | 1820-2376 | MC1355P | 02037 | 1826-0382 |
| MC10106P | 02037 | 1820-0804 | MC1019P | 02037 | 1820-1036 | MC1372P | 02037 | 1826-0903 |
| MC10107L | 02037 | 1820-2839 | MC1020P | 02037 | 1820-0212 | MC1377P | 02037 | 1826-1471 |
| MC10107P | 02037 | 1820-0805 | MC10210L | 02037 | 1820-1830 | MC14001BCL | 02037 | 1820-2803 |
| MC10109L | 02037 | 1820-2846 | MC10210P | 02037 | 1820-2495 | MC14001BCP | 02037 | 1820-1745 |
| MC10109P | 02037 | 1820-0806 | MC10211L | 02037 | 1820-2845 | MC14001UBCP | 02037 | 1820-1499 |
| MC1010P | 02037 | 1820-0145 | MC10211P | 02037 | 1820-1482 | MC14002BCP | 02037 | 1820-2079 |
| MC10110P | 02037 | 1820-0807 | MC10212L | 02037 | 1820-1832 | MC14002UBCP | 02037 | 1820-1511 |
| MC10111P | 02037 | 1820-0808 | MC10212P | 02037 | 1820-1950 | MC14006BCP | 02037 | 1820-2086 |
| MC10113L | 02037 | 1820-1882 | MC10216L | 02037 | 1820-1320 | MC14007UBCP | 02037 | 1820-1503 |
| MC10113P | 02037 | 1820-2508 | MC10216P | 02037 | 1820-1224 | MC14008BCL | 02037 | 1820-1525 |
| MC10114P | 02037 | 1820-2324 | MC1022P | 02037 | 1820-0272 | MC14008BCP | 02037 | 1820-1955 |
| MC10115L | 02037 | 1820-1945 | MC10231L | 02037 | 1820-2516 | MC14011BCL | 02037 | 1820-2576 |
| MC10115P | 02037 | 1820-0809 | MC10231P | 02037 | 1820-1225 | MC14011BCP | 02037 | 1820-1747 |
| MC10116FN | 02037 | 1820-4957 | MC1023P | 02037 | 1820-0157 | MC14011UBCP | 02037 | 1820-1500 |
| MC10116L | 02037 | 1820-1308 | MC1024P | 02037 | 1820-0578 | MC14012BCP | 02037 | 1820-1960 |
| MC10116P | 02037 | 1820-0810 | MC1025P | 02037 | 1820-0444 | MC14012UBCP | 02037 | 1820-1507 |
| MC10116P | 02037 | 1820-4681 | MC1026P | 02037 | 1820-0252 | MC14013BCP | 02037 | 1820-1497 |
| MC10117L | 02037 | 1820-1946 | MC1027P | 02037 | 1820-0143 | MC14013BCP | 02037 | 1820-1363 |
| MC10117P | 02037 | 1820-0811 | MC1030P | 02037 | 1820-0200 | MC14014BCL | 02037 | 1820-1514 |
| MC10118P | 02037 | 1820-0812 | MC10319L | 02037 | 1826-1731 | MC14015BCP | 02037 | 1820-2055 |
| MC10119P | 02037 | 1820-0813 | MC1031P | 02037 | 1820-0235 | MC14015BCP | 02037 | 1820-1176 |
| MC1011P | 02037 | 1820-0582 | MC1032P | 02037 | 1820-0581 | MC14015BCP | 02037 | 1820-1502 |
| MC10121L | 02037 | 1820-2840 | MC1033P | 02037 | 1820-0276 | MC14015BCP | 02037 | 1820-2008 |
| MC10121P | 02037 | 1820-0815 | MC1034P | 02037 | 1820-0101 | MC14016BCP | 02037 | 1820-1504 |
| MC10123P | 02037 | 1820-2399 | MC1035P | 02037 | 1820-0253 | MC14016BCP | 02037 | 1820-1958 |
| MC10124FN | 02037 | 1820-4958 | MC1039P | 02037 | 1820-0275 | MC14017BCL | 02037 | 1820-2805 |
| MC10124L | 02037 | 1820-1173 | MC1040P | 02037 | 1820-0667 | MC14017BCP | 02037 | 1820-1508 |
| MC10124P | 02037 | 1820-3124 | MC1043P | 02037 | 1820-0792 | MC14018BCP | 02037 | 1820-2804 |
| MC10125FN | 02037 | 1820-4959 | MC1047P | 02037 | 1820-0897 | MC14020BCP | 02037 | 1820-1494 |
| MC10125L | 02037 | 1820-1052 | MC1048P | 02037 | 1820-0473 | MC14021BCP | 02037 | 1820-2031 |
| MC10125P | 02037 | 1820-3125 | MC1062P | 02037 | 1820-0916 | MC14022BCL | 02037 | 1820-2277 |
| MC10128L | 02037 | 1820-2400 | MC1065P | 02037 | 1820-0917 | MC14022BAL | 02037 | 1820-1527 |
| MC10129L | 02037 | 1820-2482 | MC1068P | 02037 | 1820-0791 | MC14023BCP | 02037 | 1820-1961 |
| MC10130L | 02037 | 1820-1944 | MC10804L | 02037 | 1820-2409 | MC14023UBCP | 02037 | 1820-1509 |
| MC10130P | 02037 | 1820-0816 | MC10807L | 02037 | 1820-4200 | MC14024BCL | 02037 | 1820-1506 |
| MC10131FN | 02037 | 1820-4967 | MC10H016L | 02037 | 1820-3102 | MC14025BCL | 02037 | 1820-2804 |
| MC10131P | 02037 | 1820-0817 | MC10H016P | 02037 | 1820-4159 | MC14025BCP | 02037 | 1820-1965 |
| MC10132P | 02037 | 1820-2476 | MC10H100P | 02037 | 1820-3686 | MC14025UBCP | 02037 | 1820-1498 |
| MC10133L | 02037 | 1820-0818 | MC10H101P | 02037 | 1820-2891 | MC14027BCP | 02037 | 1820-1496 |
| MC10133P | 02037 | 1820-2475 | MC10H102P | 02037 | 1820-2823 | MC14027BCP | 02037 | 1820-1964 |
| MC10134L | 02037 | 1820-0819 | MC10H103P | 02037 | 1820-2962 | MC14028BCL | 02037 | 1820-1526 |
| MC10135L | 02037 | 1820-0820 | MC10H104P | 02037 | 1820-3337 | MC14028BCP | 02037 | 1820-1512 |
| MC10135P | 02037 | 1820-4080 | MC10H105P | 02037 | 1820-2822 | MC14028BCP | 02037 | 1820-1962 |
| MC10136FN | 02037 | 1820-4960 | MC10H106P | 02037 | 1820-3918 | MC14032BCP | 02037 | 1820-2223 |
| MC10136L | 02037 | 1820-0821 | MC10H107P | 02037 | 1820-2956 | MC14034BCP | 02037 | 1820-2232 |
| MC10136P | 02037 | 1820-3126 | MC10H109P | 02037 | 1820-2900 | MC14035BCP | 02037 | 1820-2080 |
| MC10137L | 02037 | 1820-0822 | MC10H113P | 02037 | 1820-3701 | MC14038BCP | 02037 | 1820-2224 |
| MC10138L | 02037 | 1820-1383 | MC10H115P | 02037 | 1820-3461 | MC14039AU | 02037 | 1826-1154 |
| MC1013P | 02037 | 1820-0102 | MC10H116L | 02037 | 1820-3075 | MC14039AU(SEL) | 02037 | 1826-1285 |
| MC10141L | 02037 | 1820-0825 | MC10H117P | 02037 | 1820-2848 | MC1403P1 | 02037 | 1826-0667 |
| MC10141P | 02037 | 1820-3127 | MC10H119P | 02037 | 1820-3338 | MC14040BCL | 02037 | 1820-2054 |
| MC1014P | 02037 | 1820-0213 | MC10H121P | 02037 | 1820-3340 | MC14040BCP | 02037 | 1820-1495 |
| MC10153L | 02037 | 1820-2507 | MC10H123P | 02037 | 1820-4197 | MC14042BCP | 02037 | 1820-1912 |
| MC10153P | 02037 | 1820-2847 | MC10H124L | 02037 | 1820-3521 | MC14042BCP | 02037 | 1820-1956 |
| MC10158L | 02037 | 1820-1993 | MC10H124P | 02037 | 1820-4081 | MC14043BCP | 02037 | 1820-2124 |
| MC10158P | 02037 | 1820-3128 | MC10H125FN | 02037 | 1820-5390 | MC14044BCP | 02037 | 1820-2228 |
| MC10159L | 02037 | 1820-2347 | MC10H125L | 02037 | 1820-3522 | MC14046BAL | 02037 | 1826-1194 |
| MC10159P | 02037 | 1820-2821 | MC10H125P | 02037 | 1820-4079 | MC14046BCP | 02037 | 1826-0470 |
| MC1015P | 02037 | 1820-0180 | MC10H130P | 02037 | 1820-2860 | MC14046BCP | 02037 | 1826-0912 |
| MC10160L | 02037 | 1820-0826 | MC10H131L | 02037 | 1820-3076 | MC14049UBCP | 02037 | 1820-1505 |
| MC10160P | 02037 | 1820-4132 | MC10H131P | 02037 | 1820-2849 | MC14049UBCP | 02037 | 1820-1746 |
| MC10161L | 02037 | 1820-2504 | MC10H135P | 02037 | 1820-4202 | MC1404U5 | 02037 | 1826-0718 |
| MC10161P | 02037 | 1820-0827 | MC10H136L | 02037 | 1820-3295 | MC1404U6 | 02037 | 1826-1069 |
| MC10162L | 02037 | 1820-2067 | MC10H136P | 02037 | 1820-4203 | MC14050BCP | 02037 | 1820-1521 |
| MC10162P | 02037 | 1820-0828 | MC10H141P | 02037 | 1820-3579 | MC14050BCP | 02037 | 1820-1976 |
| MC10163L | 02037 | 1820-2503 | MC10H158P | 02037 | 1820-2959 | MC14051BCL | 02037 | 1826-1607 |
| MC10163P | 02037 | 1820-2421 | MC10H159P | 02037 | 1820-3700 | MC14051BCL | 02037 | 1820-1547 |
| MC10164L | 02037 | 1820-0829 | MC10H160P | 02037 | 1820-4198 | MC14051BCP | 02037 | 1820-3719 |
| MC10164P | 02037 | 1820-3129 | MC10H161P | 02037 | 1820-3580 | MC14051BCP | 02037 | 1820-2013 |
| MC10165L | 02037 | 1820-2502 | MC10H162P | 02037 | 1820-3578 | MC14052BCL | 02037 | 1820-1546 |
| MC10165P | 02037 | 1820-2449 | MC10H164L | 02037 | 1820-3446 | MC14052BCL | SELECTED | 1820-3866 |
| MC10166L | 02037 | 1820-2323 | MC10H164P | 02037 | 1820-2875 | MC14052BCP | 02037 | 1826-0486 |
| MC10166P | 02037 | 1820-2381 | MC10H166P | 02037 | 1820-4206 | MC14053BCP | 02037 | 1826-0501 |
| MC10168P | 02037 | 1820-2451 | MC10H173P | 02037 | 1820-4319 | MC1405L | 02037 | 1826-0642 |
| MC1016P | 02037 | 1820-0440 | MC10H174L | 02037 | 1820-3342 | MC14066BCP | 02037 | 1826-0502 |
| MC10170L | 02037 | 1820-2501 | MC10H174P | 02037 | 1820-3831 | MC14068BCP | 02037 | 1820-1931 |
| MC10170P | 02037 | 1820-2477 | MC10H175P | 02037 | 1820-3576 | MC14069UBCL | 02037 | 1820-1592 |
| MC10171L | 02037 | 1820-2500 | MC10H176L | 02037 | 1820-3296 | MC14069UBCP | 02037 | 1820-2014 |
| MC10171P | 02037 | 1820-2420 | MC10H176P | 02037 | 1820-3699 | MC1406L | 02037 | 1826-0155 |
| MC10172L | 02037 | 1820-2499 | MC10H179P | 02037 | 1820-4322 | MC14070BCL | 02037 | 1820-1908 |
| MC10172P | 02037 | 1820-2455 | MC10H180P | 02037 | 1820-4321 | MC14070BCP | 02037 | 1820-2015 |
| MC10173L | 02037 | 1820-2498 | MC10H181P | 02037 | 1820-4320 | MC14071BCP | 02037 | 1820-1970 |
| MC10173P | 02037 | 1820-2401 | MC10H186P | 02037 | 1820-3577 | MC14071CP | 02037 | 1820-1388 |
| MC10174L | 02037 | 1820-2497 | MC10H188P | 02037 | 1820-3702 | MC14073BCL | 02037 | 1820-1910 |
| MC10174P | 02037 | 1820-1359 | MC10H189P | 02037 | 1820-3703 | MC14075BCL | 02037 | 1820-1909 |
| MC10175L | 02037 | 1820-2496 | MC10H209L | 02037 | 1820-3435 | MC14075BCP | 02037 | 1820-2091 |
| | | | | | | | | |

| JDEC | Mfr. | HP P/N | | | | | | | |
|--------------------|-------|-----------|------------------|-------|-----------|-----------------|-------|-----------|--|
| MC1408L-8 | 02037 | 1826-0188 | MC1468R | 02037 | 1826-0140 | MC3468P | 02037 | 1826-0475 | |
| MC14093BCL | 02037 | 1820-1936 | MC1469G | 02037 | 1826-0006 | MC3470P | 02037 | 1826-0945 | |
| MC1414P | 02037 | 1826-0051 | MC1469R | 02037 | 1826-0024 | MC3476G | 02037 | 1826-0289 | |
| MC14174BCP | 02037 | 1820-2258 | MC1488L | 02037 | 1820-0509 | MC3486P | 02037 | 1820-2144 | |
| MC14175BCP | 02037 | 1820-2279 | MC1488P | 02037 | 1820-3322 | MC3487P | 02037 | 1820-2145 | |
| MC14194BCP | 02037 | 1820-3587 | MC1489AL | 02037 | 1820-0990 | MC352G | 02037 | 1820-0013 | |
| MC1420G | 02037 | 1826-0200 | MC1489AP | 02037 | 1820-3321 | MC4001P | 02037 | 1820-0639 | |
| MC1431P | 02037 | 1820-0160 | MC1489L | 02037 | 1820-0510 | MC4002P | 02037 | 1820-0843 | |
| MC1433G | 02037 | 1820-0316 | MC1494L | 02037 | 1826-0036 | MC4006P | 02037 | 1820-0608 | |
| MC1433L | 02037 | 1820-0181 | MC1495L | 02037 | 1826-0437 | MC4007P | 02037 | 1820-0724 | |
| MC1433P | 02037 | 1820-0317 | MC1496D | 02037 | 1826-1621 | MC4008P | 02037 | 1820-0842 | |
| MC1436CG | 02037 | 1826-0343 | MC1496G | 02037 | 1820-0427 | MC4010P | 02037 | 1820-0836 | |
| MC1436G | 02037 | 1826-0038 | MC1496L | 02037 | 1826-0023 | MC4012P | 02037 | 1820-0607 | |
| MC1436U | 02037 | 1826-1171 | MC1496N | 02910 | 1826-1095 | MC4015P | 02037 | 1820-0437 | |
| MC1437L | 02037 | 1826-0019 | MC1505L | 02037 | 1826-1059 | MC4016P | 02037 | 1820-1183 | |
| MC1438R | 02037 | 1826-0060 | MC1510G | 02037 | 1826-0002 | MC4018P | 02037 | 1820-1332 | |
| MC1439G | 02037 | 1820-0201 | MC1514L | 02037 | 1826-0125 | MC4022P | 02037 | 1820-1109 | |
| MC1439L | 02037 | 1826-0022 | MC1531G | 02037 | 1820-0050 | MC4024P | 02037 | 1820-0567 | |
| MC14410P | 02037 | 1820-3487 | MC1550G | 02037 | 1826-0028 | MC4038P | 02037 | 1820-0834 | |
| MC14411P | 02037 | 1820-1779 | MC1590G | 02037 | 1826-0037 | MC4044P | 02037 | 1820-0630 | |
| MC14412P | 02037 | 1820-2166 | MC1595L | 02037 | 1826-0014 | MC426P | 02037 | 1820-0844 | |
| MC14433L | 02037 | 1826-0431 | MC1648L | 02037 | 1820-1119 | MC660P | 02037 | 1820-1520 | |
| MC14447P | 02037 | 1826-0884 | MC1648P | 02037 | 1820-1108 | MC662P | 02037 | 1820-0288 | |
| MC1445G | 02037 | 1826-0103 | MC1650L | 02037 | 1820-0919 | MC663P | 02037 | 1820-1519 | |
| MC1445L | 02037 | 1826-0334 | MC1658P | 02037 | 1826-0509 | MC666P | 02037 | 1820-0625 | |
| MC14490DW | 02037 | 1820-5213 | MC1660L | 02037 | 1820-0790 | MC667P | 02037 | 1820-1606 | |
| MC14490FP | 02037 | 1820-1947 | MC1662L | 02037 | 1820-0796 | MC668P | 02037 | 1820-1605 | |
| MC14490P | 02037 | 1820-2306 | MC1664L | 02037 | 1820-0795 | MC670P | 02037 | 1820-2133 | |
| MC145000BCP | 02037 | 1820-3360 | MC1670 | 02037 | 1820-2429 | MC672P | 02037 | 1820-0287 | |
| MC14501UBCP | 02037 | 1820-1079 | MC1670L | 02037 | 1820-0794 | MC6875L | 02037 | 1820-2036 | |
| MC14502BAL | 02037 | 1820-1635 | MC1672L | 02037 | 1820-0797 | MC6881P/MC3449P | 02037 | 1820-2165 | |
| MC14502BCP | 02037 | 1820-1385 | MC1674L | 02037 | 1820-0793 | MC7250P | 02037 | 1820-0786 | |
| MC14503BCP | 02037 | 1820-2257 | MC1678L | 02037 | 1820-2664 | MC7270P | 02037 | 1820-0984 | |
| MC14504BCP | 02037 | 1820-2326 | MC1690L | 02037 | 1820-1132 | MC7404P | 02037 | 1820-1004 | |
| MC14506BCP | 02037 | 1820-1386 | MC1692L | 02037 | 1820-0920 | MC7479P | 02037 | 1820-0908 | |
| MC14507CP | 02037 | 1820-1330 | MC1694L | 02037 | 1820-1334 | MC74HC00N | 02037 | 1820-2922 | |
| MC14508BCL | 02037 | 1820-1693 | MC1697P | 02037 | 1820-1852 | MC74HC02N | 02037 | 1820-2924 | |
| MC14508BCP | 02037 | 1820-1959 | MC1723L | 02037 | 1826-0409 | MC74HC03N | 02037 | 1820-3183 | |
| MC14510BCP | 02037 | 1820-1189 | MC1733G | 02037 | 1826-1175 | MC74HC107N | 02037 | 1820-5291 | |
| MC14511BCP | 02037 | 1820-1413 | MC1741NCP1 | 02037 | 1826-0505 | MC74HC109N | 02037 | 1820-3172 | |
| MC14511BCP | 02037 | 1820-1957 | MC1741SCG | 02037 | 1826-0302 | MC74HC10N | 02037 | 1820-2923 | |
| MC14512BCP | 02037 | 1820-1241 | MC1741SCP1 | 02037 | 1826-0254 | MC74HC126N | 02037 | 1820-4458 | |
| MC14513BCL | 02037 | 1820-2716 | MC1741SU | 02037 | 1826-0743 | MC74HC132D | 02037 | 1820-4965 | |
| MC14513BCP | 02037 | 1820-2462 | MC1776DCP | 02037 | 1826-1212 | MC74HC132N | 02037 | 1820-3174 | |
| MC145145P | 02037 | 1820-2897 | MC1800P | 02037 | 1820-0985 | MC74HC137N | 02037 | 1820-4084 | |
| MC145146P | 02037 | 1820-3405 | MC1801P | 02037 | 1820-0441 | MC74HC138N | 02037 | 1820-3079 | |
| MC14514BCP | 02037 | 1820-1683 | MC1805P | 02037 | 1820-0454 | MC74HC157N | 02037 | 1820-3177 | |
| MC145151P | 02037 | 1820-2879 | MC1806P | 02037 | 1820-0273 | MC74HC158N | 02037 | 1820-3178 | |
| MC145152P | 02037 | 1820-2880 | MC1808P | 02037 | 1820-0274 | MC74HC160N | 02037 | 1820-3179 | |
| MC14515BCP | 02037 | 1820-1329 | MC1809P | 02037 | 1820-1137 | MC74HC161N | 02037 | 1820-2925 | |
| MC14516BCL | 02037 | 1820-1899 | MC1810P | 02037 | 1820-0238 | MC74HC162N | 02037 | 1820-4055 | |
| MC14516BCP | 02037 | 1820-1114 | MC1812P | 02037 | 1820-0418 | MC74HC163N | 02037 | 1820-3785 | |
| MC14517BCP | 02037 | 1820-1815 | MC1814P | 02037 | 1820-0665 | MC74HC165N | 02037 | 1820-3181 | |
| MC14518BCL | 02037 | 1820-1591 | MC2257L | 02037 | 1820-1156 | MC74HC173N | 02037 | 1820-3182 | |
| MC14518BCP | 02037 | 1820-1122 | MC2259L | 02037 | 1820-1157 | MC74HC174J | 02037 | 1820-3564 | |
| MC14519BCP | 02037 | 1820-1387 | MC3001P | 02037 | 1820-0141 | MC74HC175N | 02037 | 1820-3146 | |
| MC14520BCL | 02037 | 1820-1900 | MC3002P | 02037 | 1820-0239 | MC74HC194N | 02037 | 1820-3186 | |
| MC14520BCP | 02037 | 1820-1150 | MC3003P | 02037 | 1820-0205 | MC74HC195N | 02037 | 1820-3187 | |
| MC14520BCP | 02037 | 1820-2021 | MC3006P | 02037 | 1820-0204 | MC74HC20N | 02037 | 1820-3080 | |
| MC14521BCP | 02037 | 1820-2702 | MC3007P | 02037 | 1820-1031 | MC74HC240N | 02037 | 1820-3299 | |
| MC14522BAL | 02037 | 1820-1181 | MC3022P | 02037 | 1820-0617 | MC74HC241N | 02037 | 1820-3374 | |
| MC14522BCP | 02037 | 1820-1175 | MC3025P | 02037 | 1820-0604 | MC74HC242N | 02037 | 1820-3188 | |
| MC14526BCP | 02037 | 1820-1328 | MC3026P | 02037 | 1820-0140 | MC74HC243N | 02037 | 1820-3189 | |
| MC14527BCP | 02037 | 1820-1265 | MC3029P | 02037 | 1820-0700 | MC74HC244N | 02037 | 1820-3297 | |
| MC14528BCL | 02037 | 1820-2051 | MC3060P | 02037 | 1820-0449 | MC74HC253N | 02037 | 1820-3672 | |
| MC14528BCP | 02037 | 1820-1356 | MC3061P | 02037 | 1820-0609 | MC74HC257N | 02037 | 1820-3191 | |
| MC14530BCP | 02037 | 1820-1327 | MC3062P | 02037 | 1820-0451 | MC74HC266N | 02037 | 1820-3192 | |
| MC14532BCL | 02037 | 1820-1570 | MC3103L | 02037 | 1820-1375 | MC74HC273N | 02037 | 1820-3399 | |
| MC14532BCP | 02037 | 1820-1355 | MC3242AP | 02037 | 1820-2742 | MC74HC280N | 02037 | 1820-3193 | |
| MC14534BCP | 02037 | 1820-1855 | MC3302P SELECTED | 02037 | 1826-0174 | MC74HC299N | 02037 | 1820-3546 | |
| MC14536BCP | 02037 | 1826-0411 | MC3340P | 02037 | 1826-0399 | MC74HC356N | 02037 | 1820-4608 | |
| MC14538BCL | 02037 | 1820-1569 | MC3359P | 02037 | 1826-1073 | MC74HC373N | 02037 | 1820-2998 | |
| MC14538BCP | 02037 | 1820-1932 | MC34001BU | 02037 | 1826-0915 | MC74HC374J | 02037 | 1820-3565 | |
| MC14538BDW | 02037 | 1820-5418 | MC34002BU | 02037 | 1826-0785 | MC74HC374N | 02037 | 1820-3082 | |
| MC14539BCL | 02037 | 1820-1549 | MC34002BU | 02037 | 1826-1513 | MC74HC4002N | 02037 | 1820-3196 | |
| MC14539BCP | 02037 | 1820-1471 | MC34004BL | 02037 | 1826-0753 | MC74HC4017N | 02037 | 1820-3683 | |
| MC145406ACP | 02037 | 1820-4666 | MC3403P | 02037 | 1826-0312 | MC74HC4020N | 02037 | 1820-3197 | |
| MC145406DW | 02037 | 1820-5274 | MC34050P | 02037 | 1820-4600 | MC74HC4024N | 02037 | 1820-3198 | |
| MC14541BCP | 02037 | 1820-1658 | MC3405P | 02037 | 1826-0424 | MC74HC4040N | 02037 | 1820-3199 | |
| MC14543BCP | 02037 | 1820-2097 | MC34060P | 02037 | 1826-1208 | MC74HC4052N | 02037 | 1820-4574 | |
| MC145440P SELECTED | 02037 | 1820-3721 | MC34062P1 | 02037 | 1826-1255 | MC74HC4060N | 02037 | 1820-3200 | |
| MC14549BCP | 02037 | 1820-1721 | MC34063P | 02037 | 1826-1256 | MC74HC4075N | 02037 | 1820-3201 | |
| MC14553BCP | 02037 | 1820-1479 | MC34072AU | 02037 | 1826-1543 | MC74HC4078N | 02037 | 1820-4232 | |
| MC14555BCP | 02037 | 1820-2050 | MC34072P | 02037 | 1826-1533 | MC74HC42N | 02037 | 1820-3169 | |
| MC14556BCP | 02037 | 1820-1412 | MC34074AL | 02037 | 1826-1222 | MC74HC4351N | 02037 | 1820-4705 | |
| MC14557BCP | 02037 | 1820-2344 | MC34074P | 02037 | 1826-1534 | MC74HC4511N | 02037 | 1820-4056 | |
| MC14558BCP | 02037 | 1820-1573 | MC34081AP | 02037 | 1826-1581 | MC74HC4514N | 02037 | 1820-3202 | |
| MC14559BCP | 02037 | 1820-1722 | MC34081P | 02037 | 1826-1544 | MC74HC4538N | 02037 | 1820-3203 | |
| MC14560BCP | 02037 | 1820-1850 | MC34082AP | 02037 | 1826-1582 | MC74HC4543N | 02037 | 1820-4437 | |
| MC14561BCP | 02037 | 1820-2033 | MC34084AP | 02037 | 1826-1652 | MC74HC51N | 02037 | 1820-3396 | |
| MC14562BCP | 02037 | 1820-2444 | MC34084P | 02037 | 1826-1422 | MC74HC533N | 02037 | 1820-3194 | |
| MC14566BCP | 02037 | 1820-1588 | MC3410CL | 02037 | 1826-0462 | MC74HC534N | 02037 | 1820-3195 | |
| MC14568BCP | 02037 | 1826-0599 | MC3410CP | 02037 | 1826-0529 | MC74HC540N | 02037 | 1820-4569 | |
| MC14569BCL | 02037 | 1820-2571 | MC3420P | 02037 | 1826-0526 | MC74HC58N | 02037 | 1820-3788 | |
| MC14569BCP | 02037 | 1820-2383 | MC3423P1 | 02037 | 1826-0468 | MC74HC595N | 02037 | 1820-3344 | |
| MC1456CG | 02037 | 1826-0003 | MC3425P1 | 02037 | 1826-1485 | MC74HC597N | 02037 | 1820-4355 | |
| MC1456G | 02037 | 1826-0071 | MC3431P | 02037 | 1826-0360 | MC74HC74D | 02037 | 1820-4966 | |
| MC14572UBCP | 02037 | 1820-1657 | MC3440AP | 02037 | 1820-1522 | MC74HC74N | 02037 | 1820-3081 | |
| MC14581BCP | 02037 | 1820-1666 | MC3441AP | 02037 | 1820-1558 | MC74HC85N | 02037 | 1820-3171 | |
| MC14582BCP | 02037 | 1820-1659 | MC3442P | 02037 | 1820-1842 | MC74HC86N | 02037 | 1820-3007 | |
| MC14583BCP | 02037 | 1820-1389 | MC3443AP | 02037 | 1820-1687 | MC74HC875L1N | 02037 | 1820-4586 | |
| MC14584BCP | 02037 | 1820-2019 | MC3446AP | 02037 | 1820-1689 | MC74HC87640N | 02037 | 1820-4587 | |
| MC14585BCP | 02037 | 1820-1340 | MC3446N | 01698 | 1820-3329 | MC75462P | 02037 | 1820-2208 | |
| MC1458CP1 | 02037 | 1826-0142 | MC3446N | 01698 | 1820-5059 | MCT805CK | 02037 | 1826-0246 | |
| MC1458G | 02037 | 1826-0111 | MC3447P | 02037 | 1820-2424 | MCT805CT | 02037 | 1826-0144 | |
| MC1458NG | 02037 | 1826-0556 | MC3447P3 | 02037 | 1820-2461 | MCT806CT | 02037 | 1826-0145 | |
| MC1458P1 | 02037 | 1826-0139 | MC3448AD | 02037 | 1820-4892 | MCT808CT | 02037 | 1826-0146 | |
| MC1458SG | 02037 | 1826-0866 | MC3448AL | 02037 | 1820-2058 | MCT808CT | 02037 | 1826-1387 | |
| MC1458SP1 | 02037 | 1826-0420 | MC3450P | 02037 | 1820-215 | | | | |

| JDEC | Mfr. | HP P/N | | | | | | |
|---------------|-------|-----------|--------------|-------|-----------|----------------|-------|-----------|
| MC78L24CP | 02037 | 1826-1499 | MM74C1173N | 03406 | 1820-1190 | MM88C29N | 03406 | 1820-2217 |
| MC78M05CDT | 02037 | 1826-1734 | MM74C1174N | 03406 | 1820-1466 | MM88C30N | 03406 | 1820-2218 |
| MC78M05CG | 02037 | 1826-0367 | MM74C1175N | 03406 | 1820-1562 | MMH0026CL | 02037 | 1820-1288 |
| MC78M12CDT | 02037 | 1826-1736 | MM74C1192N | 03406 | 1820-1575 | MMH0026L | 02037 | 1820-1170 |
| MC78M15CT | 02037 | 1826-0464 | MM74C1193N | 03406 | 1820-1561 | MN376 | 00046 | 1813-0501 |
| MC7902CT | 02037 | 1826-0688 | MM74C20N | 03406 | 1820-1626 | MNDAC71CSB-I | 06861 | 1813-0132 |
| MC7905_2CT | 02037 | 1826-0215 | MM74C221J | 03406 | 1820-1612 | MOH3326 | 08507 | 1826-1295 |
| MC7905CT | 02037 | 1826-0294 | MM74C221N | 03406 | 1820-1485 | MP260 | 03688 | 1826-1573 |
| MC7908CT | 02037 | 1826-0344 | MM74C240N | 03406 | 1820-2538 | MP7507JN | 07050 | 1826-1307 |
| MC7912CT | 02037 | 1826-0221 | MM74C240N | 03406 | 1820-2566 | MP7533GN | 07050 | 1826-1525 |
| MC7915CT | 02037 | 1826-0214 | MM74C244N | 03406 | 1820-2537 | MP7683KXN | 07050 | 1826-1417 |
| MC79L03ACP | 02037 | 1826-1293 | MM74C30N | 03406 | 1820-1674 | MP7684KD | 07050 | 1826-1672 |
| MC79L03C | 02037 | 1826-0286 | MM74C32N | 03406 | 1820-2213 | MPC2014 | 02037 | 1826-1713 |
| MC79L05ACG | 02037 | 1826-0496 | MM74C373N | 03406 | 1820-2215 | MPY016KJJC | 04507 | 1820-4679 |
| MC79L05ACP | 02037 | 1826-0285 | MM74C374N | 03406 | 1820-2216 | MSA-0185 | 03291 | 1826-1722 |
| MC79L05CP | 02037 | 1826-1281 | MM74C42N | 03406 | 1820-1735 | MSA-0370-21 | 03291 | 1826-1321 |
| MC79L06C | 02037 | 1826-0284 | MM74C73N | 03406 | 1820-2605 | MSA-0420 | 03291 | 1826-1322 |
| MC79L12ACG | 02037 | 1826-0495 | MM74C74J | 03406 | 1820-1933 | MSA-0435 | 03291 | 1826-1323 |
| MC79L12ACP | 02037 | 1826-0282 | MM74C74N | 03406 | 1820-1753 | MSA-0485 | 03291 | 1826-1613 |
| MC79L15ACP | 02037 | 1826-0281 | MM74C76N | 03406 | 1820-2606 | MSA-0785 | 03291 | 1826-1724 |
| MC79M05CDT | 02037 | 1826-1738 | MM74C83J | 03406 | 1820-1937 | MSA-0895 | 03291 | 1826-1723 |
| MC79M12CDT | 02037 | 1826-1737 | MM74C83N | 03406 | 1820-2343 | MT8860XE | 09161 | 1826-0824 |
| MC815P | 02037 | 1820-0325 | MM74C85N | 03406 | 1820-1806 | MT8865XC | 09161 | 1826-0823 |
| MC816P | 02037 | 1820-0106 | MM74C86N | 03406 | 1820-2276 | MT8870BC | 09161 | 1820-3490 |
| MC817P | 02037 | 1820-0411 | MM74C901N | 03406 | 1820-1651 | MUX-08FP | 02180 | 1826-1028 |
| MC824P | 02037 | 1820-0324 | MM74C902N | 03406 | 1820-1652 | MUX-08HQ | 02180 | 1826-0609 |
| MC8309P | 02037 | 1820-0610 | MM74C903N | 03406 | 1820-1653 | MUX-16-FT | 02180 | 1826-1177 |
| MC8312P | 02037 | 1820-0615 | MM74C904N | 03406 | 1820-1654 | MUX-16ET | 02180 | 1826-0998 |
| MC832P | 02037 | 1820-0096 | MM74C905N | 03406 | 1820-1935 | MUX-24FP | 02180 | 1826-1173 |
| MC835P | 02037 | 1820-0479 | MM74C906M | 03406 | 1820-5419 | MUX-24FP | 02180 | 1826-0610 |
| MC838P | 02037 | 1820-0533 | MM74C906M | 03406 | 1820-1655 | MUX-88FP | 02180 | 1826-0849 |
| MC839P | 02037 | 1820-0260 | MM74C907N | 03406 | 1820-1656 | MWA0204 | 02037 | 1826-1614 |
| MC840P | 02037 | 1820-0259 | MM74C90N | 03406 | 1820-2275 | MWA110 | 02037 | 1813-0211 |
| MC846P | 02037 | 1820-0094 | MM74C914N | 03406 | 1820-1778 | MWA120 | 02037 | 1813-0212 |
| MC848P | 02037 | 1820-0095 | MM74C922N | 03406 | 1820-2156 | MWA130 | 02037 | 1813-0213 |
| MC8500P | 02037 | 1820-2297 | MM74C923N | 03406 | 1820-2309 | MWA210 | 02037 | 1813-0214 |
| MC8502P | 02037 | 1820-2296 | MM74C925N | 03406 | 1820-2540 | MWA220 | 02037 | 1813-0215 |
| MC850P | 02037 | 1820-0087 | MM74C941N | 03406 | 1820-2630 | MWA230 | 02037 | 1813-0216 |
| MC851P | 02037 | 1820-0088 | MM74HC004N | 03406 | 1820-2921 | MWA310 | 02037 | 1813-0217 |
| MC852P | 02037 | 1820-0258 | MM74HC08N | 03406 | 1820-3097 | MWA320 | 02037 | 1813-0218 |
| MC853P | 02037 | 1820-0122 | MM74HC112N | 03406 | 1820-3173 | MWA330 | 02037 | 1813-0219 |
| MC857P | 02037 | 1820-0257 | MM74HC113N | 03406 | 1820-3795 | N7405F | 02910 | 1820-2179 |
| MC858P | 02037 | 1820-0256 | MM74HC111N | 03406 | 1820-3184 | N8162N | 02910 | 1820-0457 |
| MC8602L | 02037 | 1820-1524 | MM74HC123AM | 03406 | 1820-5054 | N8200N | 02910 | 1820-1337 |
| MC889P | 02037 | 1820-0323 | MM74HC123AN | 03406 | 1820-3673 | N8202N | 02910 | 1820-0508 |
| MCC1456 | 02037 | 1826-0048 | MM74HC125N | 03406 | 1820-3674 | N8233N | 02910 | 1820-0543 |
| MCC1741 | 02037 | 1826-0042 | MM74HC133N | 03406 | 1820-3670 | N8234N | 02910 | 1820-0542 |
| MD7MCT373RC | 09161 | 1820-3147 | MM74HC139N | 03406 | 1820-3014 | N8235N | 02910 | 1820-0575 |
| MD7MCT41AC | 09161 | 1820-2796 | MM74HC147N | 03406 | 1820-3175 | N8243N | 02910 | 1820-0569 |
| MD7MCT44AC | 09161 | 1820-2943 | MM74HC141N | 03406 | 1820-3185 | N8251N | 02910 | 1820-0462 |
| MD7MCT45AC | 09161 | 1820-2866 | MM74HC151N | 03406 | 1820-3176 | N8263N | 02910 | 1820-0507 |
| MDMS-1101 | 08565 | 1813-0165 | MM74HC153N | 03406 | 1820-3350 | N8266N | 02910 | 1820-0506 |
| MDPM-TTL-35 | 07397 | 1813-0321 | MM74HC154N | 03406 | 1820-3136 | N8267N | 02910 | 1820-0835 |
| MF10ACN | 03406 | 1826-1580 | MM74HC164N | 03406 | 1820-3180 | N8271N | 02910 | 1820-0989 |
| MF10CCM | 03406 | 1826-1666 | MM74HC173M | 03406 | 1820-5395 | N8273N | 02910 | 1820-1045 |
| MF10CN | 03406 | 1826-1250 | MM74HC174N | 03406 | 1820-3058 | N8280N | 02910 | 1820-0322 |
| MF0C000B | 02037 | 1826-0198 | MM74HC191N | 03406 | 1820-3794 | N8281N | 02910 | 1820-0400 |
| MF0C070 | 02037 | 1826-0259 | MM74HC192N | 03406 | 1820-3204 | N8284N | 02910 | 1820-0536 |
| MH0007CH | 03406 | 1820-0832 | MM74HC193N | 03406 | 1820-3205 | N8288N | 02910 | 1820-0455 |
| MHW592 | 02037 | 1813-0138 | MM74HC221AN | 03406 | 1820-3373 | N8290N | 02910 | 1820-0450 |
| MJ2841DP | 01590 | 1820-3410 | MM74HC237N | 03406 | 1820-3676 | N8291N | 02910 | 1820-0492 |
| MK4501N-15 | 04078 | 1820-4085 | MM74HC245N | 03406 | 1820-3330 | N8292N | 02910 | 1820-0703 |
| MK5007P | 04078 | 1820-1239 | MM74HC251N | 03406 | 1820-3190 | N8293N | 02910 | 1820-0789 |
| MK5009N | 04078 | 1820-1123 | MM74HC259N | 03406 | 1820-3206 | N82S13N | 02910 | 1820-1980 |
| MK5009P | 04078 | 1820-2322 | MM74HC27N | 03406 | 1820-3098 | N82S33N | 02910 | 1820-1249 |
| MK50399N | 04078 | 1820-2310 | MM74HC283N | 03406 | 1820-4392 | N82S42N | 02910 | 1820-1073 |
| MK5089N | 04078 | 1820-3619 | MM74HC298N | 03406 | 1820-4148 | N82S50N | 02910 | 1820-1338 |
| MK6036P | 04078 | 1820-0993 | MM74HC30N | 03406 | 1820-3675 | N82S62N | 02910 | 1820-1140 |
| MLMC101A | 02037 | 1826-0567 | MM74HC32N | 03406 | 1820-3298 | N82S83N | 02910 | 1820-1467 |
| MM4503CD | 03406 | 1820-1357 | MM74HC365N | 03406 | 1820-3933 | N82S83N | 02910 | 1820-1777 |
| MM5006H | 03406 | 1820-0770 | MM74HC366N | 03406 | 1820-3677 | N82S90N | 02910 | 1820-1155 |
| MM5013N | 03406 | 1820-1165 | MM74HC367N | 03406 | 1820-3792 | N8440N | 02910 | 1820-0459 |
| MM5035P | 03406 | 1820-2416 | MM74HC368N | 03406 | 1820-3791 | N8480N | 02910 | 1820-0460 |
| MM5040H | 03406 | 1820-1236 | MM74HC373MM | 03406 | 1820-4895 | N8815N | 02910 | 1820-0837 |
| MM5050AH | 03406 | 1820-1237 | MM74HC390N | 03406 | 1820-3207 | N8816N | 02910 | 1820-0458 |
| MM5052 | 03406 | 1820-0711 | MM74HC393N | 03406 | 1820-3208 | N8825N | 02910 | 1820-0466 |
| MM5057N | 03406 | 1820-1162 | MM74HC4046N | 03406 | 1826-1372 | N8826N | 02910 | 1820-0208 |
| MM507 | 03406 | 1820-0410 | MM74HC4049N | 03406 | 1820-4027 | N8855N | 02910 | 1820-0456 |
| MM5307ABN | 03406 | 1820-2001 | MM74HC4050N | 03406 | 1820-3678 | N8875N | 02910 | 1820-0637 |
| MM5307N | 03406 | 1820-1348 | MM74HC4051N | 03406 | 1820-5069 | N8880N | 02910 | 1820-0461 |
| MM5312N | 03406 | 1820-1756 | MM74HC4053N | 03406 | 1820-3692 | N8881N | 02910 | 1820-0467 |
| MM5313N (75-) | 03406 | 1820-1364 | MM74HC4066N | 03406 | 1820-3693 | N8885N | 02910 | 1820-0923 |
| MM5313N (76+) | 03406 | 1820-2126 | MM74HC423AN | 03406 | 1820-4590 | N8H70N | 02910 | 1820-0463 |
| MM5315N | 03406 | 1820-2040 | MM74HC4316N | 03406 | 1820-4706 | N8H80N | 02910 | 1820-0465 |
| MM5369AA/N | 03406 | 1820-2246 | MM74HC4541N | 03406 | 1820-3975 | N8H90N | 02910 | 1820-0464 |
| MM5371N | 03406 | 1820-1755 | MM74HC564N | 03406 | 1820-3781 | N8T09N | 02910 | 1820-1084 |
| MM5437N | 03406 | 1826-1404 | MM74HC573N | 03406 | 1820-3790 | N8T09N | 02910 | 1820-1360 |
| MM5450N | 03406 | 1820-5339 | MM74HC575N | 03406 | 1820-3789 | N8T13N | 02910 | 1820-1080 |
| MM5484N | 03406 | 1820-4844 | MM74HC640N | 03406 | 1820-3787 | N8T14N | 02910 | 1820-1289 |
| MM550H | 03406 | 1826-0156 | MM74HC688N | 03406 | 1820-3209 | N8T20N | 02910 | 1820-1048 |
| MM58242N | 03406 | 1820-5286 | MM74HC75N | 03406 | 1820-3170 | N8T23N | 02910 | 1820-1007 |
| MM58248N | 03406 | 1820-5287 | MM74HC76N | 03406 | 1820-3463 | N8T24N | 02910 | 1820-1030 |
| MM58274N | 03406 | 1820-3834 | MM74HC700N | 03406 | 1820-3664 | N8T28N | 02910 | 1820-1828 |
| MM58274V | 03406 | 1820-5024 | MM74HC704N | 03406 | 1820-3629 | N8T37N | 02910 | 1820-1817 |
| MM5837N | 03406 | 1820-2721 | MM74HC705N | 03406 | 1820-4601 | N8T75N | 02910 | 1820-1979 |
| MM5873 | 02023 | 1820-1849 | MM74HC7112N | 03406 | 1820-4947 | N8T80N | 02910 | 1820-0195 |
| MM70097J | 03406 | 1820-2783 | MM74HC7138N | 03406 | 1820-3847 | N8T90N | 02910 | 1820-0121 |
| MM74C00J | 03406 | 1820-2038 | MM74HC7139N | 03406 | 1820-3796 | N8T93N | 02910 | 1820-1924 |
| MM74C00N | 03406 | 1820-2210 | MM74HC7157N | 03406 | 1820-4196 | N8T95N | 02910 | 1820-1477 |
| MM74C02N | 03406 | 1820-1627 | MM74HC7240N | 03406 | 1820-3630 | N8T96N | 02910 | 1820-1476 |
| MM74C04N | 03406 | 1820-2211 | MM74HC7241N | 03406 | 1820-3626 | N8T97N | 02910 | 1820-1884 |
| MM74C08N | 03406 | 1820-1603 | MM74HC7244N | 03406 | 1820-3456 | N8X60N | 02910 | 1820-3931 |
| MM74C107N | 03406 | 1820-1576 | MM74HC7245N | 03406 | 1820-3665 | NCR 8310 | 03947 | 1820-5245 |
| MM74C10N | 03406 | 1820-2212 | MM74HC7373N | 03406 | 1820-3849 | NCR5380-44PLCC | 03947 | 1820-5403 |
| MM74C114J | 03406 | 1820-1590 | MM74HC7374N | 03406 | 1820-3848 | NE5018F | 02910 | 1826-0798 |
| MM74C114N | 03406 | 1820-1563 | MM74HC7540MM | 03406 | 1820-5273 | NE5018N | 02910 | 1826-1055 |
| MM74C151N | 03406 | 1820-2065 | MM74HC7573N | 03406 | 1820-4147 | NE501A | 02910 | 1826-0058 |
| MM74C154N | 03406 | 1820-1827 | MM74HC7688N | 03406 | 1820-3631 | NE5020F | 02910 | 1826-0972 |
| MM74C157N | 03406 | 1820-1365 | MM74HC8004N | 03406 | 1820-3008 | NE5020N | 02910 | 1826-1105 |
| MM74C160N | 03406 | 1820-1390 | MM80C95N | 03406 | 1820-1402 | NE5037 | 029 | |

| JDEC | Mfr. | HP P/N | | | | | | | |
|--------------------|-------|-----------|------------------------|-------|-----------|---------------------|-------|-----------|--|
| NE522N | 02910 | 1826-0256 | PAL10L8A2VC UNPRGMD | 03406 | 1820-5402 | RC4153DC | 02290 | 1826-0922 | |
| NE526A | 02910 | 1826-0115 | PAL10L8CJ UNPRGMD | 04092 | 1820-2780 | RC4156DB | 02290 | 1826-1116 | |
| NE527H | 02910 | 1826-0454 | PAL10L8BC UNPRGMD | 03406 | 1820-3568 | RC4193MB | 02290 | 1826-1355 | |
| NE527N | 02910 | 1826-0755 | PAL12H6GC UNPRGMD | 04092 | 1820-2671 | RC4195TB | 02290 | 1826-0196 | |
| NE529A | 02910 | 1826-0244 | PAL12H6NC UNPRGMD | 03406 | 1820-3570 | RC4200ADE | 02290 | 1826-1684 | |
| NE529H | 02910 | 1826-0124 | PAL12L10CN UNPRGMD | 04092 | 1820-2996 | RC45558H | 02290 | 1826-0217 | |
| NE531H | 02910 | 1826-0067 | PAL12L6-2CJ UNPRGMD | 04092 | 1820-4393 | RC4558NB | 02290 | 1826-0326 | |
| NE538FE | 02910 | 1826-0803 | PAL12L6CJ UNPRGMD | 04092 | 1820-2574 | REF-01CP | 02180 | 1826-0708 | |
| NE538N | 02910 | 1826-0936 | PAL12L6NC UNPRGMD | 03406 | 1820-3597 | REF-01EJ | 02180 | 1826-0925 | |
| NE550L | 02910 | 1826-0130 | PAL11H4CJ UNPRGMD | 04092 | 1820-2573 | REF-01EZ | 02180 | 1826-1493 | |
| NE550N | 02910 | 1826-0137 | PAL11H4NC UNPRGMD | 03406 | 1820-3566 | REF-01HJ | 02180 | 1826-0853 | |
| NE5532AFE | 02910 | 1826-0716 | PAL11L4CJ UNPRGMD | 04092 | 1820-2678 | REF-01HZ | 02180 | 1826-1441 | |
| NE5532AT | 02910 | 1826-0633 | PAL11L4NC UNPRGMD | 04092 | 1820-5417 | REF-02CP | 02180 | 1826-1037 | |
| NE5532P | 01698 | 1826-1328 | PAL11L4BC UNPRGMD | 04092 | 1820-3387 | REF-02EZ | 02180 | 1826-1320 | |
| NE5533AF | 02910 | 1826-0889 | PAL16C1-2CJ UNPRGMD | 04092 | 1820-3292 | REF-02HJ | 02180 | 1826-0622 | |
| NE5533AN | 02910 | 1826-1319 | PAL16C1CJ UNPRGMD | 04092 | 1820-2782 | REF-02HP | 02180 | 1826-0847 | |
| NE5534AD | 02910 | 1826-1546 | PAL16C1NC UNPRGMD | 03406 | 1820-3596 | REF10JN | 05436 | 1826-1476 | |
| NE5534AFE | 02910 | 1826-0783 | PAL16H2CJ UNPRGMD | 04092 | 1820-2679 | RGB DAC4TD | 03780 | 1826-1377 | |
| NE5534AN | 02910 | 1826-0715 | PAL16H2NC UNPRGMD | 03406 | 1820-3567 | RGBDAC3404 | 03780 | 1826-1536 | |
| NE5534AT | 02910 | 1826-0569 | PAL16L2CJ UNPRGMD | 04092 | 1820-2781 | RTC-58121 | 10421 | 1813-0485 | |
| NE5539N | 02910 | 1826-1279 | PAL16L2NC UNPRGMD | 04092 | 1820-4501 | RTC62421 | 10421 | 1820-5384 | |
| NE5553N | 02910 | 1826-0625 | PAL16L6CN UNPRGMD | 04092 | 1820-3530 | RV4558DE | 02290 | 1826-0328 | |
| NE5553G | 01698 | 1820-2827 | PAL16L8A-2CJ UNPRGMD | 04092 | 1820-2670 | SI602P | 03677 | 1820-3215 | |
| NE5555N | 02910 | 1826-0180 | PAL16L8A-2CN UNPRGMD | 01698 | 1820-4879 | S2350-2 | 03677 | 1820-1754 | |
| NE5555T | 02910 | 1826-0119 | PAL16L8A-4CN UNPRGMD | 04092 | 1820-5065 | S2859P | 03677 | 1820-2989 | |
| NE5560N | 02910 | 1826-0806 | PAL16L8ACN UNPRGMD | 04092 | 1820-5288 | S3522P | 03677 | 1826-1060 | |
| NE5561N | 02910 | 1826-1051 | PAL16L8B-2CJ UNPRGMD | 04092 | 1820-4857 | S52 | 03545 | 1820-0138 | |
| NE5568N | 02910 | 1826-1676 | PAL16L8B-2CN UNPRGMD | 04092 | 1820-4969 | S5733A | 02910 | 1826-0040 | |
| NE556N | 02910 | 1826-0205 | PAL16L8B-4CNS UNPRGMD | 04092 | 1820-5244 | S8280F | 02910 | 1820-0419 | |
| NE562B | 02910 | 1826-0047 | PAL16L8BC UNPRGMD | 04092 | 1820-4972 | S829ZF | 02910 | 1820-1098 | |
| NE564N | 02910 | 1826-1054 | PAL16L8BNC UNPRGMD | 03406 | 1820-4755 | SAAL102T | 05946 | 1820-1682 | |
| NE565N | 02910 | 1826-0204 | PAL16L8DC UNPRGMD | 04092 | 1820-5215 | SC11001CN | 11943 | 1826-1532 | |
| NE566H | 02910 | 1826-0189 | PAL16L8NC UNPRGMD | 03406 | 1820-3571 | SCC2691AC1N24 | 02910 | 1820-4859 | |
| NE566N | 02910 | 1826-0269 | PAL16R4-2CJ UNPRGMD | 04092 | 1820-3291 | SCN2641CC1N24 | 02910 | 1820-3941 | |
| NE567N | 02910 | 1826-0219 | PAL16R4A-2CJ UNPRGMD | 04092 | 1820-2681 | SCN2672BC1N40 | 02910 | 1820-4177 | |
| NE570N | 02910 | 1826-0703 | PAL16R4A-2CN UNPRGMD | 04092 | 1820-3600 | SCN2681AC1N40 | 02910 | 1820-3538 | |
| NE587N | 02910 | 1820-3395 | PAL16R4A-4CN UNPRGMD | 04092 | 1820-4582 | SD5000B | 02910 | 1826-0415 | |
| NE590F | 02910 | 1820-2266 | PAL16R4ACN UNPRGMD | 04092 | 1820-3492 | SDA6020 | 06121 | 1826-1153 | |
| NE591F | 02910 | 1820-2267 | PAL16R4B-2CNS UNPRGMD | 04092 | 1820-5158 | SDM857KG | 05436 | 1813-0140 | |
| NE592D | 01698 | 1826-1651 | PAL16R4BCN UNPRGMD | 04092 | 1820-4750 | SE555CT | 02910 | 1826-0224 | |
| NE592H | 02910 | 1826-0546 | PAL16R4BNC UNPRGMD | 03406 | 1820-4757 | SE555T | 02910 | 1826-0400 | |
| NE592H | 02037 | 1826-1333 | PAL16R6-2CJ UNPRGMD | 04092 | 1820-3290 | SE556N | 02910 | 1826-1394 | |
| NE592N | 02910 | 1826-0194 | PAL16R6A-2CJ UNPRGMD | 04092 | 1820-2680 | SFCC2308UC | 10881 | 1826-1144 | |
| NEL-D32-46-2 | 00039 | 1813-0553 | PAL16R6A-2CN UNPRGMD | 04092 | 1820-3599 | SG1502N | 03793 | 1826-0258 | |
| NSC858N-4I | 03406 | 1820-4886 | PAL16R6A-4CN UNPRGMD | 04092 | 1820-5482 | SG1524J | 03793 | 1826-0872 | |
| OP-01CJ | 02180 | 1826-0440 | PAL16R6ACN UNPRGMD | 04092 | 1820-5162 | SG1532J | 03793 | 1826-0728 | |
| OP-02CJ | 02180 | 1826-1058 | PAL16R6AVC UNPRGMD | 03406 | 1820-4351 | SG323K SELECTED | 03793 | 1826-0931 | |
| OP-02CJ (SEL'D) | 02180 | 1826-0561 | PAL16R6B-4CN UNPRGMD | 04092 | 1820-5534 | SG3423M SELECTED | 03793 | 1826-0680 | |
| OP-02CZ | 02180 | 1826-1349 | PAL16R6BCJ UNPRGMD | 04092 | 1820-4493 | SG3501AJ | 03793 | 1826-0061 | |
| OP-04EY | 02180 | 1826-0974 | PAL16R6BNC UNPRGMD | 03406 | 1820-4758 | SG3503Y | 03793 | 1826-0544 | |
| OP-05CJ | 02180 | 1826-0229 | PAL16R6A-2CJ UNPRGMD | 04092 | 1820-2575 | SG3524 SELECTED | 03793 | 1826-0637 | |
| OP-05CZ | 02180 | 1826-1230 | PAL16R6A-2CN UNPRGMD | 04092 | 1820-3602 | SG3524BN | 03793 | 1826-1352 | |
| OP-05EJ | 02180 | 1826-0266 | PAL16R6ACN UNPRGMD | 04092 | 1820-4639 | SG3524J | 03793 | 1826-0428 | |
| OP-07CJ SELECTED | 02180 | 1826-0471 | PAL16R6B-4CNS UNPRGMD | 04092 | 1820-5243 | SG3524J SELECTED | 03793 | 1826-0815 | |
| OP-07CP | 02180 | 1826-0635 | PAL16R6BNC UNPRGMD | 04092 | 1820-4494 | SG3524N | 03793 | 1826-0956 | |
| OP-07CSB | 10858 | 1826-1635 | PAL16R6BNC UNPRGMD | 03406 | 1820-4756 | SG3525AJ | 03793 | 1826-0905 | |
| OP-07CZ | 02180 | 1826-1048 | PAL16R6NC UNPRGMD | 03406 | 1820-5163 | SG3526J | 03793 | 1826-1040 | |
| OP-07EJ | 02180 | 1826-0845 | PAL20L10ACJS UNPRGMD | 04092 | 1820-4566 | SG3526N | 03793 | 1826-1448 | |
| OP-07EY | 02180 | 1826-0641 | PAL20L10ACNS UNPRGMD | 04092 | 1820-5207 | SG3527AJ | 03793 | 1826-1243 | |
| OP-07EZ | 02180 | 1826-1149 | PAL20L10CJ | 04092 | 1820-3325 | SG353K-12 | 03793 | 1826-1014 | |
| OP-08FP | 02180 | 1826-0986 | PAL20L10CNS UNPRGMD | 04092 | 1820-3388 | SG3547N | 03793 | 1826-0867 | |
| OP-08GJ (SELECTED) | 02180 | 1826-0553 | PAL20L8ACNS UNPRGMD | 04092 | 1820-3615 | SG3549M | 03793 | 1826-0959 | |
| OP-11EY | 02180 | 1826-0616 | PAL20L8BCNS UNPRGMD | 04092 | 1820-4970 | SG3627 | 03793 | 1820-2590 | |
| OP-11FY | 02180 | 1826-0628 | PAL20R4ACJ UNPRGMD | 04092 | 1820-4351 | SG3731J | 03793 | 1826-1038 | |
| OP-14CJ | 02180 | 1826-0542 | PAL20R4ACN UNPRGMD | 04092 | 1820-3613 | SG7812AC-K | 03793 | 1826-1082 | |
| OP-14CP | 02180 | 1826-1061 | PAL20R6ACJ UNPRGMD | 04092 | 1820-3553 | SG7912AC-K | 03793 | 1826-1083 | |
| OP-14CZ | 02180 | 1826-1298 | PAL20R6ACNS UNPRGMD | 04092 | 1820-4110 | SI7135CJ | 02883 | 1826-1515 | |
| OP-14EZ | 02180 | 1826-1165 | PAL20R8ACJ UNPRGMD | 04092 | 1820-3324 | SI7661CJ | 02883 | 1826-1583 | |
| OP-15EJ | 02180 | 1826-1185 | PAL20R8ACNL UNPRGMD | 04092 | 1820-5079 | SI7661CJ (SELECTED) | 02883 | 1826-1520 | |
| OP-15EZ | 02180 | 1826-1197 | PAL20R8ACNS UNPRGMD | 04092 | 1820-3614 | SL441A | 01590 | 1826-0676 | |
| OP-15FJ | 02180 | 1826-0937 | PAL20R8BCNS UNPRGMD | 04092 | 1820-4751 | SL441C | 01590 | 1826-1555 | |
| OP-15GJ | 02180 | 1826-0828 | PAL20X8CJ UNPRGMD | 04092 | 1820-3323 | SL952 | 01590 | 1826-1754 | |
| OP-15GZ | 02180 | 1826-1478 | PAL20X8CNS UNPRGMD | 04092 | 1820-3601 | SM10105-1 | 05436 | 1826-1517 | |
| OP-16E | 02180 | 1826-0576 | PAL22V10L-25PC UNPRGMD | 11345 | 1820-5505 | SMC20 | 11452 | 1820-3864 | |
| OP-16EZ | 02180 | 1826-1492 | PALC16L8L-25PC UNPRGMD | 01698 | 1820-5533 | SMP-10EY | 02180 | 1826-1145 | |
| OP-16FJ | 02180 | 1826-0601 | PALC22V10-25PC UNPRGMD | 11345 | 1820-5013 | SMP-10FY | 02180 | 1826-1140 | |
| OP-16FZ | 02180 | 1826-1367 | PALC22V10-35PC UNPRGMD | 11345 | 1820-5012 | SMP-11EY | 02180 | 1826-1244 | |
| OP-16GJ | 02180 | 1826-1125 | PBD3520 | 05917 | 1820-2446 | SMP-11G | 02180 | 1826-1029 | |
| OP-16GZ | 02180 | 1826-1047 | PCF8576T | 02910 | 1820-5285 | SMP-11GY | 02180 | 1826-0988 | |
| OP-17EZ | 02180 | 1826-1578 | PCM53JG-V | 05436 | 1826-1274 | SMP-81FY | 02180 | 1826-0727 | |
| OP-17FJ | 02180 | 1826-0516 | PGAL02AG | 05436 | 1826-1554 | SN15830N | 01698 | 1820-0086 | |
| OP-17FJ | 02180 | 1826-0795 | PIC600 | 00046 | 1813-0115 | SN15845N | 01698 | 1820-0308 | |
| OP-17FZ | 02180 | 1826-1097 | PIC601 | 00046 | 1813-0083 | SN15862N | 01698 | 1820-0310 | |
| OP-215EZ | 02180 | 1826-1426 | PIC602 | 02598 | 1826-1079 | SN5400J | 01698 | 1820-1093 | |
| OP-215FZ | 02180 | 1826-1192 | PIC611 | 00046 | 1813-0084 | SN5400N | 01698 | 1820-0448 | |
| OP-220GZ | 02180 | 1826-1151 | PIC625 | 00046 | 1813-0109 | SN5402J | 01698 | 1820-1101 | |
| OP-22TEY | 02180 | 1826-1631 | PIC626 | 00046 | 1813-0110 | SN5402N | 01698 | 1820-0445 | |
| OP-22TGY | 02180 | 1826-1150 | PIC645 | 02598 | 1813-0114 | SN5404J | 01698 | 1820-1097 | |
| OP-27EN8 | 10858 | 1826-1511 | PIC646 | 00046 | 1813-0082 | SN5404N | 01698 | 1820-1022 | |
| OP-27EZ | 07050 | 1826-1135 | PIC647 | 02598 | 1826-1080 | SN5408J | 01698 | 1820-1099 | |
| OP-27FZ | 02180 | 1826-0932 | PKD-01EP | 02180 | 1826-1189 | SN5408N | 01698 | 1820-1379 | |
| OP-27GJ | 02180 | 1826-1007 | PKD-01EY | 02180 | 1826-1217 | SN5410J | 01698 | 1820-1094 | |
| OP-27GZ | 02180 | 1826-1049 | PLS100F UNPRGMD | 02910 | 1820-2247 | SN5410N | 01698 | 1820-0447 | |
| OP-37EJ | 02180 | 1826-1084 | PLS100N UNPRGMD | 02910 | 1820-2457 | SN54121J | 01698 | 1820-1092 | |
| OP-37EZ | 02180 | 1826-1568 | PLS103N UNPRGMD | 02910 | 1820-2494 | SN5413J | 01698 | 1820-1091 | |
| OP-37FJ | 02180 | 1826-0977 | PLS105F UNPRGMD | 02910 | 1820-2820 | SN54160N | 01698 | 1820-1024 | |
| OP-37FZ | 02180 | 1826-0987 | PLS105N UNPRGMD | 02910 | 1820-2736 | SN54192N | 01698 | 1820-1378 | |
| OP-37GZ | 02180 | 1826-0982 | PLS151N UNPRGMD | 02910 | 1820-2938 | SN54196J | 01698 | 1820-1096 | |
| OP-37GZ | 02180 | 1826-1006 | PLS1534N UNPRGMD | 02910 | 1820-3531 | SN54197J | 01698 | 1820-2043 | |
| OP-421HY | 02180 | 1826-1093 | PLS153M UNPRGMD | 02910 | 1820-2864 | SN54199J | 01698 | 1820-1083 | |
| OP-50FY | 02180 | 1826-1459 | PLS155N UNPRGMD | 02910 | 1820-3995 | SN5423J | 01698 | 1820-1878 | |
| OPA111AM | 05436 | 1826-1650 | PLS159N UNPRGMD | 02910 | 1820-3779 | SN5430J | 01698 | 1820-1070 | |
| OPA111EM | 05436 | 1813-0437 | PLS168AN UNPRGMD | 02910 | 1820-5029 | SN5432N | 01698 | 1820-1381 | |
| OPA606KP | 05436 | 1826-1654 | PLS179N UNPRGMD | 02910 | 1820-5216 | SN5442AJ | 01698 | 1820-2082 | |
| OPA606LM | 05436 | 1826-1744 | PR472B-01 | 00575 | 1818-0094 | SN5474J | 01698 | 1820-1095 | |
| P2401 | 03811 | 1820-1062 | PT4482B-01 | 00575 | 1818-0095 | SN5474N | 01698 | 1820-0446 | |
| P3205 | 03811 | 1820-2035 | PWR-606A | 05436 | 1813-0517 | SN5490AN | 01698 | 1820-0992 | |
| P3208A | 03811 | 1820-1087 | | | | | | | |

| JDEC | Mfr. | HP P/N | | | | | |
|------------|-------|-----------|-----------------|-------|-----------|----------------|-----------------|
| SM54LS00J | 01698 | 1820-1879 | SN74298N | 01698 | 1820-1100 | SN74ALS1623N | 01698 1820-3236 |
| SM54LS02J | 01698 | 1820-1799 | SN7430N | 01698 | 1820-0070 | SN74ALS1628N | 01698 1820-2778 |
| SM54LS08J | 01698 | 1820-2248 | SN7432N | 01698 | 1820-0661 | SN74ALS163BD | 01698 1820-4929 |
| SM54LS10J | 01698 | 1820-2249 | SN7433N | 01698 | 1820-1124 | SN74ALS163BN | 01698 1820-2779 |
| SM54LS11J | 01698 | 1820-2261 | SN74351N | 01698 | 1820-1462 | SN74ALS164AD | 01698 1820-4265 |
| SM54LS138J | 01698 | 1820-2529 | SN74365AN | 01698 | 1820-2007 | SN74ALS164FN | 01698 1820-3875 |
| SM54LS174J | 01698 | 1820-2064 | SN74376N | 01698 | 1820-3152 | SN74ALS164N | 01698 1820-4313 |
| SM54LS196J | 01698 | 1820-2251 | SN7437N | 01698 | 1820-0539 | SN74ALS165D | 01698 1820-4266 |
| SM54LS221J | 01698 | 1820-2042 | SN7438D | 01698 | 1820-2884 | SN74ALS165FN | 01698 1820-3813 |
| SM54LS27J | 01698 | 1820-1880 | SN7438J | 01698 | 1820-2351 | SN74ALS166D | 01698 1820-4962 |
| SM54LS30J | 01698 | 1820-2250 | SN7438N | 01698 | 1820-0621 | SN74ALS166N | 01698 1820-3982 |
| SM54LS669J | 01698 | 1820-2559 | SN74390N | 01698 | 1820-1463 | SN74ALS168AN | 01698 1820-3762 |
| SM54LS74AJ | 01698 | 1820-1798 | SN74393N | 01698 | 1820-1464 | SN74ALS168BD | 01698 1820-4268 |
| SM54MS00J | 01698 | 1820-1253 | SN7440N | 01698 | 1820-0071 | SN74ALS168BFN | 01698 1820-3818 |
| SM54MS30J | 01698 | 1820-2252 | SN7442AN | 01698 | 1820-0214 | SN74ALS169BD | 01698 1820-4269 |
| SM54MS40J | 01698 | 1820-2253 | SN7445N | 01698 | 1820-0468 | SN74ALS169BFN | 01698 1820-3819 |
| SM54538BJ | 01698 | 1820-2236 | SN7446AN | 01698 | 1820-1037 | SN74ALS169BN | 01698 1820-3353 |
| SM55461JG | 01698 | 1820-2282 | SN7447AN | 01698 | 1820-0995 | SN74ALS174D | 01698 1820-4930 |
| SM55462JG | 01698 | 1820-2283 | SN7448N | 01698 | 1820-1038 | SN74ALS174N | 01698 1820-3465 |
| SN72710N | 01698 | 1820-0398 | SN74490N | 01698 | 1820-1465 | SN74ALS175D | 01698 1820-4935 |
| SN72L022L | 01698 | 1826-0301 | SN7450N | 01698 | 1820-0072 | SN74ALS175FN | 01698 1820-3411 |
| SN7400N | 01698 | 1820-0054 | SN7451N | 01698 | 1820-0063 | SN74ALS175N | 01698 1820-3466 |
| SN7401N | 01698 | 1820-0327 | SN7453N | 01698 | 1820-0084 | SN74ALS1804N | 01698 1820-4167 |
| SN7402N | 01698 | 1820-0328 | SN7454N | 01698 | 1820-0074 | SN74ALS1805AN | 01698 1820-5183 |
| SN7403N | 01698 | 1820-0269 | SN7460N | 01698 | 1820-0085 | SN74ALS190D | 01698 1820-4270 |
| SN7404N | 01698 | 1820-0174 | SN7470N | 01698 | 1820-0065 | SN74ALS190FN | 01698 1820-3873 |
| SN7405N | 01698 | 1820-0175 | SN7472N | 01698 | 1820-0304 | SN74ALS190N | 01698 1820-3763 |
| SN7406D | 01698 | 1820-5026 | SN7473N | 01698 | 1820-0075 | SN74ALS191D | 01698 1820-4271 |
| SN7406N | 01698 | 1820-0471 | SN7474N | 01698 | 1820-0077 | SN74ALS191FN | 01698 1820-3906 |
| SN7406J | 01698 | 1820-3447 | SN7475N | 01698 | 1820-0301 | SN74ALS191N | 01698 1820-3505 |
| SN7407J | 01698 | 1820-2593 | SN7476N | 01698 | 1820-0076 | SN74ALS192N | 01698 1820-3598 |
| SN7407N | 01698 | 1820-0668 | SN7480N | 01698 | 1820-0362 | SN74ALS193N | 01698 1820-3375 |
| SN7408N | 01698 | 1820-0511 | SN7482N | 01698 | 1820-0363 | SN74ALS20AD | 01698 1820-5075 |
| SN7409N | 01698 | 1820-0513 | SN7483AN | 01698 | 1820-0305 | SN74ALS20AN | 01698 1820-2774 |
| SN74100N | 01698 | 1820-0425 | SN7485N | 01698 | 1820-0921 | SN74ALS21N | 01698 1820-2888 |
| SN74104N | 01698 | 1820-1002 | SN7486N | 01698 | 1820-0282 | SN74ALS22AN | 01698 1820-3758 |
| SN74107N | 01698 | 1820-0281 | SN7490AN | 01698 | 1820-0055 | SN74ALS232AN | 01698 1820-4670 |
| SN74109N | 01698 | 1820-1116 | SN7491AN | 01698 | 1820-0364 | SN74ALS23AN | 01698 1820-5228 |
| SN7410N | 01698 | 1820-0068 | SN7492AN | 01698 | 1820-0056 | SN74ALS240A-1N | 01698 1820-3782 |
| SN74111N | 01698 | 1820-1229 | SN7493AN | 01698 | 1820-0099 | SN74ALS240ADW | 01698 1820-4787 |
| SN74116N | 01698 | 1820-1793 | SN7494N | 01698 | 1820-0366 | SN74ALS240AFN | 01698 1820-4272 |
| SN74120N | 01698 | 1820-2164 | SN7495AN | 01698 | 1820-0367 | SN74ALS240AN | 01698 1820-2951 |
| SN74121N | 01698 | 1820-0261 | SN7496N | 01698 | 1820-0368 | SN74ALS241A-1N | 01698 1820-4162 |
| SN74122N | 01698 | 1820-0704 | SN7497N | 01698 | 1820-0744 | SN74ALS241ADW | 01698 1820-5233 |
| SN74123N | 01698 | 1820-0579 | SN74ALS00AD | 01698 | 1820-4291 | SN74ALS241AFN | 01698 1820-3412 |
| SN74126N | 01698 | 1820-1214 | SN74ALS01AN | 01698 | 1820-2656 | SN74ALS241AN | 01698 1820-4350 |
| SN74128N | 01698 | 1820-1074 | SN74ALS01N | 01698 | 1820-3335 | SN74ALS243AD | 01698 1820-5179 |
| SN7412N | 01698 | 1820-0907 | SN74ALS02D | 01698 | 1820-4245 | SN74ALS243AN | 01698 1820-3994 |
| SN74132N | 01698 | 1820-1056 | SN74ALS02N | 01698 | 1820-2739 | SN74ALS244A-1N | 01698 1820-4233 |
| SN74136N | 01698 | 1820-1250 | SN74ALS03BD | 01698 | 1820-5180 | SN74ALS244ADW | 01698 1820-4788 |
| SN7413N | 01698 | 1820-0537 | SN74ALS03BN | 01698 | 1820-3270 | SN74ALS244AFN | 01698 1820-4273 |
| SN74141N | 01698 | 1820-0707 | SN74ALS04BD | 01698 | 1820-4249 | SN74ALS244AN | 01698 1820-3145 |
| SN74143J | 01698 | 1820-1271 | SN74ALS04BN | 01698 | 1820-2634 | SN74ALS244AN | 02037 1820-3607 |
| SN74143N | 01698 | 1820-1171 | SN74ALS05AD | 01698 | 1820-4250 | SN74ALS245A-1N | 01698 1820-3714 |
| SN74145N | 01698 | 1820-0491 | SN74ALS05AFN | 01698 | 1820-3904 | SN74ALS245ADW | 01698 1820-4790 |
| SN74147N | 01698 | 1820-1082 | SN74ALS05AN | 01698 | 1820-3376 | SN74ALS245AFN | 01698 1820-4274 |
| SN74148N | 01698 | 1820-1473 | SN74ALS08D | 01698 | 1820-4243 | SN74ALS245AN | 01698 1820-3121 |
| SN7414N | 01698 | 1820-1053 | SN74ALS08N | 01698 | 1820-2635 | SN74ALS245N | 02037 1820-2913 |
| SN74150N | 01698 | 1820-0640 | SN74ALS09D | 01698 | 1820-5235 | SN74ALS251D | 01698 1820-4259 |
| SN74151AN | 01698 | 1820-0622 | SN74ALS09N | 01698 | 1820-3394 | SN74ALS251FN | 01698 1820-3811 |
| SN74153N | 01698 | 1820-0620 | SN74ALS1000AN | 01698 | 1820-3708 | SN74ALS251N | 01698 1820-3764 |
| SN74155N | 01698 | 1820-0738 | SN74ALS1002AN | 01698 | 1820-3105 | SN74ALS253D | 01698 1820-4260 |
| SN74156N | 01698 | 1820-1046 | SN74ALS1003AN | 01698 | 1820-4349 | SN74ALS253FN | 01698 1820-3812 |
| SN74157N | 01698 | 1820-0762 | SN74ALS1004FN | 01698 | 1820-3797 | SN74ALS253N | 01698 1820-3439 |
| SN74159N | 01698 | 1820-1257 | SN74ALS1004N | 01698 | 1820-3633 | SN74ALS257D | 01698 1820-4261 |
| SN74160N | 01698 | 1820-0899 | SN74ALS1005J | 01698 | 1820-3756 | SN74ALS257FN | 01698 1820-3874 |
| SN74161N | 01698 | 1820-0716 | SN74ALS1005N | 01698 | 1820-3562 | SN74ALS257N | 01698 1820-3438 |
| SN74162N | 01698 | 1820-1185 | SN74ALS1008AN | 01698 | 1820-3480 | SN74ALS258N | 01698 1820-3765 |
| SN74163N | 01698 | 1820-0713 | SN74ALS1010AFN | 01698 | 1820-3799 | SN74ALS259D | 01698 1820-4263 |
| SN74164N | 01698 | 1820-1064 | SN74ALS1010AN | 01698 | 1820-3382 | SN74ALS259N | 01698 1820-4075 |
| SN74165N | 01698 | 1820-1042 | SN74ALS1011AFN | 01698 | 1820-3804 | SN74ALS273D | 01698 1820-4277 |
| SN74166N | 01698 | 1820-1107 | SN74ALS1020AFN | 01698 | 1820-3800 | SN74ALS273FN | 01698 1820-3871 |
| SN74167N | 01698 | 1820-0909 | SN74ALS1032AN | 01698 | 1820-3401 | SN74ALS273N | 01698 1820-3318 |
| SN7416J | 01698 | 1820-2586 | SN74ALS1034N | 01698 | 1820-3343 | SN74ALS277D | 01698 1820-4246 |
| SN7416N | 01698 | 1820-0577 | SN74ALS1035N | 01698 | 1820-3437 | SN74ALS27FN | 01698 1820-3802 |
| SN74173N | 01698 | 1820-1192 | SN74ALS109AD | 01698 | 1820-4028 | SN74ALS27N | 01698 1820-2881 |
| SN74174N | 01698 | 1820-0788 | SN74ALS109AN | 01698 | 1820-2758 | SN74ALS28AN | 01698 1820-3479 |
| SN74175N | 01698 | 1820-0839 | SN74ALS10AD | 01698 | 1820-4252 | SN74ALS282TNT | 01698 1820-5185 |
| SN74178N | 01698 | 1820-1258 | SN74ALS10AN | 01698 | 1820-2775 | SN74ALS299FN | 01698 1820-3814 |
| SN74179N | 01698 | 1820-1259 | SN74ALS112AD | 01698 | 1820-4276 | SN74ALS299N | 01698 1820-3104 |
| SN7417N | 01698 | 1820-0618 | SN74ALS112AFN | 01698 | 1820-3808 | SN74ALS30AD | 01698 1820-4353 |
| SN74180N | 01698 | 1820-0435 | SN74ALS112AN | 01698 | 1820-2772 | SN74ALS30AN | 01698 1820-2773 |
| SN74181N | 01698 | 1820-0606 | SN74ALS113AN | 01698 | 1820-3761 | SN74ALS323D | 01698 1820-5312 |
| SN74182N | 01698 | 1820-0611 | SN74ALS114AN | 01698 | 1820-5145 | SN74ALS32D | 01698 1820-4247 |
| SN74184N | 01698 | 1820-1267 | SN74ALS11AD | 01698 | 1820-4244 | SN74ALS32N | 01698 1820-2657 |
| SN74185AN | 01698 | 1820-1141 | SN74ALS11AN | 01698 | 1820-2889 | SN74ALS33AN | 01698 1820-3759 |
| SN74190N | 01698 | 1820-0734 | SN74ALS1240FN | 01698 | 1820-3805 | SN74ALS352N | 01698 1820-4642 |
| SN74191N | 01698 | 1820-0545 | SN74ALS1244A-1N | 01698 | 1820-3239 | SN74ALS353N | 01698 1820-4592 |
| SN74192N | 01698 | 1820-0546 | SN74ALS1244AFN | 01698 | 1820-3806 | SN74ALS35AN | 01698 1820-5035 |
| SN74194AN | 01698 | 1820-0743 | SN74ALS1244AN | 01698 | 1820-3277 | SN74ALS365N | 01698 1820-4314 |
| SN74195N | 01698 | 1820-1027 | SN74ALS1245A-1N | 01698 | 1820-3238 | SN74ALS367N | 01698 1820-4315 |
| SN74196N | 01698 | 1820-0751 | SN74ALS1245AFN | 01698 | 1820-3870 | SN74ALS368N | 01698 1820-4316 |
| SN74197N | 01698 | 1820-0765 | SN74ALS1245AN | 01698 | 1820-3287 | SN74ALS373D | 01698 1820-5241 |
| SN74198N | 01698 | 1820-1032 | SN74ALS12AN | 01698 | 1820-3468 | SN74ALS373FN | 01698 1820-3815 |
| SN74199N | 01698 | 1820-0726 | SN74ALS131N | 01698 | 1820-4655 | SN74ALS374D | 01698 1820-5002 |
| SN7420N | 01698 | 1820-0069 | SN74ALS133D | 01698 | 1820-5234 | SN74ALS374N | 01698 1820-3294 |
| SN74221N | 01698 | 1820-1260 | SN74ALS133N | 01698 | 1820-3372 | SN74ALS377N | 02037 1820-3690 |
| SN7422J | 01698 | 1820-2304 | SN74ALS137N | 01698 | 1820-3258 | SN74ALS37AN | 01698 1820-3402 |
| SN7422N | 01698 | 1820-1256 | SN74ALS138D | 01698 | 1820-4257 | SN74ALS38AD | 01698 1820-4931 |
| SN7423N | 01698 | 1820-0538 | SN74ALS138FN | 01698 | 1820-3809 | SN74ALS38AN | 01698 1820-3349 |
| SN74247N | 01698 | 1820-1580 | SN74ALS138N | 01698 | 1820-3100 | SN74ALS40AN | 01698 1820-3760 |
| SN7425N | 01698 | 1820-0655 | SN74ALS139D | 01698 | 1820-4258 | SN74ALS465AN | 01698 1820-4578 |
| SN74265N | 01698 | 1820-1460 | SN74ALS139FN | 01698 | 1820-3810 | SN74ALS466AN | 01698 1820-3638 |
| SN7426N | 01698 | 1820-0514 | SN74ALS139N | 01698 | 1820-4165 | SN74ALS518N | 01698 1820-4950 |
| SN74273 | 01698 | 1820-1461 | SN74ALS151N | 01698 | 1820-3391 | SN74ALS520D | 01698 1820-4932 |
| SN74276N | 01698 | 1820-2127 | SN74ALS153D | 01698 | 1820-5076 | SN74ALS520N | 01698 1820-3416 |
| SN74278N | 01698 | 1820-1728 | SN74ALS153N | 01698 | 1820-3397 | SN74ALS521N | 01698 1820-3472 |
| SN74279N | 01698 | 1820-1089 | SN74ALS157N | 01698 | 1820-3398 | SN74ALS533N | 01698 1820-4878 |
| SN7427N | 01698 | 1820-0782 | SN74ALS158N | 01698 | 1820-4180 | SN74ALS534N | 01698 1820-3558 |
| SN74283N | 01698 | 1820-1261 | SN74ALS15N | 01698 | 1820-3386 | SN74ALS538N | 01698 1820-3469 |
| SN74284N | 01698 | 1820-1791 | SN74ALS160BFN | 01698 | 1820-3816 | SN74ALS530N | 01698 1820-3885 |
| SN74285N | 01698 | 1820-1792 | SN | | | | |

| JDEC | Mfr. | HP P/N | | | | | | |
|-----------------|-------|-----------|--------------|-------|-----------|---------------|-------|-----------|
| SN74ALS564ADW | 01698 | 1820-5132 | SN74AS230N | 01698 | 1820-3923 | SN74H53N | 01698 | 1820-0380 |
| SN74ALS564AN | 01698 | 1820-4720 | SN74AS231N | 01698 | 1820-3922 | SN74H54N | 01698 | 1820-0381 |
| SN74ALS569ADW | 01698 | 1820-5232 | SN74AS240N | 01698 | 1820-3543 | SN74H55N | 01698 | 1820-0382 |
| SN74ALS569AN | 01698 | 1820-3217 | SN74AS241N | 01698 | 1820-3745 | SN74H60N | 01698 | 1820-0383 |
| SN74ALS573BD | 01698 | 1820-4264 | SN74AS242N | 01698 | 1820-4171 | SN74H61N | 01698 | 1820-0384 |
| SN74ALS573BFN | 01698 | 1820-3876 | SN74AS243D | 01698 | 1820-4776 | SN74H62N | 01698 | 1820-0385 |
| SN74ALS573BN | 01698 | 1820-2724 | SN74AS243N | 01698 | 1820-3746 | SN74H71N | 01698 | 1820-0386 |
| SN74ALS574ADW | 01698 | 1820-4279 | SN74AS244WD | 01698 | 1820-5325 | SN74H72N | 01698 | 1820-0387 |
| SN74ALS574AFN | 01698 | 1820-3872 | SN74AS244N | 01698 | 1820-3541 | SN74H73N | 01698 | 1820-0391 |
| SN74ALS574AN | 01698 | 1820-2757 | SN74AS245WD | 01698 | 1820-5134 | SN74H74N | 01698 | 1820-0512 |
| SN74ALS575ANT | 01698 | 1820-3993 | SN74AS245N | 01698 | 1820-4096 | SN74H76N | 01698 | 1820-0752 |
| SN74ALS576N | 01698 | 1820-2882 | SN74AS250NT | 01698 | 1820-4654 | SN74H87N | 01698 | 1820-0740 |
| SN74ALS577NT | 01698 | 1820-4076 | SN74AS253D | 01698 | 1820-5314 | SN74HC00D | 01698 | 1820-4692 |
| SN74ALS580AN | 01698 | 1820-3003 | SN74AS253N | 01698 | 1820-3747 | SN74HC04D | 01698 | 1820-5220 |
| SN74ALS5620AN | 01698 | 1820-4170 | SN74AS257D | 01698 | 1820-4285 | SN74HC05N | 01698 | 1820-4053 |
| SN74ALS5621A-1N | 01698 | 1820-5187 | SN74AS257FN | 01698 | 1820-3890 | SN74HC08D | 01698 | 1820-4693 |
| SN74ALS5622A-1N | 01698 | 1820-5188 | SN74AS257N | 01698 | 1820-3748 | SN74HC148N | 01698 | 1820-4675 |
| SN74ALS5623AN | 01698 | 1820-3905 | SN74AS258N | 01698 | 1820-3749 | SN74HC166N | 01698 | 1820-4149 |
| SN74ALS5632AJD | 01698 | 1820-3559 | SN74AS27D | 01698 | 1820-4964 | SN74HC190N | 01698 | 1820-4054 |
| SN74ALS5639N | 02037 | 1820-3308 | SN74AS27N | 01698 | 1820-3606 | SN74HC21N | 01698 | 1820-3793 |
| SN74ALS5640A-1N | 01698 | 1820-3498 | SN74AS280D | 01698 | 1820-5315 | SN74HC258N | 01698 | 1820-4676 |
| SN74ALS5640AN | 01698 | 1820-3362 | SN74AS280N | 01698 | 1820-4026 | SN74HC377N | 01698 | 1820-4208 |
| SN74ALS5641AN | 01698 | 1820-3380 | SN74AS286N | 01698 | 1820-4375 | SN74HC490N | 01698 | 1820-4677 |
| SN74ALS5642AN | 01698 | 1820-3668 | SN74AS288N | 01698 | 1820-4678 | SN74HC652NT | 01698 | 1820-5023 |
| SN74ALS5645A-1N | 01698 | 1820-3497 | SN74AS299N | 01698 | 1820-4444 | SN74HC682N | 01698 | 1820-4179 |
| SN74ALS5645AN | 01698 | 1820-3481 | SN74AS30N | 01698 | 1820-3734 | SN74HC7001N | 01698 | 1820-4534 |
| SN74ALS5646WD | 01698 | 1820-5318 | SN74AS32D | 01698 | 1820-4283 | SN74HC805N | 01698 | 1820-4719 |
| SN74ALS5646NT | 01698 | 1820-4391 | SN74AS32N | 01698 | 1820-3590 | SN74HCCT240WD | 01698 | 1820-4737 |
| SN74ALS5648NT | 01698 | 1820-5025 | SN74AS353N | 01698 | 1820-3750 | SN74HCCT573N | 01698 | 1820-4150 |
| SN74ALS5652NT | 01698 | 1820-4593 | SN74AS373D | 01698 | 1820-5316 | SN74HCCT574WD | 01698 | 1820-5077 |
| SN74ALS5653NT | 01698 | 1820-4694 | SN74AS373N | 01698 | 1820-3542 | SN74HCCT574N | 01698 | 1820-4152 |
| SN74ALS5654-1NT | 01698 | 1820-4126 | SN74AS374WD | 01698 | 1820-5317 | SN74HCCT646NT | 01698 | 1820-4588 |
| SN74ALS5677NT | 01698 | 1820-4649 | SN74AS374FN | 01698 | 1820-3824 | SN74HCCT652NT | 01698 | 1820-4607 |
| SN74ALS5678NT | 01698 | 1820-4497 | SN74AS374N | 01698 | 1820-3695 | SN74L121N | 01698 | 1820-1270 |
| SN74ALS5679N | 01698 | 1820-4127 | SN74AS533N | 01698 | 1820-3563 | SN74L122N | 01698 | 1820-0913 |
| SN74ALS5680N | 01698 | 1820-3835 | SN74AS534N | 01698 | 1820-3751 | SN74L123N | 01698 | 1820-1247 |
| SN74ALS5688DW | 01698 | 1820-5259 | SN74AS573D | 01698 | 1820-5133 | SN74L153N | 01698 | 1820-1163 |
| SN74ALS5688N | 01698 | 1820-3106 | SN74AS573N | 01698 | 1820-3881 | SN74L154N | 01698 | 1820-1949 |
| SN74ALS5747N | 01698 | 1820-5015 | SN74AS574WD | 01698 | 1820-4936 | SN74L157N | 01698 | 1820-1218 |
| SN74ALS574AD | 01698 | 1820-4275 | SN74AS574FN | 01698 | 1820-3912 | SN74L157N | 01698 | 1820-1269 |
| SN74ALS574AFN | 01698 | 1820-3807 | SN74AS574N | 01698 | 1820-4318 | SN74L164N | 01698 | 1820-0903 |
| SN74ALS574AN | 01698 | 1820-2488 | SN74AS575N | 01698 | 1820-4025 | SN74L192N | 01698 | 1820-0911 |
| SN74ALS5804FN | 01698 | 1820-3798 | SN74AS576N | 01698 | 1820-4169 | SN74L193N | 01698 | 1820-0912 |
| SN74ALS5804N | 01698 | 1820-3560 | SN74AS580N | 01698 | 1820-4077 | SN74L42N | 01698 | 1820-0777 |
| SN74ALS5805FN | 01698 | 1820-3801 | SN74AS623N | 01698 | 1820-3882 | SN74L46N | 01698 | 1820-1142 |
| SN74ALS5805N | 01698 | 1820-3718 | SN74AS639N | 01698 | 1820-4211 | SN74L47N | 01698 | 1820-1233 |
| SN74ALS5808FN | 01698 | 1820-3803 | SN74AS640N | 01698 | 1820-3971 | SN74L73N | 01698 | 1820-1731 |
| SN74ALS5808N | 01698 | 1820-3392 | SN74AS641N | 01698 | 1820-4129 | SN74L75N | 01698 | 1820-0876 |
| SN74ALS5832FN | 01698 | 1820-3869 | SN74AS645N | 01698 | 1820-3843 | SN74L85N | 01698 | 1820-1268 |
| SN74ALS5832N | 01698 | 1820-3467 | SN74AS646WD | 01698 | 1820-5323 | SN74L93N | 01698 | 1820-0443 |
| SN74ALS5841NT | 01698 | 1820-4535 | SN74AS646NT | 01698 | 1820-4648 | SN74L95N | 01698 | 1820-0497 |
| SN74ALS5843NT | 01698 | 1820-4716 | SN74AS651NT | 01698 | 1820-4650 | SN74L98N | 01698 | 1820-0656 |
| SN74ALS5845NT | 01698 | 1820-5148 | SN74AS652NT | 01698 | 1820-4097 | SN74LS00J | 01698 | 1820-2583 |
| SN74ALS5867NT | 01698 | 1820-5169 | SN74AS74D | 01698 | 1820-4289 | SN74LS00N | 01698 | 1820-1197 |
| SN74ALS586D | 01698 | 1820-4248 | SN74AS74FN | 01698 | 1820-3820 | SN74LS00N | 01698 | 1820-1891 |
| SN74ALS586FN | 01698 | 1820-3413 | SN74AS74N | 01698 | 1820-3493 | SN74LS02J | 01698 | 1820-1647 |
| SN74ALS586N | 01698 | 1820-3973 | SN74AS756N | 01698 | 1820-4708 | SN74LS02N | 01698 | 1820-1144 |
| SN74ALS5873NT | 01698 | 1820-3237 | SN74AS762N | 01698 | 1820-4631 | SN74LS03N | 01698 | 1820-1198 |
| SN74ALS5874BDW | 01698 | 1820-5310 | SN74AS804AN | 01698 | 1820-3442 | SN74LS04J | 01698 | 1820-2582 |
| SN74ALS5874NT | 01698 | 1820-3143 | SN74AS804BDW | 01698 | 1820-4951 | SN74LS04N | 01698 | 1820-1199 |
| SN74ALS5876NT | 01698 | 1820-3240 | SN74AS804BFN | 01698 | 1820-3891 | SN74LS05N | 01698 | 1820-1200 |
| SN74ALS5878ANT | 01698 | 1820-4657 | SN74AS804N | 01698 | 1820-2557 | SN74LS07N | 01698 | 1820-4348 |
| SN74ALS5880NT | 01698 | 1820-3381 | SN74AS805AFN | 01698 | 1820-3892 | SN74LS08J | 01698 | 1820-2581 |
| SN74AS00D | 01698 | 1820-4280 | SN74AS805AN | 01698 | 1820-3383 | SN74LS08N | 01698 | 1820-1201 |
| SN74AS00N | 01698 | 1820-3591 | SN74AS805BDW | 01698 | 1820-5321 | SN74LS09N | 01698 | 1820-1246 |
| SN74AS02D | 01698 | 1820-4282 | SN74AS808AFN | 01698 | 1820-3893 | SN74LS07AN | 01698 | 1820-1469 |
| SN74AS02N | 01698 | 1820-3729 | SN74AS808AN | 01698 | 1820-3443 | SN74LS109AN | 01698 | 1820-1282 |
| SN74AS04N | 01698 | 1820-3608 | SN74AS808BDW | 01698 | 1820-5020 | SN74LS10N | 01698 | 1820-1202 |
| SN74AS08D | 01698 | 1820-4281 | SN74AS808N | 01698 | 1820-2558 | SN74LS112AN | 01698 | 1820-1212 |
| SN74AS08N | 01698 | 1820-3730 | SN74AS821NT | 01698 | 1820-4450 | SN74LS113AN | 01698 | 1820-1213 |
| SN74AS1000AD | 01698 | 1820-5070 | SN74AS822NT | 01698 | 1820-4653 | SN74LS113AN | 01698 | 1820-1821 |
| SN74AS1000AN | 01698 | 1820-4142 | SN74AS823NT | 01698 | 1820-4652 | SN74LS11N | 01698 | 1820-1203 |
| SN74AS1004AD | 01698 | 1820-5038 | SN74AS825NT | 01698 | 1820-4715 | SN74LS122N | 01698 | 1820-1422 |
| SN74AS1004AN | 01698 | 1820-4345 | SN74AS826NT | 01698 | 1820-4651 | SN74LS123D | 01698 | 1820-4256 |
| SN74AS1008N | 01698 | 1820-3920 | SN74AS832AFN | 01698 | 1820-3894 | SN74LS123FN | 01698 | 1820-3901 |
| SN74AS1032AN | 01698 | 1820-3757 | SN74AS832AN | 01698 | 1820-3384 | SN74LS123J | 01698 | 1820-2305 |
| SN74AS1034N | 01698 | 1820-4591 | SN74AS832BDW | 01698 | 1820-5320 | SN74LS123N | 01698 | 1820-1423 |
| SN74AS1036N | 01698 | 1820-4207 | SN74AS841NT | 01698 | 1820-4109 | SN74LS123N | 01698 | 1820-3954 |
| SN74AS109N | 01698 | 1820-3735 | SN74AS842NT | 01698 | 1820-4033 | SN74LS124N | 01698 | 1820-1424 |
| SN74AS10D | 01698 | 1820-4963 | SN74AS843NT | 01698 | 1820-4579 | SN74LS125AD | 01698 | 1820-4786 |
| SN74AS10N | 01698 | 1820-3731 | SN74AS845NT | 01698 | 1820-4498 | SN74LS125AN | 01698 | 1820-1568 |
| SN74AS112D | 01698 | 1820-4290 | SN74AS851N | 01698 | 1820-4168 | SN74LS126AD | 01698 | 1820-5324 |
| SN74AS112FN | 01698 | 1820-3821 | SN74AS866N | 01698 | 1820-4594 | SN74LS126AN | 01698 | 1820-1645 |
| SN74AS112N | 01698 | 1820-4317 | SN74AS867NT | 01698 | 1820-3634 | SN74LS12N | 01698 | 1820-1414 |
| SN74AS11D | 01698 | 1820-5387 | SN74AS869NT | 01698 | 1820-4445 | SN74LS132N | 01698 | 1820-1425 |
| SN74AS138D | 01698 | 1820-4284 | SN74AS86N | 01698 | 1820-3884 | SN74LS132N | 01698 | 1820-2237 |
| SN74AS138FN | 01698 | 1820-3895 | SN74AS870NT | 01698 | 1820-5021 | SN74LS132N | 01698 | 1820-3475 |
| SN74AS138N | 01698 | 1820-3934 | SN74AS873NT | 01698 | 1820-3544 | SN74LS136N | 01698 | 1820-1215 |
| SN74AS151N | 01698 | 1820-3736 | SN74AS874N | 01698 | 1820-4344 | SN74LS137N | 01698 | 1820-2550 |
| SN74AS153N | 01698 | 1820-3737 | SN74AS876N | 01698 | 1820-4565 | SN74LS138N | 01698 | 1820-1216 |
| SN74AS157N | 01698 | 1820-3738 | SN74AS878NT | 01698 | 1820-4658 | SN74LS139AN | 01698 | 1820-1281 |
| SN74AS158N | 01698 | 1820-3739 | SN74AS881ANT | 01698 | 1820-5064 | SN74LS13N | 01698 | 1820-1415 |
| SN74AS161N | 01698 | 1820-3740 | SN74AS882NT | 01698 | 1820-3776 | SN74LS145N | 01698 | 1820-1426 |
| SN74AS162N | 01698 | 1820-3741 | SN74AS885NT | 01698 | 1820-2899 | SN74LS147N | 01698 | 1820-2200 |
| SN74AS163D | 01698 | 1820-4937 | SN74H00N | 01698 | 1820-0370 | SN74LS148D | 01698 | 1820-5112 |
| SN74AS163N | 01698 | 1820-3742 | SN74H01N | 01698 | 1820-0605 | SN74LS14D | 01698 | 1820-4251 |
| SN74AS168D | 01698 | 1820-4287 | SN74H04N | 01698 | 1820-0424 | SN74LS14FN | 01698 | 1820-3900 |
| SN74AS168FN | 01698 | 1820-3822 | SN74H05N | 01698 | 1820-0613 | SN74LS14N | 01698 | 1820-1416 |
| SN74AS168N | 01698 | 1820-3841 | SN74H010N | 01698 | 1820-0613 | SN74LS151N | 01698 | 1820-1217 |
| SN74AS169D | 01698 | 1820-4288 | SN74H012N | 01698 | 1820-0469 | SN74LS152N | 01698 | 1820-1425 |
| SN74AS169FN | 01698 | 1820-3823 | SN74H013N | 01698 | 1820-0544 | SN74LS155AN | 01698 | 1820-1245 |
| SN74AS169N | 01698 | 1820-3842 | SN74H016N | 01698 | 1820-0715 | SN74LS156N | 01698 | 1820-1427 |
| SN74AS174N | 01698 | 1820-3743 | SN74H018N | 01698 | 1820-0631 | SN74LS157N | 01698 | 1820-1470 |
| SN74AS175N | 01698 | 1820-3698 | SN74H01N | 01698 | 1820-0371 | SN74LS158N | 01698 | 1820-1428 |
| SN74AS1804N | 01698 | 1820-4459 | SN74H11N | 01698 | 1820-0372 | SN74LS15N | 01698 | 1820-1243 |
| SN74AS1805N | 01698 | 1820-4402 | SN74H15N | 01698 | 1820-1263 | SN74LS160AN | | |

| JDEC | Mfr. | HP P N | | | | | | |
|--------------|-------|-----------|--------------|-------|-----------|-------------|-------|-----------|
| SN74LS166AD | 01698 | 1820-5313 | SN74LS42N | 01698 | 1820-1418 | SN74LS174N | 01698 | 1820-1076 |
| SN74LS166AN | 01698 | 1820-1922 | SN74LS445N | 01698 | 1820-3650 | SN74LS175N | 01698 | 1820-1191 |
| SN74LS169AN | 01698 | 1820-2460 | SN74LS449N | 01698 | 1820-2759 | SN74LS181J | 01698 | 1820-1974 |
| SN74LS174N | 01698 | 1820-1196 | SN74LS467N | 01698 | 1820-3621 | SN74LS181N | 01698 | 1820-0999 |
| SN74LS174N | 01698 | 1820-1914 | SN74LS47N | 01698 | 1820-1602 | SN74LS182N | 01698 | 1820-1305 |
| SN74LS174N | 01698 | 1820-3694 | SN74LS48N | 01698 | 1820-1604 | SN74LS194N | 01698 | 1820-1304 |
| SN74LS175N | 01698 | 1820-1195 | SN74LS490N | 01698 | 1820-2078 | SN74LS195N | 01698 | 1820-1303 |
| SN74LS181N | 01698 | 1820-1280 | SN74LS491ANS | 04092 | 1820-5184 | SN74LS196N | 01698 | 1820-1869 |
| SN74LS182N | 02037 | 1820-2563 | SN74LS498AS | 04092 | 1820-3303 | SN74LS197N | 01698 | 1820-1868 |
| SN74LS190N | 01698 | 1820-1279 | SN74LS51N | 01698 | 1820-1210 | SN74LS20N | 01698 | 1820-0688 |
| SN74LS191N | 01698 | 1820-1278 | SN74LS514N | 01698 | 1820-3496 | SN74LS225N | 01698 | 1820-2621 |
| SN74LS192N | 01698 | 1820-1277 | SN74LS534N | 04092 | 1820-2719 | SN74LS22N | 01698 | 1820-0689 |
| SN74LS193N | 01698 | 1820-1194 | SN74LS534N | 01698 | 1820-2710 | SN74LS240N | 01698 | 1820-1633 |
| SN74LS194AD | 01698 | 1820-4267 | SN74LS541N | 01698 | 1820-2711 | SN74LS241N | 01698 | 1820-1624 |
| SN74LS194AFM | 01698 | 1820-3902 | SN74LS54N | 01698 | 1820-1285 | SN74LS251N | 01698 | 1820-1302 |
| SN74LS194AN | 01698 | 1820-1276 | SN74LS55N | 01698 | 1820-1284 | SN74LS257N | 01698 | 1820-1301 |
| SN74LS195AN | 01698 | 1820-1300 | SN74LS589N | 01698 | 1820-4644 | SN74LS258N | 01698 | 1820-1309 |
| SN74LS196N | 01698 | 1820-1251 | SN74LS590N | 01698 | 1820-3144 | SN74LS260N | 01698 | 1820-1275 |
| SN74LS197N | 01698 | 1820-1193 | SN74LS592N | 01698 | 1820-3167 | SN74LS280N | 01698 | 1820-1638 |
| SN74LS19N | 01698 | 1820-4187 | SN74LS593N | 01698 | 1820-3160 | SN74LS281N | 01698 | 1820-1456 |
| SN74LS20J | 01698 | 1820-2580 | SN74LS595N | 01698 | 1820-3423 | SN74LS283D | 01698 | 1820-5131 |
| SN74LS20N | 01698 | 1820-1204 | SN74LS596N | 01698 | 1820-3960 | SN74LS283N | 01698 | 1820-1871 |
| SN74LS21N | 01698 | 1820-1205 | SN74LS597N | 01698 | 1820-3536 | SN74LS299N | 01698 | 1820-1457 |
| SN74LS221J | 01698 | 1820-2346 | SN74LS598N | 01698 | 1820-4553 | SN74LS30N | 01698 | 1820-1323 |
| SN74LS221N | 01698 | 1820-1437 | SN74LS599N | 01698 | 1820-3022 | SN74LS32N | 01698 | 1820-1449 |
| SN74LS224N | 01698 | 1820-2939 | SN74LS601N | 01698 | 1820-3990 | SN74LS341N | 01698 | 1820-2832 |
| SN74LS22N | 01698 | 1820-1274 | SN74LS603AN | 01698 | 1820-4489 | SN74LS373J | 04092 | 1820-2185 |
| SN74LS240N | 01698 | 1820-1917 | SN74LS604N | 01698 | 1820-2722 | SN74LS373N | 01698 | 1820-1676 |
| SN74LS241N | 01698 | 1820-1918 | SN74LS606N | 01698 | 1820-3161 | SN74LS373N | 04092 | 1820-3830 |
| SN74LS242N | 01698 | 1820-2104 | SN74LS612N | 01698 | 1820-4374 | SN74LS374N | 01698 | 1820-1677 |
| SN74LS243N | 01698 | 1820-1994 | SN74LS620N | 01698 | 1820-2723 | SN74LS37J | 01698 | 1820-2666 |
| SN74LS244N | 01698 | 1820-2024 | SN74LS621N | 01698 | 1820-2967 | SN74LS37N | 01698 | 1820-1450 |
| SN74LS245N | 01698 | 1820-2075 | SN74LS623N | 01698 | 1820-2672 | SN74LS381N | 01698 | 1820-1458 |
| SN74LS247N | 01698 | 1820-1688 | SN74LS624D | 01698 | 1820-5001 | SN74LS38N | 01698 | 1820-1451 |
| SN74LS248N | 01698 | 1820-1644 | SN74LS624N | 01698 | 1820-2622 | SN74LS40N | 01698 | 1820-0690 |
| SN74LS249N | 01698 | 1820-1643 | SN74LS626N | 01698 | 1820-2655 | SN74LS51N | 01698 | 1820-1158 |
| SN74LS251N | 01698 | 1820-1298 | SN74LS628N | 01698 | 1820-3241 | SN74LS64N | 01698 | 1820-0691 |
| SN74LS253N | 01698 | 1820-1238 | SN74LS629N | 01698 | 1820-5404 | SN74LS65N | 01698 | 1820-0692 |
| SN74LS253N | 01698 | 1820-4575 | SN74LS629N | 01698 | 1820-2369 | SN74LS74N | 01698 | 1820-0693 |
| SN74LS257BN | 01698 | 1820-1438 | SN74LS630N | 01698 | 1820-2819 | SN74LS74N | 01698 | 1820-3953 |
| SN74LS257BN | 01698 | 1820-2194 | SN74LS640-1N | 01698 | 1820-3317 | SN74LS85N | 01698 | 1820-1321 |
| SN74LS258BN | 01698 | 1820-1439 | SN74LS640N | 01698 | 1820-2206 | SN74LS86N | 01698 | 1820-0694 |
| SN74LS258BN | 01698 | 1820-1890 | SN74LS642N | 01698 | 1820-2453 | SN75068P | 01698 | 1826-1710 |
| SN74LS259BD | 01698 | 1820-5240 | SN74LS645-1N | 01698 | 1820-3473 | SN75107AN | 01698 | 1820-0723 |
| SN74LS259FN | 01698 | 1820-3903 | SN74LS645N | 01698 | 1820-2268 | SN75108BN | 01698 | 1820-1310 |
| SN74LS259N | 01698 | 1820-1729 | SN74LS646NT | 01698 | 1820-2675 | SN75109N | 01698 | 1820-0722 |
| SN74LS259N | 02037 | 1820-2799 | SN74LS647NT | 01698 | 1820-3213 | SN7510L | 01698 | 1820-0083 |
| SN74LS261N | 01698 | 1820-1785 | SN74LS648NT | 01698 | 1820-3351 | SN75110AN | 01698 | 1820-1110 |
| SN74LS266N | 01698 | 1820-1297 | SN74LS651NT | 01698 | 1820-3002 | SN75112N | 01698 | 1820-1826 |
| SN74LS26N | 01698 | 1820-1417 | SN74LS652NT | 01698 | 1820-3706 | SN75114N | 01698 | 1820-2668 |
| SN74LS26N | 01698 | 1820-1889 | SN74LS668N | 01698 | 1820-1434 | SN75115N | 01698 | 1820-4840 |
| SN74LS273N | 01698 | 1820-1730 | SN74LS669N | 01698 | 1820-1435 | SN75116N | 01698 | 1820-2128 |
| SN74LS279AN | 01698 | 1820-1440 | SN74LS673N | 01698 | 1820-2313 | SN75117P | 01698 | 1820-2159 |
| SN74LS279AN | 01698 | 1820-3495 | SN74LS674N | 01698 | 1820-3669 | SN75119P | 01698 | 1820-2352 |
| SN74LS27J | 01698 | 1820-2579 | SN74LS682N | 01698 | 1820-2713 | SN75123N | 01698 | 1820-3539 |
| SN74LS27N | 01698 | 1820-1206 | SN74LS684N | 01698 | 1820-3305 | SN75129N | 01698 | 1820-3540 |
| SN74LS280N | 01698 | 1820-1859 | SN74LS686NT | 01698 | 1820-2610 | SN75150P | 01698 | 1820-1075 |
| SN74LS283D | 01698 | 1820-4262 | SN74LS691N | 01698 | 1820-2937 | SN75152N | 01698 | 1820-3379 |
| SN74LS283FN | 01698 | 1820-3898 | SN74LS697N | 01698 | 1820-3352 | SN75153N | 01698 | 1820-3302 |
| SN74LS283N | 01698 | 1820-1441 | SN74LS699N | 01698 | 1820-3771 | SN75155D | 01698 | 1820-4943 |
| SN74LS28N | 01698 | 1820-1273 | SN74LS73AN | 01698 | 1820-1574 | SN75157P | 01698 | 1820-3304 |
| SN74LS290N | 01698 | 1820-1442 | SN74LS74AJ | 01698 | 1820-1668 | SN75159N | 01698 | 1820-2362 |
| SN74LS292N | 01698 | 1820-2947 | SN74LS74AN | 01698 | 1820-1112 | SN75160AN | 01698 | 1820-2485 |
| SN74LS293N | 01698 | 1820-1443 | SN74LS75N | 01698 | 1820-1111 | SN75161AN | 01698 | 1820-2483 |
| SN74LS294N | 01698 | 1820-3118 | SN74LS76AN | 01698 | 1820-2464 | SN75162AN | 01698 | 1820-2547 |
| SN74LS295BN | 01698 | 1820-1296 | SN74LS794N | 04092 | 1820-3868 | SN75172N | 01698 | 1820-4735 |
| SN74LS298N | 01698 | 1820-1444 | SN74LS83AN | 01698 | 1820-0910 | SN75173M | 01698 | 1820-4734 |
| SN74LS30N | 01698 | 1820-1207 | SN74LS85D | 01698 | 1820-4255 | SN75174N | 01698 | 1820-2703 |
| SN74LS30N | 01698 | 1820-3460 | SN74LS85FN | 01698 | 1820-3897 | SN75174N | 01698 | 1820-2831 |
| SN74LS31N | 01698 | 1820-4347 | SN74LS85N | 01698 | 1820-1419 | SN75175N | 01698 | 1820-4138 |
| SN74LS320N | 01698 | 1820-2592 | SN74LS86AJ | 01698 | 1820-2587 | SN75176AP | 01698 | 1820-4461 |
| SN74LS321N | 01698 | 1820-3972 | SN74LS86AN | 01698 | 1820-1211 | SN75179AP | 01698 | 1820-3333 |
| SN74LS322AN | 01698 | 1820-2201 | SN74LS90N | 01698 | 1820-1490 | SN75188D | 01698 | 1820-5328 |
| SN74LS323N | 01698 | 1820-2202 | SN74LS91N | 01698 | 1820-1784 | SN75189D | 01698 | 1820-5329 |
| SN74LS324N | 01698 | 1820-1642 | SN74LS92N | 01698 | 1820-1420 | SN75234N | 01698 | 1820-2134 |
| SN74LS325N | 01698 | 1820-2068 | SN74LS93N | 01698 | 1820-1478 | SN75235N | 01698 | 1826-0094 |
| SN74LS32J | 01698 | 1820-2585 | SN74LS95BN | 01698 | 1820-1283 | SN75322N | 01698 | 1820-1673 |
| SN74LS32N | 01698 | 1820-1208 | SN74LS96N | 01698 | 1820-1421 | SN75325N | 01698 | 1820-0568 |
| SN74LS32N | 01698 | 1820-3956 | SN74S00N | 01698 | 1820-0681 | SN75327N | 01698 | 1820-2361 |
| SN74LS33J | 01698 | 1820-2578 | SN74S02N | 01698 | 1820-1322 | SN75361AN | 01698 | 1820-1833 |
| SN74LS33N | 01698 | 1820-1272 | SN74S02N | 01698 | 1820-3840 | SN75361AP | 01698 | 1820-1887 |
| SN74LS348N | 01698 | 1820-2121 | SN74S03N | 01698 | 1820-0682 | SN75363N | 01698 | 1820-1982 |
| SN74LS352N | 01698 | 1820-2536 | SN74S04N | 01698 | 1820-0683 | SN75365N | 01698 | 1820-2570 |
| SN74LS353N | 01698 | 1820-2046 | SN74S05N | 01698 | 1820-0684 | SN75367N | 01698 | 1820-1611 |
| SN74LS354N | 01698 | 1820-3393 | SN74S08N | 01698 | 1820-1367 | SN75407P | 01698 | 1820-3489 |
| SN74LS356N | 01698 | 1820-2613 | SN74S09N | 01698 | 1820-3839 | SN75417NE | 01698 | 1820-2181 |
| SN74LS365AN | 01698 | 1820-1641 | SN74S09N | 01698 | 1820-1448 | SN75437TAME | 01698 | 1820-3845 |
| SN74LS366AN | 01698 | 1820-1640 | SN74S10N | 01698 | 1820-0685 | SN75446P | 01698 | 1820-3524 |
| SN74LS367AN | 01698 | 1820-1491 | SN74S112D | 01698 | 1820-5238 | SN75447P | 01698 | 1820-2715 |
| SN74LS367AN | 01698 | 1820-1892 | SN74S112FN | 01698 | 1820-3913 | SN75450BN | 01698 | 1820-0902 |
| SN74LS368AN | 01698 | 1820-1492 | SN74S112N | 01698 | 1820-0629 | SN75451BP | 01698 | 1820-0535 |
| SN74LS373N | 01698 | 1820-2102 | SN74S113N | 01698 | 1820-0695 | SN75452BAG | 01698 | 1820-1800 |
| SN74LS374N | 01698 | 1820-2641 | SN74S114N | 01698 | 1820-0696 | SN754521AN | 01698 | 1820-1669 |
| SN74LS375N | 01698 | 1820-1445 | SN74S115N | 01698 | 1820-0686 | SN75452BP | 01698 | 1820-0799 |
| SN74LS377D | 01698 | 1820-4278 | SN74S124N | 01698 | 1820-1324 | SN75453BP | 01698 | 1820-1016 |
| SN74LS377FN | 01698 | 1820-3899 | SN74S132N | 01698 | 1820-1307 | SN75454BP | 01698 | 1820-1050 |
| SN74LS377N | 01698 | 1820-1858 | SN74S132N | 01698 | 1820-3838 | SN75461P | 01698 | 1820-2044 |
| SN74LS378N | 01698 | 1820-2056 | SN74S133D | 01698 | 1820-5319 | SN75463N | 01698 | 1820-2520 |
| SN74LS379N | 01698 | 1820-2244 | SN74S133N | 01698 | 1820-1130 | SN75468N | 01698 | 1820-2111 |
| SN74LS37N | 01698 | 1820-1287 | SN74S134N | 01698 | 1820-1306 | SN75469N | 01698 | 1820-2243 |
| SN74LS382AN | 01698 | 1820-3770 | SN74S135N | 01698 | 1820-1639 | SN75471P | 01698 | 1820-2207 |
| SN74LS384N | 01698 | 1820-3506 | SN74S138N | 01698 | 1820-1240 | SN75473P | 01698 | 1820-2850 |
| SN74LS385N | 01698 | 1820-2720 | SN74S139N | 01698 | 1820-1072 | SN75477D | 01698 | 1820-5568 |
| SN74LS386AN | 01698 | 1820-2764 | SN74S140N | 01698 | 1820-0697 | SN75478P | 01698 | 1820-2110 |
| SN74LS38J | 01698 | 1820-2584 | SN74S151N | 01698 | 1820-1319 | SN75479N | 01698 | 1820-3959 |
| SN74LS38N | 01698 | 1820-1209 | SN74S153N | 01698 | 1820-0998 | SN75492N | 01698 | 1820-1230 |
| SN74LS390D | 01698 | 1820-5311 | SN74S157N | 01698 | 1820-1077 | SN75492N | 01698 | 1820-1231 |

| JDEC | Mfr. | HP P/N | | | | | | |
|--------------------------|-------|-----------|---------------|-------|-----------|---------------------|-------|-----------|
| SP322B | 02910 | 1820-0202 | TL084ACN | 01698 | 1826-0572 | UA78HGKC | 02237 | 1813-0123 |
| SP370N | 02910 | 1820-0900 | TL084BCN | 01698 | 1826-0538 | UA78L26AMC | 02237 | 1826-0460 |
| SP374N | 02910 | 1820-0774 | TL084CN | 01698 | 1826-0410 | UA78L62AMC | 02237 | 1826-0586 |
| SP380N | 02910 | 1820-1187 | TL094CN | 01698 | 1826-0901 | UA78M06GHC | 02237 | 1826-0349 |
| SP616N | 02910 | 1820-0318 | TL170CLP | 01698 | 1826-0757 | UA78M12HC | 02237 | 1826-0226 |
| SP620N | 02910 | 1820-0078 | TL172C | 01698 | 1826-1022 | UA78M12UC | 02237 | 1826-0345 |
| SP629N | 02910 | 1820-0319 | TL182CN | 01698 | 1826-0675 | UA78M15HC | 02237 | 1826-0512 |
| SP631N | 02910 | 1820-0067 | TL185CN | 01698 | 1826-1210 | UA78MGHC | 02237 | 1826-0584 |
| SP659N | 02910 | 1820-0320 | TL136CNE | 01698 | 1826-0859 | UA78MGULC | 02237 | 1826-0484 |
| SP670N | 02910 | 1820-0302 | TL431ACD | 02037 | 1826-1643 | UA78P05SSC | 02237 | 1813-0361 |
| SP680N | 02910 | 1820-0303 | TL431CD | 01698 | 1826-1601 | UA78S40FC | 02237 | 1826-0603 |
| SP74HCT138N | 09283 | 1820-3500 | TL431CLP | 01698 | 1826-0643 | UA7905UC | 02237 | 1826-0445 |
| SP74HCT244N | 09283 | 1820-3501 | TL431CLP | 01698 | 1826-1115 | UA7915KC | 02237 | 1826-0451 |
| SP74HCT245N | 09283 | 1820-3502 | TL431CLP(SEL) | 02037 | 1826-1258 | UA7924CKC | 01698 | 1826-0620 |
| SP74HCT373N | 09283 | 1820-3503 | TL431CP | 01698 | 1826-1343 | UA7952UC | 02237 | 1826-0404 |
| SP74HCT374N | 09283 | 1820-3504 | TL431TLP | 01698 | 1826-1474 | UA79GKC | 02237 | 1826-0444 |
| SP8602BCM | 01590 | 1820-5491 | TL494CN | 01698 | 1826-0565 | UA79GULC | 02237 | 1826-0441 |
| SP8606B | 01590 | 1820-2933 | TL497CN | 01698 | 1826-0450 | UA79HGKC | 02237 | 1813-0127 |
| SP8611BDG | 01590 | 1820-2292 | TL500ACN | 01698 | 1826-0651 | UA79M06GHC | 02237 | 1826-0701 |
| SP8617BDG | 01590 | 1820-2338 | TL5812N | 01698 | 1820-4951 | UA79M08AHC | 02237 | 1826-0793 |
| SP8620BDG | 01590 | 1820-2047 | TL594IN | 01698 | 1826-1501 | UA79M12AHC | 02237 | 1826-0300 |
| SP8647BDG | 01590 | 1820-1384 | TL601CP | 01698 | 1826-0476 | UA79M12AUC | 02237 | 1826-0649 |
| SP8680BDG | 01590 | 1820-3517 | TL604IP | 01698 | 1820-1973 | UA79M12UC | 02910 | 1826-0629 |
| SP8685BDG | 01590 | 1820-5492 | TL607CP | 01698 | 1820-1948 | UA79M15AHC | 02237 | 1826-0511 |
| SP8691A | 01590 | 1820-2914 | TL610CP | 01698 | 1826-0477 | UA79M15AUC | 02237 | 1826-0829 |
| SP9111DG | 01590 | 1820-4685 | TL702MJ | 01698 | 1820-0396 | UA79MGHC | 02237 | 1826-0583 |
| SP9685CM | 01590 | 1826-0975 | TL7700ACP | 01698 | 1826-1561 | UA79MGULC | 02237 | 1826-0483 |
| SP9687DGL6 | 01590 | 1826-1233 | TL7702A | 01698 | 1826-1245 | UA9637ACP | 01698 | 1820-2953 |
| SSI-105A | 08608 | 1820-2426 | TL7702ACP | 01698 | 1826-1685 | UA9638CP | 01698 | 1820-2952 |
| SSI-13522 | 08608 | 1826-1392 | TL7705A | 01698 | 1826-1338 | UA96501DC | 02237 | 1826-0374 |
| SSI1104C | 08608 | 1820-2425 | TL7705CP-B | 01698 | 1826-1273 | UAA180 | 06121 | 1820-4660 |
| SSI1117-2 PDIP | 08608 | 1826-1419 | TL780-05C | 01698 | 1826-1104 | UC2834J | 00046 | 1826-1308 |
| SSI1117-4 CERPACK | 08608 | 1826-1336 | TL780-10C | 01698 | 1826-1106 | UC2842N | 00046 | 1826-1545 |
| SSI501R-6CH | 08608 | 1826-1540 | TL783CK | 01698 | 1826-1062 | UC2846N | 00046 | 1826-1584 |
| SSI510-4-CSE | 08608 | 1826-1618 | TL825L2ACD | 01698 | 1826-1214 | UC3524A-N | 00046 | 1826-1050 |
| SSS725B | 02180 | 1826-0008 | TL8271ACD | 01698 | 1826-1213 | UC3834N | 00046 | 1826-1327 |
| SSS741CJ | 02180 | 1826-0013 | TL8271ACP | 01698 | 1826-1639 | UC3840N | 00046 | 1826-1340 |
| SW-01FQ | 02180 | 1826-0811 | TL8272ACP | 01698 | 1826-1286 | UC3846N | 00046 | 1826-1576 |
| SW-02FQ | 02180 | 1826-0796 | TL8274ACN | 01698 | 1826-1263 | UC3901N | 00046 | 1826-1524 |
| SW-06GP | 02180 | 1826-1086 | TL827L2ACD | 01698 | 1826-1215 | UC3906N | 00046 | 1826-1358 |
| SW-06GQ | 02180 | 1826-1186 | TL827L7CP | 01698 | 1826-1611 | UC494AJ | 00046 | 1826-1039 |
| SZA266 | 02037 | 1826-0507 | TL827M2ACP | 01698 | 1826-1269 | UCN-5800A | 04200 | 1820-3289 |
| TBA231A | 06338 | 1826-0318 | TL827M4ACP | 01698 | 1826-1264 | UCN-5801A | 04200 | 1820-3165 |
| TC40H000P | 06354 | 1820-2909 | TL827M4CN | 01698 | 1826-1330 | UCN-5801A | 04200 | 1820-4568 |
| TC40H002P | 06354 | 1820-2908 | TL827M4ID | 01698 | 1826-1571 | UDN-2543B | 04200 | 1820-4599 |
| TC40H032P | 06354 | 1820-3120 | TL827M5CD | 01698 | 1826-1602 | UDN-2585A | 04200 | 1820-4843 |
| TC40H076P | 06354 | 1820-3001 | TL827M5CP | 01698 | 1826-1439 | UDN-2952W-2 | 04200 | 1826-1490 |
| TC40H138P | 06354 | 1820-2907 | TL827M5ID | 01698 | 1826-1610 | UDN-2957A | 04200 | 1820-2755 |
| TC40H245P | 06354 | 1820-3015 | TML184Z | 12147 | 1826-1595 | UDN-2981A | 04200 | 1820-2273 |
| TC40H373P | 06354 | 1820-2824 | TMS0105NC | 01698 | 1820-1232 | UDN-2982A | 04200 | 1820-2785 |
| TC40H374P | 06354 | 1820-2825 | TMS2150-4JD | 01698 | 1820-3246 | UDN-2998W | 04200 | 1820-5253 |
| TC74HC04F | 06354 | 1820-4119 | TMS2150-4NT | 01698 | 1820-5066 | UDN-5703A | 04200 | 1820-2682 |
| TC74HC138F | 06354 | 1820-4121 | TMS2150-5JD | 01698 | 1820-3471 | UDN-5706A | 04200 | 1820-2683 |
| TC74HC244F | 06354 | 1820-4123 | TMS3002LR | 01698 | 1820-0211 | UDN-5707A | 04200 | 1820-2020 |
| TC74HC245F | 06354 | 1820-4124 | TMS3113NC | 01698 | 1820-1186 | UDN-6118A | 04200 | 1820-3421 |
| TC74HC374F | 06354 | 1820-4122 | TMS3120NC | 01698 | 1820-1346 | UGN-3020T | 04200 | 1820-3243 |
| TC74HC4094P | 06354 | 1820-4443 | TMS3122NC | 01698 | 1820-1178 | UHP-407 | 04200 | 1820-1120 |
| TC74HC592P | 06354 | 1820-4995 | TMS3129NC | 01698 | 1820-2092 | UHP-407 | 04200 | 1820-2129 |
| TC74HC593P | 06354 | 1820-5421 | TMS4024NC | 01698 | 1820-1174 | UHP-408 | 04200 | 1820-1086 |
| TC74HC74F | 06354 | 1820-4120 | TMS6011NC | 01698 | 1820-1681 | ULN-2061N | 04200 | 1820-3512 |
| TCM3105JE | 01698 | 1826-1512 | TPA3709V | 01991 | 1820-0113 | ULN-2064B | 04200 | 1820-2170 |
| TD2030V | 06338 | 1826-0996 | TPF51325N | 03406 | 1826-1260 | ULN-2065B | 04200 | 1820-2473 |
| TD2654A | 05946 | 1826-0960 | TRI1602A | 00575 | 1820-1219 | ULN-2068B | 04200 | 1820-2274 |
| TD2654B | 02910 | 1826-1577 | TRI1602B-05 | 00575 | 1820-1911 | ULN-2069B | 04200 | 1820-3637 |
| TD4330J | 02037 | 1826-1470 | TRI1863A | 00575 | 1820-2419 | ULN-2074B | 04200 | 1820-2130 |
| TD44600 | 02037 | 1826-1146 | TRI1863B | 00575 | 1820-2423 | ULN-2111A | 04200 | 1826-0029 |
| TD44601D | 06121 | 1826-1421 | TRI1865B | 00575 | 1820-2978 | ULN-2814A | 04200 | 1820-2892 |
| TD44700 | 06121 | 1826-1141 | TRI1865P-00 | 00575 | 1820-3122 | ULN-37012V | 04200 | 1826-1087 |
| TD44700A | 06121 | 1826-1066 | TSC911ACPA | 02763 | 1826-1500 | ULN-8126A | 04200 | 1826-1507 |
| TD47114A | 06121 | 1826-1351 | TSC9404CJ | 02763 | 1820-3861 | ULQ-2065B | 04200 | 1826-1505 |
| TD8173 | 06338 | 1826-1677 | TSC85101P | 10881 | 1826-1632 | ULM500 | 04200 | 1820-0498 |
| TDCL001J | 04507 | 1826-1112 | UA709CN | 01698 | 1820-0397 | UNG 3030U | 04200 | 1820-3644 |
| TDCL1007 | 04507 | 1826-1025 | UA711DC | 02237 | 1826-0055 | UPD369C | 00039 | 1820-2060 |
| TDCL1010J | 04507 | 1820-2452 | UA711HC | 02237 | 1820-0125 | UPD7210 | 00039 | 1820-4520 |
| TDCL1014B7C | 04507 | 1826-0781 | UA711HC | 02237 | 1826-0063 | UT-309 | 04200 | 1826-0868 |
| TDCL1016B7C8 | 04507 | 1826-1705 | UA714HC | 02237 | 1826-0543 | UTO-517 | 03291 | 1813-0446 |
| TDCL1018DAC | 04507 | 1826-1294 | UA714HC | 02237 | 1826-0574 | UTO-2012 | 03291 | 1813-0439 |
| TDCL1048B6 | 04507 | 1826-1472 | UA714LHC | 02237 | 1826-0476 | UTO-2013 | 03291 | 1826-1324 |
| THCT2000 | 01698 | 1820-4554 | UA715HC | 02237 | 1826-0049 | UTO-2023 | 03291 | 1813-0445 |
| TIBPAL16L8-15CN UNPRGMD | 01698 | 1820-3996 | UA723DC | 02237 | 1826-0049 | UTO-2024 | 03291 | 1813-0444 |
| TIBPAL16L8-25CFN UNPRGMD | 01698 | 1820-5027 | UA723HM | 02237 | 1826-0010 | UTO-2027 (SELECTED) | 03291 | 1813-0516 |
| TIBPAL16L8-25CN UNPRGMD | 01698 | 1820-5461 | UA723PC | 02237 | 1820-0439 | UTO-507 | 03291 | 1813-0316 |
| TIBPAL16R4-12CN UNPRGMD | 01698 | 1820-5420 | UA726HC | 02237 | 1826-0031 | UTO-533 | 03291 | 1813-0447 |
| TIBPAL16R4-15CN UNPRGMD | 01698 | 1820-4052 | UA733DC | 02237 | 1826-0064 | UTO-561 | 03291 | 1813-0317 |
| TIBPAL16R6-15CN UNPRGMD | 01698 | 1820-4051 | UA733DC | 02237 | 1826-1131 | V12P5 | 11561 | 1813-0515 |
| TIBPAL16R8-15CN UNPRGMD | 01698 | 1820-4050 | UA733HC | 02237 | 1820-0270 | V6366B-J | 12276 | 1820-5222 |
| TIBPAL16R8-25CFN UNPRGMD | 01698 | 1820-5028 | UA734HC | 02237 | 1826-0183 | VCF62BG | 05436 | 1826-1275 |
| TIBPAL20L8-15CN UNPRGMD | 01698 | 1820-5463 | UA739DC | 02237 | 1826-0044 | VFC32KP | 05436 | 1826-0624 |
| TIBPAL20R4-15CNT UNPRGMD | 01698 | 1820-5481 | UA739PC | 02237 | 1826-0885 | VP5/5 (SELECTED) | 11561 | 1813-0514 |
| TIBPAL20R6-15CN UNPRGMD | 01698 | 1820-5429 | UA740HC | 02237 | 1826-0056 | VR-1082A | 10321 | 1826-1136 |
| TIBPAL20R8-15CN UNPRGMD | 01698 | 1820-5462 | UA741HC | 02237 | 1820-0203 | WD1010BL | 00575 | 1820-3168 |
| TIFPLA183MT UNPRGMD | 01698 | 1820-4044 | UA741HC | 02237 | 1826-0007 | WD1100-13 | 00575 | 1820-3720 |
| TIKLA105 | 01698 | 1820-0279 | UA741HC | 02237 | 1820-0216 | WD1943M-06 | 00575 | 1820-3134 |
| TL022CP | 01698 | 1826-0770 | UA749DC | 02237 | 1826-0184 | WD2010A-PL05 | 00575 | 1826-1456 |
| TL061CP | 01698 | 1826-0640 | UA749DHC | 02237 | 1826-0342 | WD9216PA01 | 00575 | 1820-4673 |
| TL062CP | 01698 | 1826-0683 | UA75972C | 02237 | 1826-0531 | WJ-A19-1 | 02686 | 1826-1588 |
| TL064CN | 01698 | 1826-0786 | UA759U1C | 02237 | 1826-0833 | XCT9L05CG | 02037 | 1826-0332 |
| TL070CP | 01698 | 1826-1364 | UA760DC | 02237 | 1826-0132 | XCT9L12CG | 02037 | 1826-0331 |
| TL071ACDP | 10881 | 1826-1461 | UA760HC | 02237 | 1826-0231 | XR-14412VP | 00350 | 1826-1261 |
| TL071BCP | 01698 | 1826-0520 | UA7767C | 02237 | 1826-0122 | XR-2120CP | 00350 | 1826-1259 |
| TL071CP | 01698 | 1826-0519 | UA7805UC | 02237 | 1826-0212 | XR-2123CP | 00350 | 1826-1262 |
| TL072ACP | 01698 | 1826-0547 | UA7812KC | 02237 | 1826-0117 | XR-2207CP | 00350 | 1820-1648 |
| TL072BCD | 02037 | 1826-1644 | UA7812UC | 02237 | 1826-0099 | XR-2209CP | 00350 | 1826-0873 |
| TL072BCP | 01698 | 1826-1042 | UA7812UC | 02037 | 1826-0147 | XR-2209CP | 00350 | 1826-1142 |
| TL072CP | 01698 | 1826-0521 | UA7815KC | 02237 | 1826-0203 | XR-2211CP | 00350 | 1826-1002 |
| TL072MJG | 01698 | 1826-0979 | UA7815KC | 02237 | 1826-0725 | XR-2240 | 00350 | 1820-1628 |
| TL074ACJ | 01698 | 1826-1290 | UA7815KC | 02237 | 1826-0106 | XR-2242CN | 00350 | 1820-2735 |
| TL074CN | 01698 | 1826-0600 | UA7815KC | 02237 | 1826-0617 | XR-T5675CP | 00350 | 1820-4791 |
| TL074CD | 01698 | 1826-1622 | UA7824KC | 02237 | 1826-0262 | XR320 | 00350 | 1826-0237 |
| TL074CN | 01698 | 1826-0522 | UA7885C (| | | | | |