


REVISION			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	04MAY16	Y. AYDIN

ASSEMBLY NOTES :

1. SOLDER QUALITY TO IPC-A-610, CLASS 2.
2. MANUALLY DISPENSE SOLDER FOR ALL COMPONENTS.
3. OBSERVE POLARIZED COMPONENTS.
4. J1, J2, J5, J6 & J7 ATTACH TO PCB WITH CENTER PIN ON TOP SIDE TRACE. MANUALLY DISPENSE SOLDER TO CENTER PIN AND GROUND LEADS, TOP AND BOTTOM. AFTER REFLOW, SOLDER MUST JOIN CONNECTOR AND PCB EDGE.



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM TOLERANCES DECIMALS FRACTIONS ANGLES .XX ±0.25 ± 1/32 ±.2 .XXX ±0.127	ASSEMBLY		 ANALOG DEVICES INTERNATIONAL ERDC Building Raheen Business Park Raheen, LIMERICK, IRELAND	
	MATERIAL	APPROVAL #.#.#.	DATE	TITLE
FINISH	DESIGNED	Y. AYDIN	04MAY16	ASSEMBLY ADRF5250 EVAL BOARD
	CHECKED	J. MORIN	04MAY16	
DO NOT SCALE DWG	APPROVED			SIZE
	MFG ENGINEER	O. SERTEN	04MAY16	FSCM NO
				DRAWING NUMBER
				REV
				SCALE 1/1
				SHEET 1 OF 1