


REVISIONS		
REV	APPR	DATE




COMPONENT SIDE

SIZE	QTY	SYM	PLTD
20	9	+	PLTD
90	4	W	PLTD
52	1	X	PLTD
72	2	Y	NPLTD
95	7	Z	PLTD

NOTES : Unless Otherwise Specified

1. MATERIAL : FR4 OR EQUIVALENT EPOXY, 2 OZ. COPPER CLAD  
THICKNESS .061 +/- .006 TOTAL OF 2 LAYERS
2. FINISH : ALL PLATED HOLES .001 MIN. / .0015 MAX. COPPER PLATE  
ELECTRODEPOSITED TIN-LEAD COMPOSITION  
BEFORE REFLOW , SOLDER MASK OVER BARE COPPER (SMOBC)
3. SOLDER MASK : BOTH SIDES USING GREEN SR1020 OR EQUIVALENT
4. SILKSCREEN : USING WHITE NON-CONDUCTIVE EPOXY INK
5. ALL DIMENSIONS ARE IN INCHES
6. SCORING:



Fabrication Drawing

APPROVALS		INIT		DATE	
DRAWN					
CHECK					
DESIGN		KML		12/17/97	
ENGR					
SCALE = NONE		SIZE		NONE	
		DES-0183		REV. B	
		DC173B		LT153CS	
		SHT 1 of 1			



1630 McCarthy Blvd.  
Milpitas, CA 95035  
PH: (408)432-1900

TITLE: DUAL OUTPUT SWITCHING REGULATOR