

## SPECIFICATION NOTICE LT1533

January 1999

The specifications of the **LT**®**1533** have been revised as shown below in **bold** type. All other specifications remain unchanged. For complete specifications, typical performance characteristics and applications information, please see the **LT1533** data sheet.

17, LTC and LT are registered trademarks of Linear Technology Corporation.

## **ABSOLUTE MAXIMUM RATINGS**

Switch Voltage (COL A, COL B)	35\
<b>Operating Junction Temperature Range</b>	
LT1533C	0°C to <b>125</b> °C
LT1533I	-40°C to <b>125</b> °C

## **ELECTRICAL CHARACTERISTICS**

SYMBOL	PARAMETER	CONDITIONS		MIN	TYP	MAX	UNITS
Supply and	Protection						
I <sub>VIN(OFF)</sub>	Shutdown Supply Current	$2.7V \le V_{IN} \le 23V, V_{\overline{SHDN}} = 0V$	•		12	30 50	μA μA
Output Swi	tches	·					
BV	Output Switch Breakdown Voltage	$2.7V \le V_{IN} \le 23V$	•	35			V

For further information regarding this specification notice contact:

Linear Technology Corporation 1630 McCarthy Blvd.

Milpitas, California 95035-7417 Attn: Product Marketing Manager

Phone: (408) 432-1900