

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. ALL RESISTORS ARE IN OHMS, 0402. **ALL CAPACITORS ARE IN MICROFARADS, 0402.**
- 2. INSTALL SHUNT ON JP1 PINS 1&2.

CUSTOMER NOTICE

LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.

CONTRACT NO. **TECHNOLOGY**

1630 McCarthy Blvd. Milpitas, CA 95035 Phone: (408)432-1900

Fax: (408)434-0507

LTC Confidential-For Customer Use Only

REV

Α

TITLE: SCHEMATIC

DATE:

APPROVALS

ENGINEER: KEVIN H.

DRAWN: KIM T.

CHECKED:

APPROVED:

DESIGNER:

3.5A. 25V STEP-DOWN SWITCHING REGULATOR WITH SYNC FUNCTION

SIZE DWG NO.

DC1316A - LT1913EDD Α

> Monday, December 10, 2007 SHEET 1 OF 1

THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND

SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.