


DWG NO	DC688A	SH	REV	3
--------	--------	----	-----	---

ECO	REV	DESCRIPTION	DATE	APPROVED
	3	PROTO	06/15/04	



1. ARTWORK P/N DC688A REV 3.

1. ARTWORK P/N DC688A REV 3.
2. FAB PER IPC-A-600
3. MATERIAL: EPOXY FIBERGLASS, NEMA GRADE FR-4
 .062 +/- .005 INCH THICKNESS WITH 2 OZ.
 COPPER FINISH ON TWO OUTER LAYERS AND
 1 OZ. COPPER ON TWO INTERNAL LAYERS.
 FLAMABILITY RATING: 94 V-2 MINIMUM .
4. SIZE: CUT TO DIMENSIONS AND TOLERANCES SHOWN.
 0.00 ARE PRIMARY DATUMS.

LAYER CONSTRUCTION

SIZE	QTY	SYM	PLTD	TOL
10	34	+	YES	+/-0.003
35	6	□	YES	+/-0.003
64	4	◇	YES	+/-0.003
70	2	⊗	NO	+/-0.005
95	3	⊗	YES	+/-0.005


7. DROP ALL UNUSED PADS ON INNER LAYERS.

8. DO NOT ALTER ARTWORK e.g. TO ADD LOGO OR DATE CODE.

CONTRACT NO.

APPROVALS		DATE
DRAWN	MEI	06/04/
CHECKED		
APPROVED		
ENGINEER		

ENGINEER



FAB, LT1942EUF, MINI TFT DISPLAY, QUAD
LOW POWER CONVERTER

SIZE A	CAGE CODE	DWG NO	DC688A	REV 3
SCALE 1/1	FILENAME: 688A-3.PCB		SHEET 1 OF 1	