



REVISION HISTORY			
ECO	REV	DESCRIPTION	DATE
	6	PROTO	06/09/03
APPROVED			



NOTES: UNLESS OTHERWISE SPECIFIED.

1. ARTWORK P/N DC527A REV 6.
2. FAB PER IPC-A-600
3. MATERIAL: EPOXY FIBERGLASS, NEMA GRADE FR-4 .062 +/- .005 INCH THICKNESS WITH 2 OZ. COPPER FINISH ON TWO OUTER LAYERS AND 1 OZ. COPPER ON TWO INTERNAL LAYERS. FLAMABILITY RATING: 94 V-2 MINIMUM.
4. SIZE: CUT TO DIMENSIONS AND TOLERANCES SHOWN. 0.00 ARE PRIMARY DATUMS.
5. BOARD: SELECTIVE PLATED BOARD. SOLDER MASK OVER BARE COPPER. COLOR, GREEN LPI. WHITE TIN IMMERSION (OMIKRON) BOTH SIDES. SILKSCREEN COMPONENT SIDE WITH WHITE NON-CONDUCTIVE INK.
6. DRILL: ALL HOLES SHALL BE DRILLED +/- .003 INCH WITH RESPECT TO CTR. OF DRILLED PAD. ALL HOLES FINISHED SIZE AFTER PLATING.
7. DROP ALL UNUSED PADS ON INNER LAYERS.
8. DO NOT ALTER ARTWORK e.g. TO ADD LOGO OR DATE CODE.



HOLE LEGEND

TOLERANCE	SIZE	QTY	SYM	PLTD
+/-0.003	10	28	+	PLTD
+/-0.003	35	3	□	PLTD
+/-0.005	94	5	◇	PLTD
+/-0.005	70	2	⊗	NPLTD

L1-COMPONENT SIDE

1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON ANGLE ±1° 2 PLACE ±.01 3 PLACE ±.005 INTERPRET DIM AND TOL PER ASME Y14.5M - 1994		CONTRACT NO		APPROVALS		DATE	
		DRAWN		MEI		11/07/02	
		CHECKED					
		APPROVED					
		ENGINEER					
THIRD ANGLE PROJECTION							
DO NOT SCALE DRAWING							
		SCALE 1/1		FILENAME: 527A-6.PCB		SHEET 1 OF 1	
		SIZE A		CAGE CODE		DWG NO DC527A	
		REV 6					



LINEAR
TECHNOLOGY

1630 McCarthy Blvd.
Milpitas, CA 95035
Phone: (408)432-1900
Fax: (408)434-0507

TITLE
FAB, LT3433EFE STEP-UP/STEP-DOWN
CONVERTER, WITH BURST MODE