



*** SEE QUICK START GUIDE




OPTIONAL CIRCUIT



* VERSION TABLE

ASSEMBLY VERSION	U1	R11
DC949A-A	LT3478EFE-1	DO NOT STUFF
DC949A-B	LT3478EFE	0.1 ohm 1%

<p>CUSTOMER NOTICE</p> <p>LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.</p> <p>THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.</p>	CONTRACT NO.		 <p>1630 McCarthy Blvd. Milpitas, CA 95035 Phone: (408)432-1900 Fax: (408)434-0507</p>		
	APPROVALS	DATE			
	DRAWN June Wu	1/9/07	TITLE		
	CHECKED		<p>LT3478EFE-1/LT3478EFE</p> <p>4.5A Boost LED Driver with PWM</p>		
	APPROVED		SIZE	CAGE CODE	DWG NO
ENGINEER Keith Szolusha	1/9/07			DC949A	A
DESIGNER		Monday, January 15, 2007	SCALE:	FILENAME:	SHEET 1 OF 1