

Silkscreen Top

6. MARK EACH LTC PART NUMBER AND ASSEMBLY TYPE WITH BLACK PERMANENT MARKER AS SHOWN IN TABLE BELOW:

ASSY.	U1
-A	LTC2635CUD-LM12
-B	LTC2635CUD-LM012
-C	LTC2635CUD-LZ12
-D	LTC2635CUD-HM12
-E	LTC2635CUD-HZ12

REVISION HISTORY

ECO	REV	DESCRIPTION	APP. ENG.	DATE
-	1	PRODUCTION	KEITH S.	11-23-09


NOTES: UNLESS OTHERWISE SPECIFIED

1. WORKMANSHIP SHALL BE IN ACCORDANCE WITH IPC-A-610.
2. INSTALL SHUNTS AS SHOWN.
3. DEPANELIZE BOARDS AFTER ASSEMBLY AND ROUTE-OUT THE BREAKOUT TABS ON FOUR SIDES OF THE BOARD EDGE.
4. ASSEMBLY PROCESS SHALL INCLUDE: REFLOW SOLDER TOP SIDE SMD.
5. INSTALL SHUNTS: JP1=1, JP2=1, JP3=1, JP4=GND

FOR ASSEMBLY:

Install Hardware (E1-E11)

TURRETS : Mill-Max 2501-2



APPROVALS

PCB DES.	K.L.
APP. ENG.	KEITH S.

TITLE: TOP ASSEMBLY DRAWING

HIGH FREQUENCY SEPIC LED DRIVER

SIZE	IC NO.	REV.
N/A	LT3519EMS-1/2	1

FILENAME: DC1612A-1.PCB

SHT 1 of 1

1630 MCCARTHY BLVD
MILPITAS, CA 95035
PH: (408)432-1900
www.linear.com
LTC CONFIDENTIAL -
FOR CUSTOMER USE ONLY

