


Demo Circuit 1240A

FAB DRAWING




SIZE	QTY	SYM	PLATED	TOL
70	2	+	NO	+/- 3Mil
63	4	X	YES	+/- 3Mil

REVISIONS			
REV	DESCRIPTION	APPR	DATE

NOTES: *UNLESS OTHERWISE SPECIFIED.*

- 1. ARTWORK P/N Demo Circuit 1240A Rev0
- 2. FAB PER IPC-A-600, 2-Layers.
- 3. MATERIAL: EPOXY FIBERGLASS, NEMA GRADE FR-4  
.062 +/- .005 INCH THICKNESS WITH 2 OZ.  
COPPER FINISH AND FLAMABILITY RATING: 94 V-2 MINIMUM .


- 4. SIZE: CUT TO DIMENSIONS AND TOLERANCES SHOWN.  
0.00 ARE PRIMARY DATUMS.
- 5. BOARD: SELECTIVE PLATED BOARD. SOLDER  
MASK OVER BARE COPPER, COLOR, GREEN LPI.  
WHITE TIN IMMERSION (OMIKRON) BOTH SIDES.  
SILKSCREEN BOTH SIDES WITH WHITE NON-  
CONDUCTIVE INK.  
PLATE THRU ALL HOLES WITH COPPER  
MIN. PLATING THICKNESS: 1 OZ. EXCEPT  
WHERE PLATING NOT REQUIRED
- 6. DRILL: ALL HOLES SHALL BE DRILLED +/-3mil  
WITH RESPECT TO CTR. OF DRILLED PAD.  
ALL HOLES FINISHED SIZE AFTER PLATING.
- 7. DROP ALL UNUSED PADS ON INNER LAYERS.
- 8. DO NOT ALTER ARTWORK e.g. TO ADD LOGO OR DATE CODE.
- 9. SCORING:



FABRICATION DRAWING

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
TOLERANCES ON ANGLE 1 ±  
3 PLACE .005 ±  
INTERPRET DIM AND TOL  
PER ASME Y14.5M - 1994

APPROVALS			
DRAWN	INIT	DATE	
CHECK			
DESIGN	R. Souda		
ENGR	JRM		
SCALE = NONE			



1630 McCarthy Blvd.  
Milpitas, CA 95035  
PH: (408)432-1900

TITLE:  
General Purpose Current Sense Amplifier

SIZE	A	Demo Circuit 1240A	REV.	0
------	---	--------------------	------	---

SHT 1 of 1