



REVISIONS		
REV	DESCRIPTION	DATE



### NOTES : Unless Otherwise Specified

1. MATERIAL : FR4 OR EQUIVALENT EPOXY, 2 OZ. COPPER CLAD  
THICKNESS .062 +/- .006 TOTAL OF 2 LAYERS
2. FINISH : ALL PLATED HOLES .001 MIN. / .0015 MAX. COPPER PLATE  
ELECTRODEPOSITED TIN-LEAD COMPOSITION  
BEFORE REFLOW , SOLDER MASK OVER BARE COPPER (SMOBC)
3. SOLDER MASK : BOTH SIDES USING LPI OR EQUIVALENT
4. SILKSCREEN : USING WHITE NON-CONDUCTIVE EPOXY INK
5. ALL DIMENSIONS ARE IN INCHES
6. SCORING:



## Fabrication Drawing

SIZE	QTY	SYM	PLTD
20	9	+	PLTD
40	3	X	PLTD
72	2	Y	NPLTD
95	7	Z	PLTD

APPROVALS		INIT		DATE	
DRAWN					
CHECK					
DESIGN					
ENGR					
SCALE = NONE					



5V Charge Pump DC/DC Converter			
SIZE	A	DEMO BRD.	REV. A
DC323A		LTC175FENS8-5	
SCALE = NONE		SHT 1 of 1	