



REVISIONS			
REV	DATE	APPR	DATE



- ART01 = LAYER 1 ( COMPONENT SIDE )
- ART02 = LAYER 2 ( GND)
- ART03 = LAYER 3 ( GND)
- ART04 = LAYER 4 ( SOLDER SIDE)

**NOTES : Unless Otherwise Specified**

- MATERIAL : FR4 OR EQUIVALENT EPOXY, 2 OZ. COPPER CLAD  
THICKNESS .062 +/--.006 TOTAL OF 4 LAYERS
- FINISH : ALL PLATED HOLES .001 MIN. / .0015 MAX. COPPER PLATE  
WHITE TIN IMMERSION (OMIKRON) BOTH SIDES.  
BEFORE REFLOW , SOLDER MASK OVER BARE COPPER (SMOBC)
- SOLDER MASK : BOTH SIDES USING GREEN LPI or EQUIVALENT
- SILKSCREEN : USING WHITE NON-CONDUCTIVE EPOXY INK
- ALL DIMENSIONS ARE IN INCHES
- SCORING: NOT REQUIRED FOR PROTOTYPE



**Fabrication Drawing**

<b>APPROVALS</b>				1630 McCarthy Blvd. Milpitas, CA 95035 PH: (408)432-1900	
		TITLE: LTC3835EGN-1, Single 5A High Frequency Step-Down DC/DC Converter			
DRAWN	INIT	DATE	SIZE	Demo Circuit 965A	REV. A
CHECK			NONE		
DESIGN					
ENGR					
SCALE = NONE			DESIGN #		SHT 1 of 1