


Bumpon SJ-5303)




FOR ASSEMBLY:

Install Hardware (E

Goal A02: V3A: 20A 130

「1C3200C28」 「1J22SEGN-1」

ASSEMBLY END BOARD (BOTTOM)




rcnif e22A


plafed DC\DC Converter

「LC444MSE」 「L4430ESE




Option 1





...mpo... ..)

(Bottom Side)





At These Locations

PCB : TOP



PCB : BOTTOM



of 20A




V2


niV+

niV-






juoV-






RTC Confidential - F

www.tiltevr.com




(408) 435-1000
Linear Technology
or Customer Rep Only
linear.com



Exf. 21


Auc



m Drawing

**FEAR
NOLOGY**

1630 McCarthy Blvd.
Milpitas, CA 95035
PH: (408)432-1900




Install C12 Between R44 and D8


Assembly Botto

APPROVALS

DRAWN	INIT	DATE







**0A Isolated DC/DC Converter
1-1, LTC4441MSE, LT4430ES6**

DC677

REV. A

SHT 1 of 1

UNDRAWN			
CHECK			
DESIGN	KML		
ENGR			

TITLE: 48Vin to 3.3V, 50
LTC3900CS8, LT1952EGN

SIZE A | **DEMO BRD**

SCALE = NONE

DES- 0000

