




* VERSION TABLE

ASSEMBLY TYPE	OPTIONAL CIRCUIT 1	OPTIONAL CIRCUIT 2	R27	R46
DC1118A-A	NOT INSTALL	NOT INSTALL	0	66.5K
DC1118A-B	INSTALLED	NOT INSTALL	NOT INSTALL	88.7K
DC1118A-C	INSTALLED	INSTALLED	0	66.5K

CUSTOMER NOTICE		CONTRACT NO.		 <small>1630 McCarthy Blvd. Millsite, CA 95035 Phone: (408)432-1900 Fax: (408)434-0507</small>	
LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.		APPROVALS DRAWN June Wu 6/14/06 CHECKED APPROVED ENGINEER Manjing Xie 6/14/06 DESIGNER		TITLE LTM4601EV, HIGH EFFICIENCY DC/DC MODULES	
THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.		Monday, March 12, 2007		SCALE:	FILENAME:
				DWG NO DC1118A	REV A
				SHEET 1 OF 3	



* OPTIONAL CIRCUIT 1 WILL BE INSTALLED FOR ASSEMBLY VERSION A-B AND A-C.

CUSTOMER NOTICE

LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.

THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.

CONTRACT NO.

APPROVALS	DATE
DRAWN June Wu	6/14/06
CHECKED	
APPROVED	
ENGINEER Manjing Xie	6/14/06
DESIGNER	



1630 McCarthy Blvd.
Milpitas, CA 95035
Phone: (408)434-1300
Fax: (408)434-0507

TITLE
LTM4601EV, HIGH EFFICIENCY DC/DC MODULES

SIZE CAGE CODE DWG NO
DC1118A


REV
A

Monday, March 12, 2007


SCALE:

FILENAME:


SHEET 2 OF 3



SHT 1,2 CLK1 >>
 SHT 1,2 CLK3 >>
 SHT 1,2 CLK2 >>



* OPTIONAL CIRCUIT 2 WILL BE INSTALLED FOR ASSEMBLY VERSION A-C.

CUSTOMER NOTICE		CONTRACT NO.		 1630 McCarthy Blvd. Milpitas, CA 95035 Phone: (408)432-1900 Fax: (408)434-0507	
LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE. THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.		APPROVALS	DATE		
		DRAWN	June Wu	LTM4601EV, HIGH EFFICIENCY DC/DC MODULES	
		CHECKED		SIZE	
		APPROVED		CAGE CODE	
		ENGINEER	Manjing Xie	DWG NO	
		DESIGNER		DC1118A	
				REV	
				A	
				SCALE:	
				FILENAME:	
				SHEET 3 OF 3	