



* SEE DEMO MANUAL FOR IOUT MAX. VS. VIN

NOTE: UNLESS OTHERWISE SPECIFIED
 1. ALL RESISTORS ARE 0603, 1%.
 ALL CAPACITORS ARE 0603.



<p>CUSTOMER NOTICE</p> <p>LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.</p>		<p>1630 McCarthy Blvd. Milpitas, CA 95035 Phone: (408)432-1900 www.linear.com Fax: (408)434-0507 LTC Confidential-For Customer Use Only</p>	
		<p>TITLE: SCHEMATIC</p> <p>58VIN, BUCK-BOOST μMODULE REGULATOR</p>	
SIZE	IC NO.	LTM8056EY	REV.
N/A		DEMO CIRCUIT 2154A	1
DATE:	Thursday, November 06, 2014	SHEET 1 OF 1	

THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.