



AHEAD OF WHAT'S POSSIBLE™

LOW DOSE RADIATION TEST REPORT OP400S

December 2017

Generic



Radiation Test Report	
Product:	OP400S
Gamma:	0, 2k, 10k, 30k, 50k, 75k, 100k
Gamma Source:	Co60/TM1019 Condition D
Dose Rate:	9mRad/s
Facilities:	VPT RAD
Tested:	3/23/17 – 8/22/17




The RADTEST® DATA SERVICE is a compilation of radiation test results on Analog Devices' Space grade products. It is designed to assist customers in selecting the right product for applications where radiation is a consideration. Many products manufactured by Analog Devices, Inc. have been shown to be radiation tolerant to most tactical radiation environments. Analog Devices, Inc. does not make any claim to maintain or guarantee these levels of radiation tolerance without lot qualification test.

It is the responsibility of the Procuring Activity to screen products from Analog Devices, Inc. for compliance to Nuclear Hardness Critical Items (HCI) specifications.




Warning:

Analog Devices, Inc. does not recommend use of this data to qualify other product grades or process levels. Analog Devices, Inc. is not responsible and has no liability for any consequences, and all applicable Warranties are null and void if any Analog Devices product is modified in any way or used outside of normal environmental and operating conditions, including the parameters specified in the corresponding data sheet. Analog Devices, Inc. does not guarantee that wafer manufacturing is the same for all process levels.




		ISY @ VS=+15V							mA	
T# 1		SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	2.058	2.053	2.057	2.054	2.057	2.058	2.055	<3.1	
	45	2.021	2.022	2.025	2.025	2.023	2.021	2.027		
	120	1.965	1.961	1.963	1.956	1.961	1.960	1.959		
Biased	8	2.052	2.024	2.010	2.003	2.005	1.989	1.977		
	9	2.038	2.011	1.988	1.986	1.976	1.967	1.959		
	23	2.060	2.031	2.019	2.006	2.001	1.988	1.980		
	24	2.024	1.988	1.951	1.946	1.939	1.927	1.925		
	51	2.018	2.009	1.994	1.979	1.976	1.968	1.962		
	52	2.015	1.992	1.994	1.968	1.955	1.974	1.970		
	70	2.002	1.986	1.980	1.964	1.957	1.947	1.937		
	71	1.995	1.977	1.969	1.958	1.944	1.938	1.933		
	92	1.996	1.983	1.971	1.972	1.967	1.949	1.945		
	93	1.981	1.958	1.941	1.939	1.927	1.923	1.911		
	121	2.004	1.986	1.980	1.964	1.963	1.949	1.943		
	122	2.025	2.014	2.003	1.994	1.983	1.976	1.967		
	Min	1.981	1.958	1.941	1.939	1.927	1.923	1.911		
	Max	2.060	2.031	2.019	2.006	2.005	1.989	1.980		
Average	2.018	1.997	1.983	1.973	1.966	1.958	1.951			
UnBiased	10	2.052	2.036	2.035	2.019	2.017	2.017	2.004		
	11	2.037	2.021	2.013	2.006	1.996	1.993	1.987		
	25	2.052	2.030	2.020	2.012	2.004	2.005	1.995		
	31	2.049	2.037	2.024	2.016	2.013	2.007	2.001		
	53	2.004	1.989	1.976	1.988	1.983	1.939	1.939		
	54	2.047	2.035	2.031	2.026	2.015	2.012	2.006		
	72	2.012	2.005	1.994	1.982	1.985	1.973	1.970		
	73	1.998	1.990	1.980	1.969	1.962	1.951	1.953		
	94	1.990	1.981	1.975	1.971	1.958	1.955	1.953		
	95	2.005	1.999	1.984	1.981	1.981	1.969	1.964		
	123	2.002	1.997	1.976	1.976	1.972	1.961	1.960		
	124	1.972	1.963	1.960	1.950	1.943	1.933	1.934		
	Min	1.972	1.963	1.960	1.950	1.943	1.933	1.934		
	Max	2.052	2.037	2.035	2.026	2.017	2.017	2.006		
Average	2.018	2.007	1.997	1.991	1.986	1.976	1.972			






		ISY @ VS=-15V							mA
T# 1		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	SN								
	7	-2.070	-2.062	-2.063	-2.065	-2.064	-2.064	-2.065	>-3.1
	45	-2.030	-2.029	-2.027	-2.033	-2.028	-2.026	-2.034	
	120	-1.968	-1.970	-1.970	-1.965	-1.972	-1.967	-1.969	
Biased	8	-2.054	-2.039	-2.021	-2.015	-2.007	-1.995	-1.984	
	9	-2.040	-2.019	-1.995	-1.989	-1.986	-1.966	-1.971	
	23	-2.062	-2.038	-2.026	-2.008	-2.006	-1.991	-1.981	
	24	-2.033	-2.003	-1.953	-1.942	-1.944	-1.931	-1.928	
	51	-2.030	-2.005	-1.999	-1.992	-1.983	-1.966	-1.972	
	52	-2.027	-2.009	-1.994	-1.972	-1.966	-1.974	-1.976	
	70	-2.008	-1.993	-1.979	-1.974	-1.962	-1.951	-1.949	
	71	-2.001	-1.988	-1.976	-1.970	-1.961	-1.946	-1.948	
	92	-2.012	-1.995	-1.986	-1.992	-1.970	-1.957	-1.955	
	93	-1.978	-1.969	-1.954	-1.945	-1.934	-1.926	-1.920	
	121	-2.012	-1.997	-1.984	-1.985	-1.971	-1.963	-1.954	
	122	-2.035	-2.019	-2.006	-1.995	-1.993	-1.978	-1.974	
	Min	-2.062	-2.039	-2.026	-2.015	-2.007	-1.995	-1.984	
	Max	-1.978	-1.969	-1.953	-1.942	-1.934	-1.926	-1.920	
	Average	-2.024	-2.006	-1.989	-1.982	-1.974	-1.962	-1.959	
UnBiased	10	-2.056	-2.046	-2.033	-2.033	-2.026	-2.019	-2.019	
	11	-2.043	-2.028	-2.016	-2.014	-2.013	-1.995	-1.991	
	25	-2.053	-2.041	-2.020	-2.017	-2.015	-2.003	-1.999	
	31	-2.060	-2.047	-2.039	-2.026	-2.021	-2.013	-2.007	
	53	-2.007	-1.995	-1.982	-1.999	-1.986	-1.956	-1.949	
	54	-2.055	-2.040	-2.037	-2.032	-2.027	-2.013	-2.017	
	72	-2.028	-2.013	-1.996	-1.999	-1.994	-1.974	-1.981	
	73	-2.012	-2.000	-1.982	-1.976	-1.969	-1.961	-1.964	
	94	-2.004	-1.991	-1.987	-1.985	-1.975	-1.963	-1.960	
	95	-2.019	-2.009	-1.990	-1.993	-1.984	-1.974	-1.977	
	123	-2.010	-2.004	-1.999	-1.989	-1.985	-1.970	-1.967	
	124	-1.989	-1.969	-1.968	-1.954	-1.950	-1.945	-1.937	
	Min	-2.060	-2.047	-2.039	-2.033	-2.027	-2.019	-2.019	
	Max	-1.989	-1.969	-1.968	-1.954	-1.950	-1.945	-1.937	
	Average	-2.028	-2.015	-2.004	-2.001	-1.995	-1.982	-1.981	






	T# 2	VOS A							uV
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-0.253	-0.096	-0.024	0.084	-0.036	-0.024	-0.145	±150
	45	-5.512	-5.367	-5.608	-5.467	-5.656	-5.467	-5.419	
	120	-0.891	-0.866	-0.999	-0.867	-0.963	-0.807	-1.060	
Biased	8	-0.036	-0.698	-0.782	-0.385	-0.590	-0.361	-0.578	
	9	-1.564	-2.022	-1.083	-1.240	-1.408	-1.373	-1.565	
	23	1.613	1.348	1.468	1.288	1.408	0.999	1.132	
	24	0.517	0.205	-0.144	1.686	2.106	1.036	0.855	
	51	0.710	0.602	0.313	0.506	0.313	0.120	0.060	
	52	0.036	-0.349	-0.120	-1.975	-2.022	-0.470	-0.169	
	70	2.527	1.889	1.781	1.866	1.504	1.216	1.493	
	71	0.421	0.108	0.265	0.542	0.181	-0.084	0.325	
	92	-4.802	-4.982	-5.103	-4.973	-5.415	-5.527	-5.262	
	93	0.205	-0.205	0.012	0.024	-0.325	-0.265	-0.229	
	121	-5.945	-6.655	-6.438	-6.659	-6.896	-6.695	-6.635	
	122	-1.516	-1.962	-2.299	-2.083	-2.395	-2.396	-2.192	
	Min	-5.945	-6.655	-6.438	-6.659	-6.896	-6.695	-6.635	
	Max	2.527	1.889	1.781	1.866	2.106	1.216	1.493	
Average	-0.653	-1.060	-1.011	-0.950	-1.128	-1.150	-1.064		
UnBiased	10	-9.904	-10.025	-9.567	-9.958	-9.964	-10.440	-10.223	
	11	-2.515	-2.672	-2.226	-2.059	-2.347	-2.685	-2.565	
	25	0.746	0.361	1.492	0.999	0.686	0.337	0.530	
	31	-4.068	-4.284	-4.007	-3.817	-4.200	-4.335	-4.311	
	53	-2.226	-2.359	-2.274	-0.494	-0.385	-2.047	-1.915	
	54	-2.900	-2.924	-3.418	-3.480	-3.610	-3.889	-3.877	
	72	-6.053	-6.306	-6.222	-6.286	-6.715	-6.731	-6.551	
	73	-4.380	-4.621	-4.537	-4.901	-5.066	-5.310	-5.021	
	94	-7.425	-7.630	-7.594	-8.080	-8.111	-8.176	-8.249	
	95	-7.618	-8.099	-8.039	-8.321	-8.400	-8.670	-8.453	
	123	-6.138	-6.222	-6.486	-6.779	-7.052	-7.189	-6.900	
	124	-6.198	-6.366	-6.402	-6.490	-6.848	-6.828	-6.683	
	Min	-9.904	-10.025	-9.567	-9.958	-9.964	-10.440	-10.223	
	Max	0.746	0.361	1.492	0.999	0.686	0.337	0.530	
Average	-4.890	-5.096	-4.940	-4.972	-5.168	-5.497	-5.352		






T# 2.1		VOS B							uV
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-3.261	-3.334	-3.297	-3.420	-3.466	-3.432	-3.492	±150
	45	1.576	1.733	1.757	1.782	1.817	1.758	1.602	
	120	-3.707	-3.755	-3.695	-3.769	-3.767	-3.793	-3.950	
Biased	8	-0.578	-1.227	-0.879	-0.999	-0.963	-1.168	-1.048	
	9	-3.646	-3.670	-2.383	-2.709	-3.009	-3.215	-3.022	
	23	-8.617	-9.170	-8.424	-8.971	-8.941	-9.152	-8.935	
	24	-2.359	-3.045	-1.781	-2.408	-2.058	-2.866	-2.818	
	51	-1.095	-1.312	-1.540	-1.626	-1.805	-1.758	-1.590	
	52	-8.147	-8.556	-8.292	-3.853	-3.707	-9.308	-9.043	
	70	1.661	1.372	1.312	1.325	1.191	0.891	1.012	
	71	-0.409	-0.818	-0.445	-0.674	-1.035	-1.072	-0.843	
	92	-1.155	-1.336	-1.504	-1.409	-1.793	-2.083	-1.529	
	93	-8.460	-9.074	-9.206	-8.971	-9.447	-9.489	-9.200	
	121	-8.893	-9.290	-9.363	-9.645	-9.639	-9.742	-9.718	
	122	-0.193	-0.638	-0.794	-0.614	-0.818	-1.168	-0.903	
	Min	-8.893	-9.290	-9.363	-9.645	-9.639	-9.742	-9.718	
	Max	1.661	1.372	1.312	1.325	1.191	0.891	1.012	
	Average	-3.491	-3.897	-3.608	-3.380	-3.502	-4.178	-3.970	
UnBiased	10	-9.531	-9.700	-9.423	-9.706	-9.952	-10.211	-10.091	
	11	-3.947	-4.224	-3.406	-3.432	-3.803	-4.191	-4.058	
	25	0.650	0.891	1.444	1.240	0.758	0.157	0.482	
	31	3.105	3.117	3.382	3.131	2.708	2.432	2.685	
	53	-3.743	-4.140	-3.454	-8.839	-9.182	-3.914	-3.625	
	54	5.885	6.053	6.029	5.949	5.452	4.781	4.985	
	72	-1.504	-1.625	-1.396	-1.626	-1.938	-2.276	-1.927	
	73	-0.854	-1.047	-1.360	-1.325	-1.613	-1.770	-1.614	
	94	-2.732	-3.057	-3.057	-3.191	-3.346	-3.709	-3.564	
	95	-1.468	-1.685	-1.889	-1.963	-2.443	-2.649	-2.469	
	123	-0.722	-0.469	-0.866	-1.096	-1.540	-1.830	-1.830	
	124	-3.334	-3.490	-3.719	-3.938	-4.080	-4.564	-4.191	
	Min	-9.531	-9.700	-9.423	-9.706	-9.952	-10.211	-10.091	
	Max	5.885	6.053	6.029	5.949	5.452	4.781	4.985	
	Average	-1.516	-1.615	-1.476	-2.066	-2.415	-2.312	-2.101	






	T# 2.2	VOS C							uV Limit
	SN	Initial	2K	10K	30K	50K	75K	100K	
Control	7	2.226	2.226	2.166	2.192	2.070	2.023	2.168	±150
	45	-2.948	-2.888	-2.792	-2.782	-2.684	-2.709	-2.974	
	120	-1.492	-1.564	-1.396	-1.650	-1.552	-1.770	-1.590	
Biased	8	0.927	0.746	1.143	0.939	0.951	0.747	0.819	
	9	-2.070	-2.383	-1.504	-1.469	-1.721	-2.059	-1.638	
	23	-6.053	-6.811	-6.125	-6.527	-6.944	-7.020	-6.671	
	24	-4.453	-4.970	-3.610	-3.998	-3.562	-4.588	-4.371	
	51	2.250	2.190	2.202	2.035	1.829	1.590	2.071	
	52	5.319	5.307	5.596	-1.252	-1.372	4.769	4.901	
	70	7.184	7.148	6.823	6.840	6.763	6.599	6.755	
	71	-2.575	-2.997	-2.575	-2.842	-3.273	-3.251	-3.155	
	92	0.144	-0.217	-0.674	-0.602	-0.818	-1.084	-0.446	
	93	4.513	4.356	4.368	4.287	4.212	3.588	4.142	
	121	-4.056	-4.140	-4.417	-4.443	-4.525	-4.853	-4.528	
	122	-2.599	-3.069	-2.985	-3.095	-3.177	-3.444	-3.131	
	Min	-6.053	-6.811	-6.125	-6.527	-6.944	-7.020	-6.671	
	Max	7.184	7.148	6.823	6.840	6.763	6.599	6.755	
Average	-0.122	-0.403	-0.147	-0.844	-0.970	-0.751	-0.438		
UnBiased	10	4.958	4.814	4.850	4.756	4.296	4.046	4.118	
	11	-8.195	-8.376	-7.341	-7.815	-8.171	-8.477	-8.212	
	25	-5.271	-5.054	-4.657	-4.829	-5.343	-5.708	-5.118	
	31	6.270	6.342	6.956	6.262	6.077	5.636	6.201	
	53	-0.975	-1.516	-0.770	5.491	5.307	-1.361	-1.060	
	54	-2.660	-2.840	-2.756	-2.986	-3.370	-3.902	-3.516	
	72	-3.321	-3.273	-3.009	-3.071	-3.538	-4.022	-3.841	
	73	-3.009	-3.177	-3.538	-3.564	-3.875	-4.263	-3.974	
	94	-0.433	-1.167	-1.047	-0.879	-1.035	-1.698	-1.288	
	95	-0.253	-0.181	-0.614	-0.674	-1.107	-1.385	-1.325	
	123	-1.179	-1.396	-1.420	-1.722	-1.925	-2.517	-2.300	
	124	-0.193	-0.614	-0.602	-0.759	-1.059	-1.216	-1.096	
	Min	-8.195	-8.376	-7.341	-7.815	-8.171	-8.477	-8.212	
	Max	6.270	6.342	6.956	6.262	6.077	5.636	6.201	
Average	-1.188	-1.370	-1.162	-0.816	-1.145	-2.072	-1.784		






T# 2.3		VOS D							uV
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-4.525	-4.802	-4.862	-4.540	-4.621	-4.648	-4.744	±150
	45	-0.277	-0.193	-0.457	-0.434	-0.445	-0.325	-0.421	
	120	-5.488	-5.343	-5.175	-5.082	-5.307	-5.106	-5.310	
Biased	8	-7.329	-7.738	-7.497	-7.502	-7.666	-7.526	-7.538	
	9	-7.305	-7.786	-7.112	-7.357	-7.305	-7.394	-7.345	
	23	-4.970	-5.078	-4.693	-4.588	-4.862	-4.997	-4.708	
	24	4.031	3.791	3.466	5.864	6.511	5.347	5.479	
	51	-6.486	-6.402	-6.486	-6.659	-6.896	-6.972	-6.695	
	52	-6.354	-6.763	-6.318	-6.972	-6.992	-6.804	-6.334	
	70	-6.787	-6.968	-7.245	-7.165	-7.197	-7.550	-6.936	
	71	-3.454	-3.779	-3.959	-3.889	-3.719	-4.166	-3.974	
	92	-7.028	-7.317	-7.377	-7.394	-7.714	-7.550	-7.442	
	93	-5.103	-5.175	-4.850	-5.070	-4.994	-5.467	-5.166	
	121	-1.191	-1.709	-1.950	-1.517	-1.853	-1.903	-1.517	
	122	-6.715	-7.016	-6.968	-7.225	-7.413	-7.165	-7.129	
	Min	-7.329	-7.786	-7.497	-7.502	-7.714	-7.550	-7.538	
	Max	4.031	3.791	3.466	5.864	6.511	5.347	5.479	
	Average	-4.891	-5.162	-5.082	-4.956	-5.008	-5.179	-4.942	
UnBiased	10	-0.205	-0.277	-0.301	0.060	-0.289	-0.373	-0.277	
	11	-8.340	-8.580	-7.594	-7.972	-8.256	-8.393	-8.309	
	25	-5.464	-6.077	-4.657	-5.070	-5.379	-5.575	-5.214	
	31	0.229	-0.241	0.469	0.108	0.060	-0.337	-0.169	
	53	-7.064	-7.497	-6.992	-6.418	-6.438	-7.201	-6.876	
	54	-4.898	-4.766	-5.115	-5.298	-5.283	-5.527	-5.178	
	72	-0.939	-1.384	-1.360	-1.012	-1.408	-1.951	-1.842	
	73	3.863	3.550	3.358	3.227	2.912	2.830	2.902	
	94	-8.568	-8.484	-8.508	-8.815	-8.954	-9.332	-9.248	
	95	-4.164	-4.236	-4.477	-4.600	-4.597	-5.045	-4.769	
	123	-4.212	-4.405	-4.537	-4.781	-5.066	-5.286	-5.009	
	124	2.575	2.323	2.262	2.288	1.865	1.674	1.891	
	Min	-8.568	-8.580	-8.508	-8.815	-8.954	-9.332	-9.248	
	Max	3.863	3.550	3.358	3.227	2.912	2.830	2.902	
	Average	-3.099	-3.340	-3.121	-3.190	-3.403	-3.710	-3.508	






	T# 3	IB+ A							nA
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	1.506	1.521	1.608	1.577	1.499	1.570	1.546	±20
	45	1.980	1.968	1.989	1.995	1.980	1.989	1.998	
	120	1.521	1.506	1.557	1.565	1.523	1.623	1.577	
Biased	8	1.585	2.898	4.197	4.684	5.435	6.300	5.859	
	9	1.248	2.352	3.799	4.444	5.436	6.484	5.894	
	23	1.308	2.732	4.420	5.131	6.094	7.341	6.752	
	24	0.909	2.226	6.137	8.308	8.476	10.746	9.431	
	51	1.690	2.855	4.372	4.936	5.362	6.530	5.890	
	52	1.864	3.002	4.292	5.364	5.978	7.591	7.463	
	70	1.975	3.109	4.516	4.891	5.771	7.016	6.736	
	71	1.484	2.481	3.934	4.436	5.700	6.865	6.271	
	92	1.990	2.983	4.659	4.660	6.820	8.001	7.131	
	93	1.499	2.704	4.208	4.658	5.646	6.854	6.254	
	121	1.862	2.985	4.524	5.006	6.076	7.215	6.645	
	122	1.974	3.108	4.673	5.258	6.269	7.395	6.927	
	Min	0.909	2.226	3.799	4.436	5.362	6.300	5.859	
	Max	1.990	3.109	6.137	8.308	8.476	10.746	9.431	
	Average	1.616	2.786	4.478	5.148	6.089	7.458	6.771	
UnBiased	10	1.687	2.334	3.440	4.523	6.138	7.817	7.800	
	11	1.458	2.351	3.463	4.631	6.464	8.342	8.197	
	25	1.410	2.121	3.756	5.025	7.079	8.930	8.684	
	31	1.361	2.126	3.584	4.663	6.699	8.582	8.115	
	53	1.621	2.320	3.952	4.649	5.829	7.003	6.394	
	54	1.775	2.462	3.822	4.644	6.636	8.589	8.410	
	72	1.631	2.336	3.374	4.278	6.262	8.200	8.166	
	73	1.666	2.355	3.783	4.987	6.361	8.060	7.907	
	94	1.885	2.580	3.560	4.544	6.512	8.517	8.303	
	95	1.990	2.587	4.014	4.903	6.906	8.665	8.514	
	123	1.878	2.395	3.842	4.652	6.586	8.468	8.291	
	124	1.643	2.386	3.753	4.652	6.739	8.576	8.418	
	Min	1.361	2.121	3.374	4.278	5.829	7.003	6.394	
	Max	1.990	2.587	4.014	5.025	7.079	8.930	8.684	
	Average	1.667	2.363	3.695	4.679	6.518	8.312	8.100	






T# 3.1		IB- A							nA
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	1.670	1.647	1.710	1.703	1.687	1.686	1.713	±20
	45	2.060	2.022	2.081	2.059	2.026	2.077	2.074	
	120	1.652	1.631	1.655	1.654	1.643	1.663	1.662	
Biased	8	1.698	3.095	4.438	4.930	5.826	6.661	6.223	
	9	1.377	2.576	4.023	4.658	5.730	6.768	6.241	
	23	1.497	2.925	4.610	5.298	6.301	7.669	7.101	
	24	1.069	2.428	6.468	8.607	7.702	10.380	9.502	
	51	1.781	2.991	4.605	5.181	5.668	6.891	6.244	
	52	1.990	3.172	4.488	5.582	6.255	7.910	7.742	
	70	2.173	3.373	4.740	5.147	6.103	7.352	7.078	
	71	1.733	2.879	4.397	4.902	6.278	7.480	6.810	
	92	2.281	3.303	4.996	5.055	7.301	8.577	7.698	
	93	1.572	2.804	4.404	4.842	5.867	7.099	6.495	
	121	1.949	3.163	4.728	5.192	6.389	7.528	6.962	
	122	1.999	3.171	4.769	5.278	6.486	7.601	7.093	
	Min	1.069	2.428	4.023	4.658	5.668	6.661	6.223	
	Max	2.281	3.373	6.468	8.607	7.702	10.380	9.502	
Average	1.760	2.990	4.722	5.389	6.326	7.660	7.099		
UnBiased	10	1.863	2.505	3.607	4.687	6.447	8.173	8.009	
	11	1.569	2.388	3.637	4.824	6.681	8.571	8.382	
	25	1.544	2.258	3.882	5.183	7.249	9.208	8.816	
	31	1.591	2.368	3.965	5.067	7.173	9.072	8.502	
	53	1.762	2.487	4.209	4.879	6.197	7.371	6.734	
	54	1.888	2.556	4.012	4.823	6.920	8.921	8.646	
	72	1.811	2.530	3.690	4.582	6.781	8.859	8.714	
	73	1.865	2.530	4.049	5.209	6.668	8.509	8.202	
	94	2.027	2.726	3.824	4.822	6.858	8.813	8.511	
	95	2.016	2.682	4.151	5.095	7.283	9.049	8.731	
	123	2.073	2.537	4.114	4.882	6.989	8.914	8.620	
	124	1.890	2.618	4.062	5.064	7.256	9.202	8.853	
	Min	1.544	2.258	3.607	4.582	6.197	7.371	6.734	
	Max	2.073	2.726	4.209	5.209	7.283	9.208	8.853	
Average	1.825	2.515	3.934	4.926	6.875	8.722	8.393		






		T# 3.2	IB+ B						nA	
		SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	1.487	1.492	1.614	1.492	1.495	1.538	1.516		±20
	45	1.986	1.889	1.995	1.985	1.980	2.020	2.000		
	120	1.367	1.293	1.369	1.382	1.359	1.423	1.381		
Biased	8	1.506	2.820	4.157	4.646	5.399	6.280	5.845		
	9	1.264	2.383	3.832	4.491	5.500	6.485	5.868		
	23	1.249	2.598	4.162	4.807	5.732	7.000	6.399		
	24	0.971	2.237	5.268	6.282	6.603	8.856	7.714		
	51	1.646	2.859	4.400	4.934	5.396	6.626	5.996		
	52	1.859	3.102	4.388	5.138	5.779	7.731	7.688		
	70	1.892	3.003	4.288	4.647	5.514	6.754	6.469		
	71	1.843	2.842	4.315	4.769	6.046	7.231	6.624		
	92	1.956	2.964	4.519	4.550	6.678	7.822	6.966		
	93	1.753	2.951	4.429	4.883	5.862	7.115	6.548		
	121	1.978	3.189	4.651	5.142	6.162	7.339	6.767		
	122	1.859	2.865	4.416	4.912	5.995	7.072	6.601		
		Min	0.971	2.237	3.832	4.491	5.396	6.280	5.845	
		Max	1.978	3.189	5.268	6.282	6.678	8.856	7.714	
		Average	1.648	2.818	4.402	4.933	5.889	7.193	6.624	
UnBiased	10	1.593	2.218	3.344	4.328	6.033	7.708	7.642		
	11	1.380	2.116	3.308	4.519	6.298	8.194	8.072		
	25	1.400	2.183	3.667	4.917	6.949	8.784	8.470		
	31	1.487	2.220	3.692	4.815	6.832	8.720	8.301		
	53	1.529	2.255	3.816	4.748	5.978	6.873	6.233		
	54	1.984	2.607	4.061	4.810	6.837	8.836	8.677		
	72	1.814	2.487	3.587	4.528	6.591	8.590	8.475		
	73	1.867	2.548	3.988	5.129	6.440	8.174	7.968		
	94	1.756	2.347	3.351	4.283	6.224	8.053	7.888		
	95	1.734	2.456	3.805	4.770	6.716	8.496	8.307		
	123	1.867	2.370	3.777	4.551	6.501	8.369	8.088		
	124	1.618	2.378	3.780	4.667	6.727	8.548	8.359		
		Min	1.380	2.116	3.308	4.283	5.978	6.873	6.233	
		Max	1.984	2.607	4.061	5.129	6.949	8.836	8.677	
		Average	1.669	2.349	3.681	4.672	6.511	8.279	8.040	






T# 3.3		IB- B							nA
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	1.532	1.528	1.626	1.548	1.542	1.603	1.563	±20
	45	2.015	1.944	2.015	2.002	1.957	2.006	2.024	
	120	1.558	1.510	1.582	1.580	1.547	1.629	1.603	
Biased	8	1.639	2.987	4.312	4.756	5.563	6.423	6.028	
	9	1.356	2.570	3.989	4.650	5.684	6.681	6.049	
	23	1.421	2.853	4.440	5.093	6.145	7.452	6.834	
	24	1.070	2.389	5.560	6.630	5.699	8.430	7.642	
	51	1.898	3.100	4.625	5.194	5.668	6.881	6.283	
	52	1.978	3.326	4.618	5.432	6.089	7.989	7.849	
	70	2.111	3.242	4.608	4.942	5.887	7.112	6.841	
	71	1.903	2.987	4.450	4.868	6.159	7.367	6.747	
	92	2.115	3.143	4.734	4.788	7.032	8.178	7.301	
	93	1.904	3.137	4.713	5.111	6.144	7.369	6.808	
	121	2.052	3.303	4.818	5.270	6.379	7.533	6.995	
	122	2.060	3.184	4.718	5.221	6.348	7.432	6.953	
	Min	1.070	2.389	3.989	4.650	5.563	6.423	6.028	
	Max	2.115	3.326	5.560	6.630	7.032	8.430	7.849	
Average	1.792	3.018	4.632	5.163	6.066	7.404	6.861		
UnBiased	10	1.722	2.371	3.552	4.601	6.399	8.072	7.904	
	11	1.507	2.293	3.542	4.711	6.628	8.539	8.333	
	25	1.516	2.284	3.888	5.128	7.255	9.160	8.796	
	31	1.663	2.373	3.997	5.176	7.262	9.199	8.658	
	53	1.774	2.479	4.092	4.984	6.213	7.166	6.591	
	54	2.027	2.638	4.086	4.919	7.030	9.046	8.756	
	72	1.774	2.486	3.656	4.577	6.774	8.805	8.680	
	73	1.898	2.594	4.079	5.197	6.659	8.416	8.098	
	94	1.954	2.612	3.693	4.630	6.670	8.694	8.444	
	95	1.917	2.631	4.067	5.017	7.089	8.904	8.611	
	123	2.020	2.527	4.004	4.848	6.927	8.857	8.505	
	124	1.792	2.551	3.985	4.856	6.982	8.843	8.580	
	Min	1.507	2.284	3.542	4.577	6.213	7.166	6.591	
	Max	2.027	2.638	4.092	5.197	7.262	9.199	8.796	
Average	1.797	2.487	3.887	4.887	6.824	8.642	8.330		






	T# 4	IB+ C							nA
		SN	Initial	2K	10K	30K	50K	75K	
Control	7	1.600	1.573	1.666	1.627	1.636	1.678	1.648	±20
	45	2.100	1.990	1.998	1.997	2.015	2.050	2.031	
	120	1.403	1.370	1.381	1.397	1.383	1.421	1.455	
Biased	8	1.605	2.872	4.043	4.508	5.249	6.129	5.706	
	9	1.309	2.661	4.341	5.073	6.038	7.028	6.377	
	23	1.391	2.728	4.350	5.008	5.935	7.203	6.625	
	24	0.972	2.297	5.304	6.342	6.592	8.775	7.652	
	51	1.985	2.976	4.558	5.083	5.521	6.736	6.124	
	52	1.868	2.913	4.183	5.142	5.793	7.539	7.492	
	70	1.989	3.184	4.408	4.741	5.581	6.740	6.493	
	71	1.773	2.960	4.388	4.772	5.959	7.003	6.471	
	92	1.853	2.844	4.413	4.486	6.486	7.615	6.802	
	93	1.763	2.805	4.295	4.673	5.642	6.816	6.269	
	121	1.896	3.087	4.537	4.962	6.006	7.073	6.585	
	122	1.758	2.828	4.302	4.817	5.817	6.827	6.439	
	Min	0.972	2.297	4.043	4.486	5.249	6.129	5.706	
	Max	1.989	3.184	5.304	6.342	6.592	8.775	7.652	
	Average	1.680	2.846	4.427	4.967	5.885	7.124	6.586	
UnBiased	10	1.638	2.234	3.348	4.484	6.243	7.874	7.879	
	11	1.487	2.364	3.569	4.680	6.547	8.569	8.433	
	25	1.558	2.370	3.925	5.159	7.227	9.195	8.820	
	31	1.516	2.256	3.803	4.921	6.886	8.817	8.426	
	53	1.500	2.243	3.891	4.613	5.853	6.864	6.228	
	54	1.887	2.611	4.052	4.889	6.848	8.801	8.612	
	72	1.805	2.453	3.572	4.510	6.622	8.654	8.534	
	73	1.801	2.490	3.943	5.003	6.277	7.980	7.814	
	94	1.885	2.588	3.576	4.545	6.429	8.288	8.192	
	95	1.883	2.628	4.058	5.070	7.131	8.937	8.683	
	123	1.806	2.421	3.866	4.754	6.725	8.681	8.412	
	124	1.723	2.436	3.770	4.676	6.733	8.598	8.402	
	Min	1.487	2.234	3.348	4.484	5.853	6.864	6.228	
	Max	1.887	2.628	4.058	5.159	7.227	9.195	8.820	
	Average	1.707	2.425	3.781	4.775	6.627	8.438	8.203	






T# 4.1		IB- C							nA
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	1.589	1.566	1.600	1.632	1.612	1.608	1.634	±20
	45	2.166	2.129	2.202	2.198	2.162	2.205	2.225	
	120	1.570	1.512	1.579	1.556	1.536	1.584	1.575	
Biased	8	1.676	3.004	4.241	4.710	5.509	6.367	5.982	
	9	1.441	2.845	4.601	5.298	6.296	7.246	6.707	
	23	1.526	2.934	4.566	5.181	6.149	7.409	6.876	
	24	1.020	2.376	5.562	6.520	5.597	8.187	7.518	
	51	2.115	3.192	4.809	5.300	5.778	6.984	6.388	
	52	1.988	3.119	4.398	5.320	5.989	7.934	7.720	
	70	2.105	3.247	4.580	4.890	5.809	6.975	6.765	
	71	1.886	3.142	4.537	4.930	6.164	7.258	6.748	
	92	1.901	2.966	4.576	4.678	6.789	7.935	7.022	
	93	1.849	2.896	4.475	4.835	5.803	6.998	6.461	
	121	2.022	3.266	4.795	5.214	6.354	7.432	6.919	
	122	1.841	2.954	4.412	4.898	5.949	7.005	6.527	
	Min	1.020	2.376	4.241	4.678	5.509	6.367	5.982	
	Max	2.115	3.266	5.562	6.520	6.789	8.187	7.720	
Average	1.781	2.995	4.629	5.148	6.016	7.311	6.803		
UnBiased	10	1.771	2.452	3.624	4.767	6.588	8.260	8.168	
	11	1.715	2.593	3.862	5.078	7.105	9.075	8.935	
	25	1.780	2.636	4.236	5.506	7.676	9.651	9.204	
	31	1.531	2.332	3.908	5.056	7.165	9.104	8.560	
	53	1.660	2.441	4.126	4.838	6.146	7.020	6.405	
	54	1.993	2.756	4.272	5.079	7.206	9.194	8.962	
	72	1.896	2.594	3.758	4.723	6.986	9.057	8.817	
	73	2.000	2.751	4.327	5.416	6.848	8.686	8.476	
	94	2.006	2.735	3.794	4.776	6.795	8.744	8.549	
	95	2.031	2.798	4.296	5.293	7.411	9.237	8.984	
	123	1.819	2.505	4.030	4.909	6.992	8.895	8.592	
	124	1.929	2.704	4.115	5.085	7.270	9.175	8.821	
	Min	1.531	2.332	3.624	4.723	6.146	7.020	6.405	
	Max	2.031	2.798	4.327	5.506	7.676	9.651	9.204	
Average	1.844	2.608	4.029	5.044	7.016	8.842	8.539		






		T# 4.2	IB+ D						nA		
		SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7		1.652	1.649	1.733	1.654	1.623	1.693	1.666	±20	
	45		1.989	1.906	1.980	1.977	1.909	2.005	1.981		
	120		1.515	1.437	1.496	1.520	1.480	1.532	1.533		
Biased	8		1.741	2.997	4.214	4.701	5.499	6.300	5.855		
	9		1.260	2.600	4.267	4.881	5.856	6.863	6.219		
	23		1.148	2.444	3.925	4.472	5.400	6.610	5.994		
	24		1.008	2.247	6.027	7.572	7.821	9.889	8.689		
	51		1.892	2.862	4.430	4.924	5.397	6.563	5.934		
	52		1.760	2.926	4.178	5.168	5.772	7.589	7.469		
	70		1.979	3.091	4.347	4.726	5.529	6.730	6.454		
	71		1.733	2.979	4.396	4.789	5.896	6.991	6.370		
	92		1.883	2.856	4.402	4.418	6.496	7.576	6.743		
	93		1.620	2.617	4.187	4.548	5.441	6.613	6.074		
	121		1.947	3.005	4.524	4.924	6.011	7.106	6.525		
	122		1.890	2.973	4.446	4.873	5.910	6.978	6.483		
		Min		1.008	2.247	3.925	4.418	5.397	6.300	5.855	
		Max		1.979	3.091	6.027	7.572	7.821	9.889	8.689	
		Average		1.655	2.800	4.445	5.000	5.919	7.151	6.567	
UnBiased	10		1.769	2.452	3.571	4.654	6.322	8.008	8.001		
	11		1.340	2.119	3.216	4.340	6.144	7.982	7.899		
	25		1.469	2.231	3.816	5.015	7.047	8.937	8.555		
	31		1.410	2.171	3.602	4.659	6.577	8.444	8.001		
	53		1.403	2.135	3.829	4.615	5.835	6.802	6.118		
	54		1.635	2.333	3.628	4.522	6.392	8.304	8.090		
	72		1.660	2.330	3.439	4.318	6.437	8.430	8.202		
	73		1.921	2.617	4.122	5.252	6.633	8.423	8.168		
	94		1.887	2.563	3.569	4.450	6.333	8.187	8.048		
	95		1.985	2.691	4.065	5.035	7.126	8.945	8.753		
	123		1.740	2.341	3.802	4.655	6.656	8.540	8.301		
	124		1.641	2.451	3.793	4.740	6.743	8.601	8.346		
		Min		1.340	2.119	3.216	4.318	5.835	6.802	6.118	
		Max		1.985	2.691	4.122	5.252	7.126	8.945	8.753	
		Average		1.655	2.370	3.704	4.688	6.520	8.300	8.040	






T# 4.3		IB- D							nA
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	1.801	1.757	1.884	1.816	1.778	1.804	1.847	±20
	45	1.980	1.922	2.000	2.002	1.942	1.981	1.982	
	120	1.641	1.608	1.671	1.663	1.641	1.664	1.689	
Biased	8	1.801	3.116	4.389	4.843	5.625	6.432	6.042	
	9	1.363	2.688	4.348	5.045	6.071	7.026	6.439	
	23	1.227	2.556	4.043	4.676	5.667	6.920	6.352	
	24	1.056	2.361	6.224	7.865	6.965	9.578	8.844	
	51	1.962	2.997	4.591	5.069	5.547	6.745	6.159	
	52	1.959	3.118	4.352	5.318	5.943	7.877	7.639	
	70	2.100	3.207	4.505	4.866	5.798	7.000	6.733	
	71	1.812	3.163	4.618	5.046	6.274	7.342	6.797	
	92	1.852	2.837	4.438	4.530	6.670	7.736	6.880	
	93	1.739	2.750	4.269	4.649	5.628	6.825	6.247	
	121	2.012	3.093	4.638	5.060	6.196	7.232	6.664	
	122	2.010	3.145	4.624	5.087	6.192	7.204	6.773	
	Min	1.056	2.361	4.043	4.530	5.547	6.432	6.042	
	Max	2.100	3.207	6.224	7.865	6.965	9.578	8.844	
Average	1.741	2.919	4.587	5.171	6.048	7.326	6.797		
UnBiased	10	1.844	2.519	3.721	4.824	6.611	8.271	8.199	
	11	1.434	2.213	3.426	4.579	6.540	8.453	8.265	
	25	1.632	2.430	4.083	5.335	7.577	9.497	9.073	
	31	1.589	2.363	3.944	5.035	7.106	8.960	8.455	
	53	1.472	2.207	3.946	4.810	6.117	6.978	6.340	
	54	1.712	2.444	3.926	4.830	6.882	8.712	8.482	
	72	1.733	2.445	3.619	4.485	6.714	8.734	8.531	
	73	1.958	2.650	4.229	5.283	6.803	8.565	8.265	
	94	2.000	2.740	3.805	4.767	6.745	8.562	8.305	
	95	2.043	2.762	4.295	5.232	7.364	9.199	8.869	
	123	1.884	2.495	4.039	4.868	6.994	8.906	8.597	
	124	1.759	2.504	3.955	4.955	7.085	8.903	8.575	
	Min	1.434	2.207	3.426	4.485	6.117	6.978	6.340	
	Max	2.043	2.762	4.295	5.335	7.577	9.497	9.073	
Average	1.755	2.481	3.916	4.917	6.878	8.645	8.330		






	T# 5	IOS [A]							nA
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-0.078	-0.089	-0.073	-0.074	-0.060	-0.050	-0.083	±2.5
	45	-0.007	-0.043	-0.012	-0.005	-0.071	-0.037	-0.049	
	120	-0.030	-0.057	0.000	-0.031	-0.032	0.012	-0.010	
Biased	8	-0.070	-0.094	-0.113	-0.186	-0.230	-0.272	-0.310	
	9	-0.058	-0.130	-0.181	-0.114	-0.194	-0.222	-0.210	
	23	-0.072	-0.080	-0.086	-0.105	-0.115	-0.188	-0.218	
	24	-0.065	-0.181	-0.192	-0.190	0.872	0.473	0.041	
	51	-0.075	-0.070	-0.099	-0.139	-0.217	-0.295	-0.230	
	52	-0.082	-0.088	-0.067	-0.189	-0.209	-0.224	-0.178	
	70	-0.121	-0.194	-0.184	-0.183	-0.216	-0.284	-0.303	
	71	-0.169	-0.242	-0.343	-0.348	-0.464	-0.495	-0.447	
	92	-0.185	-0.217	-0.228	-0.325	-0.431	-0.493	-0.437	
	93	-0.047	-0.050	-0.082	-0.090	-0.078	-0.168	-0.164	
	121	-0.070	-0.081	-0.111	-0.098	-0.222	-0.255	-0.214	
	122	0.063	0.045	0.007	0.004	-0.098	-0.114	-0.077	
	Min	-0.185	-0.242	-0.343	-0.348	-0.464	-0.495	-0.447	
	Max	0.063	0.045	0.007	0.004	0.872	0.473	0.041	
	Average	-0.079	-0.115	-0.140	-0.164	-0.134	-0.211	-0.229	
UnBiased	10	-0.062	-0.057	-0.100	-0.073	-0.196	-0.312	-0.176	
	11	-0.067	-0.030	-0.097	-0.094	-0.121	-0.160	-0.062	
	25	-0.057	-0.105	-0.071	-0.075	-0.075	-0.198	-0.047	
	31	-0.090	-0.146	-0.280	-0.309	-0.415	-0.430	-0.271	
	53	-0.063	-0.068	-0.182	-0.186	-0.284	-0.283	-0.219	
	54	0.000	-0.046	-0.076	-0.094	-0.220	-0.198	-0.135	
	72	-0.070	-0.090	-0.215	-0.222	-0.447	-0.580	-0.458	
	73	-0.098	-0.078	-0.181	-0.123	-0.198	-0.322	-0.190	
	94	-0.079	-0.056	-0.181	-0.214	-0.233	-0.183	-0.075	
	95	0.021	0.029	-0.072	-0.057	-0.300	-0.301	-0.095	
	123	-0.095	-0.048	-0.190	-0.195	-0.304	-0.340	-0.222	
	124	-0.145	-0.176	-0.251	-0.314	-0.415	-0.497	-0.308	
	Min	-0.145	-0.176	-0.280	-0.314	-0.447	-0.580	-0.458	
	Max	0.021	0.029	-0.071	-0.057	-0.075	-0.160	-0.047	
	Average	-0.067	-0.073	-0.158	-0.163	-0.267	-0.317	-0.188	






	T# 5.1	IOS [B]							nA
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	0.035	0.040	0.038	0.059	0.041	0.057	0.043	±2.5
	45	0.066	0.052	0.058	0.036	0.059	0.057	0.044	
	120	-0.098	-0.095	-0.135	-0.099	-0.096	-0.085	-0.078	
Biased	8	-0.069	-0.096	-0.084	-0.062	-0.081	-0.090	-0.079	
	9	-0.028	-0.099	-0.079	-0.101	-0.078	-0.081	-0.091	
	23	-0.086	-0.186	-0.186	-0.216	-0.317	-0.408	-0.329	
	24	-0.070	-0.079	-0.202	-0.180	0.909	0.530	0.177	
	51	-0.094	-0.164	-0.157	-0.177	-0.191	-0.184	-0.205	
	52	-0.064	-0.080	-0.110	-0.184	-0.209	-0.178	-0.066	
	70	-0.185	-0.202	-0.178	-0.215	-0.250	-0.294	-0.261	
	71	-0.031	-0.073	-0.076	-0.077	-0.079	-0.058	-0.063	
	92	-0.086	-0.084	-0.183	-0.133	-0.257	-0.303	-0.321	
	93	-0.069	-0.104	-0.203	-0.203	-0.206	-0.194	-0.218	
	121	-0.077	-0.092	-0.079	-0.083	-0.091	-0.179	-0.110	
	122	-0.156	-0.221	-0.200	-0.205	-0.273	-0.293	-0.246	
	Min	-0.185	-0.221	-0.203	-0.216	-0.317	-0.408	-0.329	
	Max	-0.028	-0.073	-0.076	-0.062	0.909	0.530	0.177	
	Average	-0.085	-0.123	-0.145	-0.153	-0.094	-0.144	-0.151	
UnBiased	10	-0.057	-0.074	-0.083	-0.202	-0.298	-0.328	-0.189	
	11	-0.067	-0.086	-0.168	-0.114	-0.220	-0.319	-0.106	
	25	-0.014	-0.100	-0.083	-0.064	-0.209	-0.333	-0.187	
	31	-0.067	-0.107	-0.194	-0.218	-0.324	-0.403	-0.226	
	53	-0.066	-0.064	-0.197	-0.176	-0.181	-0.237	-0.226	
	54	0.044	0.035	0.047	-0.032	-0.072	-0.088	0.001	
	72	0.096	0.118	0.054	0.040	-0.094	-0.157	-0.088	
	73	0.045	0.034	0.049	-0.047	-0.064	-0.087	-0.051	
	94	-0.063	-0.153	-0.216	-0.299	-0.331	-0.478	-0.451	
	95	-0.061	-0.064	-0.194	-0.201	-0.305	-0.309	-0.200	
	123	-0.082	-0.073	-0.205	-0.193	-0.329	-0.426	-0.320	
	124	-0.075	-0.085	-0.090	-0.083	-0.186	-0.191	-0.065	
	Min	-0.082	-0.153	-0.216	-0.299	-0.331	-0.478	-0.451	
	Max	0.096	0.118	0.054	0.040	-0.064	-0.087	0.001	
	Average	-0.031	-0.052	-0.107	-0.132	-0.218	-0.280	-0.176	






T# 5.2		IOS [C]							nA
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	0.076	0.080	0.110	0.088	0.117	0.074	0.096	±2.5
	45	-0.063	-0.072	-0.060	-0.066	-0.056	-0.036	-0.075	
	120	-0.068	-0.063	-0.060	-0.065	-0.062	-0.061	-0.046	
Biased	8	0.024	-0.073	-0.075	-0.083	-0.193	-0.199	-0.195	
	9	-0.033	-0.072	-0.191	-0.079	-0.186	-0.176	-0.250	
	23	-0.039	-0.089	-0.089	-0.070	-0.100	-0.101	-0.158	
	24	0.037	-0.041	-0.159	-0.070	1.046	0.640	0.194	
	51	-0.090	-0.079	-0.167	-0.147	-0.151	-0.169	-0.162	
	52	-0.061	-0.082	-0.083	-0.094	-0.065	-0.308	-0.092	
	70	0.000	-0.068	-0.095	-0.080	-0.163	-0.192	-0.204	
	71	-0.023	-0.053	-0.056	-0.057	-0.170	-0.173	-0.151	
	92	0.028	-0.060	-0.081	-0.107	-0.215	-0.205	-0.128	
	93	0.038	-0.110	-0.046	-0.080	-0.056	-0.047	-0.075	
	121	-0.078	-0.073	-0.171	-0.161	-0.306	-0.283	-0.273	
	122	0.018	-0.057	-0.018	-0.009	-0.097	-0.086	-0.076	
	Min	-0.090	-0.110	-0.191	-0.161	-0.306	-0.308	-0.273	
	Max	0.038	-0.041	-0.018	-0.009	1.046	0.640	0.194	
	Average	-0.015	-0.071	-0.103	-0.086	-0.055	-0.108	-0.131	
UnBiased	10	-0.090	-0.068	-0.223	-0.215	-0.280	-0.293	-0.199	
	11	-0.142	-0.190	-0.223	-0.335	-0.448	-0.480	-0.439	
	25	-0.159	-0.182	-0.206	-0.232	-0.335	-0.430	-0.295	
	31	0.054	0.042	-0.046	-0.079	-0.174	-0.190	-0.070	
	53	-0.079	-0.078	-0.136	-0.137	-0.277	-0.064	-0.086	
	54	-0.058	-0.084	-0.187	-0.121	-0.217	-0.297	-0.241	
	72	-0.064	-0.086	-0.094	-0.112	-0.298	-0.361	-0.188	
	73	-0.158	-0.179	-0.329	-0.298	-0.453	-0.637	-0.527	
	94	-0.064	-0.095	-0.079	-0.181	-0.303	-0.393	-0.302	
	95	-0.055	-0.048	-0.085	-0.092	-0.185	-0.288	-0.182	
	123	0.026	0.026	-0.061	-0.087	-0.149	-0.160	-0.093	
	124	-0.169	-0.146	-0.307	-0.334	-0.429	-0.447	-0.346	
	Min	-0.169	-0.190	-0.329	-0.335	-0.453	-0.637	-0.527	
	Max	0.054	0.042	-0.046	-0.079	-0.149	-0.064	-0.070	
	Average	-0.080	-0.091	-0.165	-0.185	-0.296	-0.337	-0.247	






	T# 5.3	IOS [D]							nA
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit ±2.5
Control	7	-0.074	-0.063	-0.055	-0.076	-0.073	-0.062	-0.074	
	45	0.038	0.051	0.045	0.065	0.051	0.068	0.067	
	120	-0.085	-0.094	-0.081	-0.090	-0.059	-0.056	-0.086	
Biased	8	0.012	-0.027	-0.083	-0.025	-0.053	-0.051	-0.075	
	9	-0.022	-0.046	-0.066	-0.058	-0.099	-0.069	-0.114	
	23	-0.031	-0.060	-0.048	-0.074	-0.181	-0.204	-0.219	
	24	0.030	-0.057	-0.074	-0.187	0.892	0.414	-0.039	
	51	-0.070	-0.085	-0.071	-0.104	-0.075	-0.056	-0.162	
	52	-0.077	-0.077	-0.091	-0.081	-0.070	-0.157	-0.091	
	70	-0.048	-0.017	-0.093	-0.068	-0.105	-0.190	-0.216	
	71	-0.044	-0.083	-0.168	-0.174	-0.256	-0.282	-0.329	
	92	0.138	0.111	0.033	-0.037	-0.101	-0.072	-0.072	
	93	-0.005	-0.041	-0.041	-0.037	-0.092	-0.094	-0.068	
	121	0.008	0.006	-0.076	-0.074	-0.084	-0.063	-0.077	
	122	-0.058	-0.116	-0.090	-0.126	-0.170	-0.176	-0.193	
	Min	-0.077	-0.116	-0.168	-0.187	-0.256	-0.282	-0.329	
	Max	0.138	0.111	0.033	-0.025	0.892	0.414	-0.039	
Average	-0.014	-0.041	-0.072	-0.087	-0.033	-0.083	-0.138		
UnBiased	10	0.013	0.005	-0.071	-0.078	-0.191	-0.169	-0.061	
	11	-0.050	0.003	-0.098	-0.183	-0.306	-0.385	-0.222	
	25	-0.069	-0.093	-0.207	-0.300	-0.447	-0.532	-0.407	
	31	-0.092	-0.058	-0.286	-0.293	-0.431	-0.493	-0.340	
	53	0.041	0.009	-0.102	-0.059	-0.182	-0.071	-0.087	
	54	-0.046	-0.054	-0.213	-0.220	-0.345	-0.324	-0.203	
	72	0.003	-0.059	-0.068	-0.093	-0.185	-0.236	-0.176	
	73	0.056	0.050	0.020	0.045	-0.092	-0.068	-0.057	
	94	-0.039	-0.093	-0.183	-0.213	-0.335	-0.311	-0.177	
	95	-0.062	-0.050	-0.083	-0.079	-0.177	-0.149	-0.067	
	123	-0.058	-0.054	-0.165	-0.172	-0.277	-0.282	-0.198	
	124	-0.072	0.003	-0.056	-0.147	-0.239	-0.211	-0.093	
	Min	-0.092	-0.093	-0.286	-0.300	-0.447	-0.532	-0.407	
	Max	0.056	0.050	0.020	0.045	-0.092	-0.068	-0.057	
Average	-0.031	-0.033	-0.126	-0.149	-0.267	-0.269	-0.174		






T# 6		AVO A @ 20V RL=2K							V/mV
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	3933	3878	3895	3936	3877	3854	3848	>2000
	45	3835	3824	3837	3790	3816	3954	3811	
	120	3930	3871	3932	3970	3980	3988	3956	
Biased	8	3820	3802	3867	3794	3730	3766	3821	
	9	3910	3813	3876	3848	3716	3796	3802	
	23	3814	3787	3893	3790	3777	3798	3732	
	24	3939	3801	3757	3522	3464	3455	3519	
	51	3884	3808	3863	3864	3815	3761	3826	
	52	3808	3771	3763	3698	3746	3695	3723	
	70	3805	3806	3786	3760	3682	3793	3705	
	71	3843	3771	3932	3797	3822	3843	3772	
	92	3792	3847	3858	3610	3722	3786	3765	
	93	3852	3789	3877	3776	3807	3869	3886	
	121	3840	3780	3820	3776	3676	3803	3832	
	122	3869	3718	3773	3814	3709	3757	3756	
	Min	3792.1	3717.9	3757.1	3521.8	3463.5	3454.7	3519.1	
	Max	3938.5	3847.2	3932.0	3864.2	3822.0	3869.1	3886.4	
Average	3847.9	3791.1	3838.7	3754.0	3722.1	3760.2	3761.7		
UnBiased	10	3883	3783	3914	3780	3737	3772	3848	
	11	3886	3895	3876	3751	3727	3718	3719	
	25	3868	3929	3692	3726	3674	3740	3713	
	31	3963	3952	3752	3767	3811	3802	3730	
	53	3809	3689	3688	3704	3734	3765	3718	
	54	3803	3689	3784	3841	3726	3784	3771	
	72	3853	3758	3902	3672	3741	3774	3753	
	73	3896	3846	3912	3676	3708	3776	3749	
	94	3821	3658	3772	3762	3669	3697	3715	
	95	3813	3791	3763	3706	3663	3661	3713	
	123	3807	3651	3876	3700	3720	3811	3721	
	124	3803	3794	3860	3658	3694	3805	3621	
	Min	3803.2	3650.9	3687.7	3657.8	3663.1	3661.1	3620.7	
	Max	3963.0	3952.2	3914.3	3840.8	3811.5	3810.8	3848.2	
Average	3850.4	3786.2	3815.8	3728.5	3717.2	3758.6	3731.0		






T# 6.1		AVO B @ 20V RL=2K							V/mV
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	3802	3755	3856	3771	3779	3792	3812	>2000
	45	3791	3785	3865	3752	3732	3787	3829	
	120	3860	3730	3864	3817	3800	3801	3791	
Biased	8	3750	3782	3695	3711	3700	3651	3700	
	9	3708	3691	3699	3666	3646	3652	3624	
	23	3801	3681	3644	3675	3724	3625	3704	
	24	3808	3760	3721	3519	3616	3495	3494	
	51	3734	3658	3780	3635	3666	3646	3657	
	52	3861	3756	3844	3650	3711	3733	3687	
	70	3799	3797	3831	3737	3678	3771	3715	
	71	3803	3708	3781	3632	3656	3672	3705	
	92	3731	3611	3755	3642	3633	3723	3552	
	93	3800	3730	3741	3666	3632	3672	3670	
	121	3892	3791	3867	3895	3726	3826	3779	
	122	3783	3729	3791	3729	3705	3714	3631	
	Min	3707.7	3611.0	3644.2	3519.1	3615.5	3494.9	3494.2	
	Max	3891.6	3797.3	3866.8	3894.5	3725.9	3826.5	3778.8	
	Average	3789.1	3724.5	3762.3	3679.8	3674.4	3681.6	3659.8	
UnBiased	10	3793	3667	3704	3653	3603	3765	3656	
	11	3751	3727	3732	3682	3666	3604	3563	
	25	3803	3787	3877	3659	3591	3732	3567	
	31	3849	3777	3838	3839	3777	3780	3729	
	53	3755	3788	3896	3700	3682	3736	3699	
	54	3783	3752	3860	3687	3703	3670	3665	
	72	3861	3719	3881	3788	3690	3703	3672	
	73	3722	3768	3788	3635	3657	3700	3659	
	94	3804	3689	3848	3740	3719	3821	3621	
	95	3841	3669	3828	3642	3698	3620	3692	
	123	3819	3868	3845	3708	3687	3753	3781	
	124	3817	3730	3797	3660	3681	3750	3641	
	Min	3721.9	3667.4	3703.8	3634.8	3590.6	3604.4	3562.9	
	Max	3860.5	3867.7	3895.7	3839.3	3777.5	3821.3	3781.1	
	Average	3799.7	3745.1	3824.4	3699.4	3679.4	3719.5	3662.2	






T# 6.2		AVO C @ 20V RL=2K							V/mV
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	3785	3775	3853	3805	3797	3867	3805	>2000
	45	3732	3750	3811	3815	3787	3837	3829	
	120	3699	3705	3729	3688	3711	3735	3726	
Biased	8	3764	3694	3729	3658	3681	3742	3675	
	9	3634	3687	3667	3656	3533	3612	3589	
	23	3687	3730	3675	3672	3636	3630	3619	
	24	3751	3801	3590	3611	3566	3579	3468	
	51	3755	3720	3705	3641	3608	3702	3680	
	52	3816	3856	3823	3675	3708	3671	3714	
	70	3702	3618	3683	3637	3660	3665	3644	
	71	3712	3679	3765	3601	3649	3605	3635	
	92	3761	3618	3752	3605	3589	3581	3614	
	93	3697	3529	3703	3607	3602	3597	3586	
	121	3692	3734	3737	3620	3671	3714	3587	
	122	3780	3676	3761	3690	3627	3696	3682	
	Min	3634.1	3529.3	3589.7	3600.5	3533.1	3578.9	3468.3	
	Max	3816.1	3855.7	3823.3	3690.0	3707.9	3741.9	3714.3	
	Average	3729.2	3695.1	3715.9	3639.4	3627.4	3649.4	3624.4	
UnBiased	10	3745	3727	3683	3754	3691	3691	3747	
	11	3805	3722	3730	3614	3561	3630	3648	
	25	3780	3640	3645	3689	3563	3678	3661	
	31	3719	3746	3696	3657	3541	3645	3534	
	53	3765	3660	3716	3698	3619	3643	3623	
	54	3657	3702	3751	3589	3596	3637	3561	
	72	3742	3704	3815	3685	3677	3697	3743	
	73	3742	3661	3732	3671	3582	3625	3635	
	94	3737	3637	3709	3547	3600	3681	3562	
	95	3771	3785	3672	3716	3568	3640	3636	
	123	3804	3739	3773	3731	3688	3711	3758	
	124	3764	3774	3729	3692	3633	3668	3613	
	Min	3657.5	3637.0	3645.2	3547.1	3540.8	3624.9	3533.6	
	Max	3804.9	3785.3	3814.7	3753.7	3690.7	3711.1	3758.0	
	Average	3752.6	3708.2	3720.8	3670.3	3609.9	3662.0	3643.5	






T# 6.3		AVO D @ 20V RL=2K							V/mV
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	3833	3779	3874	3780	3792	3829	3820	>2000
	45	3830	3807	3832	3850	3795	3874	3796	
	120	3745	3772	3828	3777	3739	3850	3819	
Biased	8	3889	3809	3875	3762	3834	3805	3751	
	9	3955	3787	3885	3770	3800	3825	3727	
	23	3778	3762	3741	3755	3672	3779	3770	
	24	3904	3758	3650	3507	3420	3469	3382	
	51	3800	3806	3873	3755	3745	3762	3754	
	52	3765	3844	3791	3694	3626	3789	3694	
	70	3739	3733	3747	3708	3661	3675	3666	
	71	3838	3817	3872	3753	3728	3763	3731	
	92	3925	3749	3849	3835	3708	3747	3712	
	93	3836	3749	3756	3679	3711	3723	3687	
	121	3730	3673	3770	3664	3620	3673	3657	
	122	3911	3737	3795	3813	3796	3787	3805	
	Min	3730.2	3672.8	3649.7	3507.2	3420.1	3468.9	3381.7	
	Max	3954.6	3844.3	3885.2	3835.0	3833.9	3825.3	3805.1	
	Average	3839.2	3768.7	3800.3	3724.7	3693.5	3733.0	3694.7	
UnBiased	10	3864	3833	3743	3703	3768	3705	3730	
	11	3807	3814	3704	3755	3693	3589	3716	
	25	3828	3703	3867	3722	3634	3770	3698	
	31	3822	3658	3840	3691	3667	3720	3708	
	53	3867	3580	3765	3752	3753	3734	3613	
	54	3764	3755	3760	3731	3555	3686	3559	
	72	3800	3725	3797	3694	3665	3810	3630	
	73	3839	3703	3892	3749	3681	3780	3701	
	94	3731	3733	3803	3662	3616	3772	3605	
	95	3759	3653	3759	3736	3658	3713	3689	
	123	3780	3759	3618	3656	3692	3706	3729	
	124	3785	3789	3879	3711	3708	3714	3704	
	Min	3730.9	3580.3	3618.0	3656.4	3555.4	3589.3	3558.9	
	Max	3866.8	3833.4	3891.7	3754.8	3767.7	3809.9	3730.0	
	Average	3803.8	3725.5	3785.6	3713.6	3674.1	3725.0	3673.5	






	T# 7	AVO A @ 20V RL=10K							V/mV	
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	21661	20651	20762	20980	19555	21450	20255	>5000	
	45	21215	21086	20324	20854	22343	19450	20329		
	120	21715	21998	20438	20736	20345	20020	21182		
Biased	8	20697	17457	17923	15790	16058	17204	15811		
	9	22674	19288	18154	18269	15631	16267	15634		
	23	20428	20302	17318	17452	18534	18260	15913		
	24	21899	20710	13642	10733	11431	10555	10161		
	51	24044	19974	20573	17493	18221	17493	17508		
	52	21075	19847	17735	17661	15665	15780	15898		
	70	20580	18082	18622	17593	17768	18215	16638		
	71	20739	19334	18367	17310	19024	17346	16527		
	92	20972	21769	18911	19306	18580	17966	16830		
	93	21374	20962	19409	17046	16187	18332	17020		
	121	20795	17699	18661	17523	16904	15898	16800		
	122	20987	17164	18366	18484	17796	17248	16963		
		Min	20428.3	17163.5	13642.2	10732.9	11431.2	10554.6	10161.2	
		Max	24043.7	21769.4	20573.3	19305.7	19024.0	18332.4	17507.6	
		Average	21355.3	19382.3	18140.0	17055.0	16816.5	16713.7	15975.2	
UnBiased	10	20690	16389	15501	17754	16308	15891	15236		
	11	21186	22802	19906	19673	15773	15929	16867		
	25	20828	19115	16560	16089	18757	16766	16476		
	31	22491	18183	18928	17120	16051	15820	17524		
	53	22810	18206	14705	15587	16297	14821	15458		
	54	19684	17981	17808	16453	15653	16665	17132		
	72	19824	18263	16717	17083	14921	16397	14880		
	73	20132	19089	20159	17724	16288	14880	16046		
	94	20732	19362	20425	16338	16874	16134	15931		
	95	19775	17107	18035	17185	17329	16867	16241		
	123	20866	17511	19502	17497	17393	16318	17774		
	124	19667	17746	17114	17419	14379	16287	15797		
		Min	19667.1	16388.6	14705.3	15587.3	14378.7	14820.7	14880.1	
		Max	22809.9	22802.1	20425.3	19672.8	18757.1	16866.9	17773.5	
		Average	20723.7	18479.6	17946.7	17160.3	16335.2	16064.5	16280.1	






	T# 7.1	AVO B @ 20V RL=10K							V/mV
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	18078	18393	17895	18158	17247	19251	18801	>5000
	45	18762	19351	19681	20116	19242	19352	18856	
	120	18667	19722	20883	18158	18833	19354	17727	
Biased	8	18821	16606	15965	16044	15920	15349	14885	
	9	17593	19875	15325	14665	15441	16104	14462	
	23	17800	16647	16083	15774	16192	14403	14387	
	24	18303	18545	14397	13256	12584	12323	11599	
	51	19422	20123	16504	18236	15955	16161	16453	
	52	21068	18313	17755	15282	13303	16139	16190	
	70	20178	16735	18539	16149	16282	16186	16347	
	71	19240	17585	18163	16855	17005	16759	16467	
	92	18672	18331	18671	16167	16615	15509	16099	
	93	19052	16957	18416	16750	17400	15833	15625	
	121	18821	17807	17417	17474	14723	15686	16769	
	122	19739	17817	16856	17040	15328	15415	14639	
	Min	17592.6	16605.6	14397.2	13256.3	12583.5	12322.6	11599.0	
	Max	21067.5	20122.5	18670.9	18235.9	17400.0	16758.8	16769.3	
	Average	19059.2	17945.0	17007.6	16141.0	15562.2	15489.0	15327.0	
UnBiased	10	17814	16398	16991	16558	13808	14327	14113	
	11	20260	16621	16965	15053	13303	14004	13693	
	25	17979	17472	16348	15434	14544	12801	14355	
	31	19347	18281	17362	15075	14391	14445	13937	
	53	19870	20262	18231	13714	14839	14532	14680	
	54	17903	15103	16498	16006	16859	16687	14696	
	72	18446	17183	16381	16267	15245	14804	15289	
	73	20097	20042	16932	15747	14500	16231	15072	
	94	19924	18770	19058	16745	16576	17736	15564	
	95	17741	19218	20154	16638	14844	15833	14254	
	123	18522	16409	17642	16261	15545	14611	14576	
	124	17927	20676	16271	17393	17010	14934	14729	
	Min	17740.9	15103.2	16271.3	13713.9	13303.4	12800.6	13693.0	
	Max	20260.0	20675.7	20154.4	17393.3	17010.5	17735.9	15564.3	
	Average	18819.1	18036.2	17402.9	15907.6	15121.9	15078.7	14579.8	






T# 7.2		AVO C @ 20V RL=10K							V/mV
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	18749	18626	17985	18171	19225	17606	19753	>5000
	45	19221	18576	18614	20327	19245	18829	19433	
	120	18995	17845	20830	20171	19408	19864	18200	
Biased	8	17633	18032	16940	15502	15421	15174	15076	
	9	18561	17687	16423	16233	14252	15227	14421	
	23	19463	16232	16313	17765	16274	15390	15044	
	24	18734	18018	13849	12378	12276	12657	10608	
	51	19268	17680	17861	18136	16742	16226	15471	
	52	19331	18401	17463	15748	16150	15528	15117	
	70	17672	18664	17321	16658	17574	16118	16159	
	71	19425	17903	14199	16724	16693	17002	16734	
	92	18689	17446	18092	15284	16439	15652	15733	
	93	18303	17552	17258	18002	15701	15874	15504	
	121	17208	17890	18852	17033	16165	15299	15262	
	122	18583	17269	18138	15426	17090	16740	15337	
	Min	17208.2	16231.7	13848.5	12378.2	12276.0	12656.9	10607.7	
	Max	19463.3	18664.4	18851.5	18135.7	17573.6	17001.5	16734.1	
Average	18572.5	17731.2	16892.4	16240.7	15898.2	15573.9	15038.8		
UnBiased	10	19695	14131	15423	15865	13947	14940	14469	
	11	19947	18384	15548	15882	14671	13987	13777	
	25	17817	18876	18316	15495	14360	14037	13552	
	31	19423	16504	16414	17287	15348	14488	14021	
	53	17468	16248	16322	16570	15757	15241	15155	
	54	18985	15971	18895	15962	15527	14904	14482	
	72	17973	17169	18457	16077	16343	14365	16297	
	73	19053	16263	16271	17663	15804	15628	15012	
	94	18977	16754	17424	15502	15244	14263	15012	
	95	19642	17710	18068	17065	15896	14660	15375	
	123	19130	18162	19074	17563	16389	14785	14403	
	124	18755	17552	17873	16121	15804	15166	16115	
	Min	17468.4	14130.7	15423.0	15494.9	13946.7	13987.0	13552.1	
	Max	19946.6	18876.0	19074.4	17663.4	16389.4	15628.3	16297.0	
Average	18905.4	16977.0	17340.5	16421.1	15424.3	14705.4	14805.9		






T# 7.3		AVO D @ 20V RL=10K							V/mV
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	18598	18733	20611	18777	19367	20562	18344	>5000
	45	18796	18360	19592	20083	18915	17986	20775	
	120	20240	18834	20238	21174	19625	19506	20621	
Biased	8	20376	19340	16169	16567	16045	16109	15311	
	9	20708	19324	18381	16744	17256	15450	15222	
	23	21006	20973	16945	17772	17972	16763	17495	
	24	20331	18832	12603	10601	11159	10149	10249	
	51	18883	18593	17360	18089	15920	16435	15874	
	52	18532	17387	17789	16122	15997	16411	16701	
	70	18172	16960	17690	17810	17998	17097	15617	
	71	19567	17953	16914	17455	15428	17562	16760	
	92	20483	19870	18582	15959	18510	16583	16981	
	93	19180	18005	19003	18528	15848	18144	16188	
	121	20325	18321	17540	17057	17413	16935	16119	
	122	17484	18034	18900	17265	16377	16896	16663	
	Min	17484.3	16960.1	12602.9	10600.6	11159.2	10148.9	10249.4	
	Max	21005.9	20972.9	19003.1	18528.3	18509.7	18144.4	17495.1	
	Average	19587.3	18632.7	17323.0	16664.1	16326.8	16211.3	15765.1	
UnBiased	10	19878	16603	18478	18259	16752	15099	15220	
	11	20488	21851	16702	16603	15983	14239	15444	
	25	21865	18642	18414	17104	15859	15416	15312	
	31	20258	20270	18988	16199	14974	16280	15855	
	53	18692	14850	16321	15556	16540	15856	15005	
	54	18223	16787	19308	17472	16745	15141	16674	
	72	18502	18006	17465	16258	17083	14895	15508	
	73	19749	17769	19287	17376	16449	15143	17279	
	94	19977	19870	17279	17727	15025	16548	15365	
	95	19687	18565	18542	17885	16041	15470	14808	
	123	19775	19809	17185	18097	16054	15206	15399	
	124	19338	18030	22142	16176	15787	14314	15069	
	Min	18222.8	14850.3	16321.3	15556.2	14973.6	14238.8	14808.0	
	Max	21864.9	21851.2	22141.6	18258.6	17082.7	16548.3	17278.8	
	Average	19702.7	18420.9	18342.6	17059.3	16107.6	15300.7	15578.1	






	T# 8	CMRR A @ +12V							dB
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	139.874	139.855	139.048	139.249	140.277	139.585	139.050	>115
	45	141.222	140.144	140.001	140.114	140.195	140.963	140.113	
	120	138.934	139.443	139.238	138.224	138.488	139.006	138.917	
Biased	8	139.086	139.528	138.672	138.988	139.195	139.033	139.461	
	9	140.895	139.024	139.991	140.165	139.623	139.305	140.622	
	23	139.415	139.068	138.888	138.997	137.827	138.839	139.175	
	24	139.670	138.953	138.270	137.983	138.944	139.369	139.004	
	51	138.996	139.113	138.792	139.519	138.297	138.455	140.348	
	52	140.256	139.806	139.075	138.847	138.908	139.690	138.588	
	70	139.835	138.555	138.612	138.273	138.988	139.690	139.085	
	71	138.864	138.882	138.053	137.711	137.827	137.913	137.911	
	92	140.506	139.167	138.587	139.934	138.944	139.341	139.953	
	93	139.462	138.700	138.013	138.752	138.623	138.760	139.536	
	121	141.085	139.350	139.951	139.462	140.226	139.739	140.042	
	122	139.131	138.589	138.262	138.119	138.979	138.900	138.768	
	Min	138.864	138.555	138.013	137.711	137.827	137.913	137.911	
	Max	141.085	139.806	139.991	140.165	140.226	139.739	140.622	
Average	139.767	139.061	138.764	138.896	138.865	139.086	139.374		
UnBiased	10	139.341	138.908	138.092	137.788	137.506	137.537	137.298	
	11	140.485	139.729	138.732	139.944	137.881	138.891	138.925	
	25	139.728	140.496	138.672	138.159	138.496	138.216	138.362	
	31	138.812	138.555	138.213	138.572	138.463	138.314	138.546	
	53	139.816	139.519	140.213	138.865	139.158	139.149	139.593	
	54	139.396	139.041	139.450	138.961	138.119	138.988	139.221	
	72	140.174	139.652	140.336	139.131	139.594	138.735	139.184	
	73	139.086	138.446	138.230	138.926	137.968	138.330	138.733	
	94	139.874	139.954	139.563	138.640	139.041	138.119	139.340	
	95	139.396	139.268	138.810	139.167	139.024	138.547	138.811	
	123	140.602	140.195	140.121	139.462	138.438	138.865	138.987	
	124	140.677	140.185	139.404	139.268	139.314	139.566	138.776	
	Min	138.812	138.446	138.092	137.788	137.506	137.537	137.298	
	Max	140.677	140.496	140.336	139.944	139.594	139.566	139.593	
Average	139.782	139.496	139.153	138.907	138.584	138.605	138.815		






T# 8.1		CMRR B @ +/-12V							dB
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	139.670	140.134	139.774	139.481	139.954	140.581	140.184	>115
	45	139.547	139.231	140.041	139.113	139.604	139.557	139.139	
	120	142.091	140.185	140.860	140.863	141.817	141.866	141.718	
Biased	8	139.059	138.873	138.279	138.666	137.757	138.786	139.331	
	9	140.433	140.423	140.316	139.924	139.855	140.732	140.785	
	23	139.471	139.453	138.646	138.606	138.760	138.882	139.193	
	24	141.257	140.678	140.081	139.481	140.496	139.984	141.267	
	51	141.029	140.602	139.813	139.719	140.277	140.084	141.141	
	52	140.144	139.954	138.715	138.691	138.882	138.752	138.916	
	70	139.670	139.176	138.994	138.421	138.581	139.777	139.303	
	71	139.341	139.323	138.246	138.572	138.623	138.778	138.872	
	92	139.313	138.917	138.394	138.804	138.760	138.726	139.650	
	93	140.093	139.213	139.853	138.900	139.633	139.305	139.536	
	121	138.934	138.330	137.640	138.175	137.619	138.530	138.102	
	122	139.709	138.935	138.536	139.397	138.143	138.971	138.571	
	Min	138.934	138.330	137.640	138.175	137.619	138.530	138.102	
	Max	141.257	140.678	140.316	139.924	140.496	140.732	141.267	
	Average	139.871	139.490	138.959	138.946	138.949	139.276	139.556	
UnBiased	10	139.709	140.592	138.871	139.690	139.095	139.305	139.067	
	11	139.471	139.131	139.238	139.268	139.268	138.882	139.148	
	25	140.349	138.683	138.836	139.113	138.970	138.289	138.934	
	31	139.670	139.059	138.444	138.555	138.273	137.866	138.370	
	53	139.086	140.465	138.621	138.488	138.240	139.323	140.032	
	54	139.924	140.830	139.563	139.964	139.268	139.576	139.933	
	72	139.443	139.845	138.706	138.454	138.446	137.658	138.716	
	73	139.845	139.122	138.853	139.729	138.674	139.934	139.085	
	94	139.415	138.614	138.723	138.216	138.778	139.576	138.664	
	95	139.661	139.500	138.444	138.496	138.224	138.513	138.445	
	123	139.767	139.671	139.912	140.246	140.124	139.538	139.285	
	124	140.267	140.185	138.595	138.812	138.891	139.994	139.795	
	Min	139.086	138.614	138.444	138.216	138.224	137.658	138.370	
	Max	140.349	140.830	139.912	140.246	140.124	139.994	140.032	
	Average	139.717	139.641	138.901	139.086	138.854	139.038	139.123	






T# 8.2		CMRR C @ +12V							dB
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	141.063	140.074	141.060	141.280	140.444	140.539	140.113	>115
	45	140.412	139.547	139.247	139.113	139.369	139.915	139.943	
	120	140.918	141.634	140.567	140.786	140.391	141.903	140.023	
Biased	8	139.258	138.555	138.985	138.055	138.055	138.717	139.193	
	9	140.884	140.940	139.931	139.709	140.808	139.826	140.709	
	23	139.738	139.547	138.766	139.077	139.295	139.015	139.221	
	24	141.165	139.767	139.921	139.585	139.434	140.413	140.174	
	51	138.623	138.232	137.587	137.834	138.708	139.700	138.445	
	52	140.391	139.924	139.892	139.113	138.674	139.060	139.312	
	70	139.835	139.642	139.156	138.944	139.258	139.122	139.982	
	71	139.699	138.159	139.394	138.873	138.547	139.623	140.225	
	92	139.604	138.691	138.100	138.322	138.071	138.071	138.182	
	93	140.818	140.370	139.563	138.970	139.934	139.595	140.235	
	121	139.584	138.691	138.494	139.158	138.380	138.683	139.670	
	122	138.743	138.183	138.037	138.039	138.597	138.606	138.070	
	Min	138.623	138.159	137.587	137.834	138.055	138.071	138.070	
	Max	141.165	140.940	139.931	139.709	140.808	140.413	140.709	
	Average	139.862	139.225	138.986	138.807	138.980	139.203	139.452	
UnBiased	10	141.154	139.652	138.810	140.205	138.631	139.286	138.996	
	11	138.988	138.640	137.188	137.537	137.936	137.191	138.503	
	25	139.874	139.826	139.422	138.657	138.812	138.649	139.058	
	31	142.283	141.928	140.111	140.402	139.719	140.226	140.928	
	53	140.144	138.256	139.057	139.642	139.748	138.455	139.058	
	54	139.014	138.446	138.005	138.183	137.711	137.881	138.378	
	72	140.753	141.131	140.718	140.014	140.054	139.739	139.221	
	73	138.699	138.355	137.957	138.127	138.463	138.649	138.190	
	94	140.443	139.140	139.544	139.500	138.314	138.752	139.433	
	95	138.882	139.149	138.792	138.347	138.505	137.850	138.978	
	123	140.339	139.575	139.535	139.519	139.397	139.576	139.805	
	124	139.796	140.155	139.563	139.472	139.258	139.186	139.923	
	Min	138.699	138.256	137.188	137.537	137.711	137.191	138.190	
	Max	142.283	141.928	140.718	140.402	140.054	140.226	140.928	
	Average	140.031	139.521	139.059	139.134	138.879	138.787	139.206	






T# 8.3		CMRR D @ +/-12V							dB
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	139.565	139.556	140.514	140.423	140.710	140.237	140.205	>115
	45	138.988	139.158	138.629	138.795	139.388	139.434	138.691	
	120	140.884	140.560	139.649	139.661	140.094	140.454	139.651	
Biased	8	139.904	138.970	137.997	139.204	139.914	139.397	139.452	
	9	140.093	139.594	139.716	139.350	139.481	139.915	140.123	
	23	139.240	138.521	138.279	138.191	138.191	138.581	139.103	
	24	139.584	139.204	139.012	137.960	138.856	138.598	138.304	
	51	139.068	138.297	137.617	138.111	138.322	138.438	138.370	
	52	140.083	138.752	138.697	140.165	140.951	138.339	138.828	
	70	140.422	139.547	139.853	139.642	138.606	139.240	139.660	
	71	138.803	139.295	138.230	138.265	138.338	138.127	138.647	
	92	141.063	140.874	139.745	140.613	140.226	139.856	140.763	
	93	140.063	139.528	138.578	138.683	139.032	139.729	139.631	
	121	139.934	139.855	139.012	139.332	139.671	139.758	140.022	
	122	139.490	138.347	138.680	139.077	138.988	138.480	139.943	
	Min	138.803	138.297	137.617	137.960	138.191	138.127	138.304	
	Max	141.063	140.874	139.853	140.613	140.951	139.915	140.763	
	Average	139.812	139.232	138.785	139.049	139.215	139.038	139.404	
UnBiased	10	141.816	139.777	139.413	139.797	139.113	139.528	140.741	
	11	140.185	139.836	139.497	138.438	138.691	139.369	139.230	
	25	139.185	138.429	138.157	138.454	138.623	138.388	139.067	
	31	139.642	138.614	137.965	138.248	138.347	138.363	138.613	
	53	140.907	140.863	140.254	138.683	138.159	141.575	141.620	
	54	139.604	139.845	139.804	139.537	139.425	139.748	139.386	
	72	141.718	141.622	142.139	141.327	140.743	140.004	140.072	
	73	140.807	141.131	139.872	139.068	139.406	139.033	139.396	
	94	140.134	140.753	139.843	140.402	139.258	140.216	139.489	
	95	139.806	139.681	139.012	138.666	138.597	137.757	138.987	
	123	139.796	139.323	138.689	139.195	139.360	139.406	139.257	
	124	141.940	141.397	140.718	140.155	139.964	140.155	140.022	
	Min	139.185	138.429	137.965	138.248	138.159	137.757	138.613	
	Max	141.940	141.622	142.139	141.327	140.743	141.575	141.620	
	Average	140.462	140.106	139.614	139.331	139.141	139.462	139.657	






		PSRR A +-3V TO +-18V							uV/V	
T# 9		Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	SN	7	0.223	0.219	0.212	0.234	0.222	0.233	0.240	<3.2
		45	0.048	0.047	0.055	0.051	0.054	0.031	0.027	
		120	-0.025	-0.005	-0.019	-0.029	-0.015	-0.027	-0.003	
Biased		8	0.086	0.070	0.073	0.085	0.099	0.107	0.094	
		9	0.316	0.338	0.347	0.329	0.345	0.336	0.323	
		23	0.092	0.106	0.097	0.099	0.107	0.124	0.114	
		24	0.125	0.158	0.180	0.169	0.168	0.168	0.165	
		51	0.096	0.103	0.084	0.093	0.115	0.101	0.098	
		52	-0.017	-0.014	-0.003	0.039	0.007	0.008	0.002	
		70	0.135	0.130	0.158	0.142	0.146	0.160	0.141	
		71	0.046	0.043	0.066	0.044	0.067	0.049	0.062	
		92	0.070	0.065	0.062	0.081	0.060	0.086	0.061	
		93	0.113	0.118	0.101	0.098	0.110	0.101	0.103	
		121	0.077	0.060	0.072	0.084	0.074	0.099	0.084	
		122	-0.004	0.021	0.013	0.025	0.015	0.010	0.009	
		Min	-0.017	-0.014	-0.003	0.025	0.007	0.008	0.002	
		Max	0.316	0.338	0.347	0.329	0.345	0.336	0.323	
		Average	0.095	0.100	0.104	0.107	0.109	0.112	0.105	
UnBiased		10	0.386	0.375	0.369	0.385	0.382	0.387	0.387	
		11	0.099	0.099	0.109	0.108	0.105	0.115	0.119	
		25	0.078	0.066	0.082	0.095	0.104	0.091	0.103	
		31	0.116	0.104	0.107	0.125	0.115	0.122	0.133	
		53	0.029	0.028	0.023	-0.004	-0.002	0.041	0.018	
		54	0.087	0.113	0.090	0.109	0.111	0.106	0.099	
		72	-0.022	-0.021	-0.017	-0.008	-0.003	-0.006	-0.013	
		73	0.148	0.152	0.155	0.156	0.167	0.165	0.141	
		94	0.041	0.073	0.054	0.065	0.055	0.083	0.062	
		95	0.053	0.054	0.078	0.085	0.066	0.082	0.088	
		123	-0.027	-0.037	-0.029	-0.014	-0.005	-0.029	-0.015	
		124	0.027	0.020	0.039	0.047	0.042	0.065	0.047	
		Min	-0.027	-0.037	-0.029	-0.014	-0.005	-0.029	-0.015	
		Max	0.386	0.375	0.369	0.385	0.382	0.387	0.387	
		Average	0.085	0.086	0.088	0.096	0.095	0.102	0.097	






	T# 9.1	PSRR B +3V TO +-18V							uV/V
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	0.187	0.177	0.188	0.183	0.181	0.190	0.197	<3.2
	45	0.041	0.042	0.041	0.042	0.042	0.045	0.034	
	120	-0.035	-0.020	-0.040	-0.029	-0.034	-0.012	-0.021	
Biased	8	0.063	0.062	0.066	0.062	0.085	0.068	0.083	
	9	0.326	0.340	0.344	0.328	0.343	0.345	0.316	
	23	0.092	0.105	0.103	0.091	0.105	0.105	0.095	
	24	0.136	0.149	0.167	0.175	0.161	0.163	0.171	
	51	0.065	0.086	0.078	0.076	0.092	0.095	0.096	
	52	-0.031	-0.019	-0.017	0.029	0.007	-0.017	-0.011	
	70	0.123	0.112	0.135	0.130	0.128	0.128	0.113	
	71	0.036	0.030	0.049	0.035	0.034	0.045	0.038	
	92	0.060	0.062	0.053	0.072	0.073	0.071	0.053	
	93	0.097	0.105	0.091	0.101	0.096	0.099	0.090	
	121	0.056	0.062	0.061	0.062	0.064	0.072	0.065	
	122	0.003	0.004	0.002	0.007	0.002	0.011	0.016	
	Min	-0.031	-0.019	-0.017	0.007	0.002	-0.017	-0.011	
	Max	0.326	0.340	0.344	0.328	0.343	0.345	0.316	
	Average	0.086	0.092	0.094	0.097	0.099	0.099	0.094	
UnBiased	10	0.350	0.352	0.356	0.364	0.368	0.376	0.367	
	11	0.078	0.086	0.082	0.088	0.102	0.101	0.092	
	25	0.098	0.089	0.102	0.110	0.116	0.121	0.110	
	31	0.114	0.099	0.110	0.132	0.127	0.124	0.118	
	53	0.012	0.017	0.020	-0.010	-0.019	0.026	0.014	
	54	0.102	0.113	0.106	0.115	0.111	0.135	0.103	
	72	-0.009	-0.003	-0.009	-0.006	-0.005	0.026	0.002	
	73	0.125	0.140	0.137	0.148	0.156	0.156	0.139	
	94	0.044	0.060	0.059	0.062	0.056	0.073	0.059	
	95	0.067	0.071	0.071	0.080	0.076	0.084	0.082	
	123	-0.031	-0.042	-0.044	-0.022	-0.018	-0.009	-0.022	
	124	0.013	0.031	0.044	0.041	0.038	0.042	0.045	
	Min	-0.031	-0.042	-0.044	-0.022	-0.019	-0.009	-0.022	
	Max	0.350	0.352	0.356	0.364	0.368	0.376	0.367	
	Average	0.080	0.084	0.086	0.092	0.092	0.105	0.092	






T# 9.2		PSRR C +-3V TO +-18V							uV/V
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-0.314	-0.305	-0.290	-0.300	-0.303	-0.299	-0.286	<3.2
	45	-0.138	-0.143	-0.134	-0.131	-0.133	-0.139	-0.131	
	120	-0.091	-0.075	-0.087	-0.083	-0.100	-0.088	-0.088	
Biased	8	-0.171	-0.160	-0.168	-0.163	-0.151	-0.149	-0.136	
	9	-0.406	-0.397	-0.394	-0.404	-0.389	-0.399	-0.406	
	23	-0.183	-0.170	-0.176	-0.195	-0.169	-0.171	-0.188	
	24	-0.243	-0.250	-0.230	-0.224	-0.234	-0.203	-0.213	
	51	-0.160	-0.148	-0.144	-0.153	-0.142	-0.118	-0.128	
	52	-0.092	-0.063	-0.075	-0.084	-0.087	-0.050	-0.065	
	70	-0.189	-0.202	-0.186	-0.185	-0.209	-0.175	-0.199	
	71	-0.108	-0.124	-0.099	-0.115	-0.115	-0.092	-0.123	
	92	-0.157	-0.159	-0.157	-0.141	-0.131	-0.138	-0.152	
	93	-0.193	-0.181	-0.191	-0.191	-0.188	-0.175	-0.185	
	121	-0.132	-0.130	-0.136	-0.149	-0.137	-0.130	-0.147	
	122	-0.081	-0.079	-0.099	-0.078	-0.097	-0.065	-0.067	
	Min	-0.406	-0.397	-0.394	-0.404	-0.389	-0.399	-0.406	
	Max	-0.081	-0.063	-0.075	-0.078	-0.087	-0.050	-0.065	
	Average	-0.176	-0.172	-0.171	-0.174	-0.171	-0.155	-0.167	
UnBiased	10	-0.466	-0.447	-0.437	-0.439	-0.431	-0.432	-0.429	
	11	-0.158	-0.156	-0.173	-0.147	-0.148	-0.159	-0.152	
	25	-0.181	-0.190	-0.170	-0.166	-0.156	-0.158	-0.176	
	31	-0.205	-0.210	-0.209	-0.181	-0.170	-0.172	-0.198	
	53	-0.113	-0.115	-0.111	-0.055	-0.074	-0.098	-0.092	
	54	-0.191	-0.191	-0.190	-0.180	-0.187	-0.186	-0.184	
	72	-0.076	-0.069	-0.072	-0.095	-0.081	-0.073	-0.071	
	73	-0.237	-0.236	-0.223	-0.208	-0.205	-0.212	-0.218	
	94	-0.151	-0.160	-0.133	-0.154	-0.141	-0.137	-0.130	
	95	-0.157	-0.155	-0.167	-0.152	-0.155	-0.143	-0.145	
	123	-0.050	-0.050	-0.059	-0.035	-0.036	-0.038	-0.027	
	124	-0.139	-0.115	-0.103	-0.122	-0.122	-0.112	-0.115	
	Min	-0.466	-0.447	-0.437	-0.439	-0.431	-0.432	-0.429	
	Max	-0.050	-0.050	-0.059	-0.035	-0.036	-0.038	-0.027	
	Average	-0.177	-0.175	-0.171	-0.161	-0.159	-0.160	-0.161	






T# 9.3		PSRR D +3V TO +-18V							uV/V
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-0.341	-0.340	-0.315	-0.332	-0.345	-0.318	-0.328	<3.2
	45	-0.154	-0.162	-0.153	-0.149	-0.142	-0.149	-0.149	
	120	-0.088	-0.082	-0.101	-0.081	-0.104	-0.085	-0.094	
Biased	8	-0.187	-0.166	-0.174	-0.173	-0.158	-0.157	-0.155	
	9	-0.433	-0.421	-0.416	-0.425	-0.414	-0.411	-0.433	
	23	-0.190	-0.171	-0.169	-0.167	-0.170	-0.182	-0.204	
	24	-0.230	-0.248	-0.230	-0.213	-0.235	-0.227	-0.199	
	51	-0.181	-0.172	-0.150	-0.171	-0.169	-0.161	-0.137	
	52	-0.090	-0.056	-0.087	-0.117	-0.112	-0.069	-0.051	
	70	-0.214	-0.229	-0.224	-0.208	-0.232	-0.215	-0.228	
	71	-0.121	-0.134	-0.115	-0.118	-0.132	-0.123	-0.120	
	92	-0.156	-0.162	-0.152	-0.144	-0.130	-0.136	-0.151	
	93	-0.208	-0.194	-0.201	-0.187	-0.198	-0.193	-0.181	
	121	-0.135	-0.131	-0.141	-0.144	-0.136	-0.108	-0.139	
	122	-0.102	-0.104	-0.112	-0.108	-0.103	-0.106	-0.085	
	Min	-0.433	-0.421	-0.416	-0.425	-0.414	-0.411	-0.433	
	Max	-0.090	-0.056	-0.087	-0.108	-0.103	-0.069	-0.051	
	Average	-0.187	-0.182	-0.181	-0.181	-0.182	-0.174	-0.174	
UnBiased	10	-0.494	-0.465	-0.462	-0.462	-0.449	-0.466	-0.451	
	11	-0.167	-0.159	-0.178	-0.167	-0.141	-0.140	-0.160	
	25	-0.174	-0.191	-0.170	-0.177	-0.159	-0.180	-0.187	
	31	-0.211	-0.214	-0.211	-0.189	-0.188	-0.202	-0.203	
	53	-0.138	-0.145	-0.134	-0.070	-0.084	-0.096	-0.108	
	54	-0.195	-0.202	-0.198	-0.193	-0.200	-0.168	-0.198	
	72	-0.074	-0.077	-0.087	-0.095	-0.078	-0.069	-0.067	
	73	-0.247	-0.246	-0.237	-0.210	-0.194	-0.204	-0.200	
	94	-0.131	-0.154	-0.110	-0.145	-0.136	-0.111	-0.117	
	95	-0.156	-0.152	-0.168	-0.145	-0.149	-0.153	-0.147	
	123	-0.066	-0.045	-0.044	-0.033	-0.031	-0.054	-0.029	
	124	-0.127	-0.115	-0.100	-0.133	-0.124	-0.098	-0.119	
	Min	-0.494	-0.465	-0.462	-0.462	-0.449	-0.466	-0.451	
	Max	-0.066	-0.045	-0.044	-0.033	-0.031	-0.054	-0.029	
	Average	-0.182	-0.180	-0.175	-0.168	-0.161	-0.162	-0.166	






	T# 10	VO+ A RL=10K							V
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	12.708	12.708	12.688	12.698	12.698	12.701	12.698	>12
	45	12.698	12.708	12.698	12.698	12.698	12.701	12.698	
	120	12.708	12.719	12.709	12.708	12.708	12.701	12.698	
Biased	8	12.719	12.708	12.698	12.708	12.708	12.701	12.698	
	9	12.719	12.719	12.709	12.719	12.719	12.711	12.698	
	23	12.719	12.708	12.698	12.708	12.708	12.701	12.698	
	24	12.708	12.719	12.698	12.708	12.708	12.701	12.688	
	51	12.698	12.719	12.698	12.708	12.708	12.701	12.698	
	52	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
	70	12.708	12.719	12.698	12.708	12.708	12.701	12.698	
	71	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
	92	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
	93	12.708	12.729	12.709	12.719	12.708	12.701	12.708	
	121	12.708	12.719	12.698	12.719	12.708	12.701	12.698	
	122	12.708	12.729	12.709	12.719	12.708	12.701	12.698	
	Min	12.698	12.708	12.698	12.708	12.708	12.701	12.688	
	Max	12.719	12.729	12.709	12.719	12.719	12.711	12.708	
	Average	12.710	12.718	12.701	12.714	12.709	12.702	12.700	
UnBiased	10	12.708	12.698	12.709	12.698	12.708	12.701	12.688	
	11	12.708	12.708	12.709	12.708	12.708	12.711	12.698	
	25	12.698	12.708	12.709	12.698	12.708	12.701	12.698	
	31	12.698	12.708	12.698	12.698	12.708	12.701	12.698	
	53	12.708	12.719	12.698	12.708	12.719	12.701	12.698	
	54	12.719	12.719	12.698	12.708	12.708	12.701	12.698	
	72	12.708	12.719	12.688	12.719	12.708	12.701	12.698	
	73	12.708	12.719	12.698	12.719	12.708	12.701	12.698	
	94	12.708	12.719	12.698	12.719	12.719	12.701	12.708	
	95	12.708	12.719	12.698	12.719	12.708	12.701	12.698	
	123	12.708	12.729	12.698	12.719	12.708	12.701	12.708	
	124	12.719	12.719	12.709	12.719	12.708	12.701	12.708	
	Min	12.698	12.698	12.688	12.698	12.708	12.701	12.688	
	Max	12.719	12.729	12.709	12.719	12.719	12.711	12.708	
	Average	12.708	12.715	12.701	12.711	12.710	12.702	12.700	






	T# 10.1	VO- A RL=10K							V
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-13.543	-13.543	-13.532	-13.533	-13.533	-13.530	-13.533	>-12
	45	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	120	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
Biased	8	-13.543	-13.543	-13.532	-13.543	-13.533	-13.530	-13.533	
	9	-13.553	-13.543	-13.543	-13.543	-13.543	-13.540	-13.533	
	23	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	24	-13.543	-13.543	-13.543	-13.533	-13.533	-13.530	-13.522	
	51	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.533	
	52	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	70	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	71	-13.543	-13.553	-13.543	-13.553	-13.543	-13.530	-13.543	
	92	-13.553	-13.553	-13.532	-13.553	-13.543	-13.540	-13.543	
	93	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	121	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.543	
	122	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.533	
	Min	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	Max	-13.543	-13.543	-13.532	-13.533	-13.533	-13.530	-13.522	
	Average	-13.547	-13.551	-13.541	-13.545	-13.541	-13.535	-13.538	
UnBiased	10	-13.543	-13.533	-13.532	-13.533	-13.543	-13.530	-13.533	
	11	-13.543	-13.543	-13.543	-13.543	-13.543	-13.530	-13.533	
	25	-13.543	-13.543	-13.543	-13.543	-13.543	-13.540	-13.543	
	31	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	53	-13.543	-13.553	-13.543	-13.543	-13.553	-13.530	-13.533	
	54	-13.553	-13.553	-13.543	-13.543	-13.543	-13.530	-13.543	
	72	-13.553	-13.553	-13.532	-13.553	-13.543	-13.540	-13.543	
	73	-13.543	-13.553	-13.532	-13.553	-13.543	-13.540	-13.543	
	94	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	95	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	123	-13.543	-13.553	-13.543	-13.553	-13.543	-13.530	-13.543	
	124	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	Min	-13.553	-13.553	-13.543	-13.553	-13.553	-13.540	-13.543	
	Max	-13.543	-13.533	-13.532	-13.533	-13.543	-13.530	-13.533	
	Average	-13.547	-13.550	-13.540	-13.547	-13.544	-13.536	-13.541	






		VO+ B RL=10K							V	
T# 10.2		Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	SN	7	12.698	12.708	12.688	12.698	12.698	12.701	12.698	>12
		45	12.698	12.708	12.698	12.698	12.708	12.701	12.698	
		120	12.708	12.719	12.709	12.708	12.708	12.711	12.708	
Biased		8	12.719	12.708	12.698	12.708	12.708	12.701	12.698	
		9	12.719	12.719	12.709	12.719	12.708	12.711	12.698	
		23	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
		24	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
		51	12.698	12.708	12.698	12.708	12.708	12.701	12.698	
		52	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
		70	12.708	12.719	12.698	12.708	12.708	12.701	12.698	
		71	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
		92	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
		93	12.708	12.729	12.709	12.719	12.708	12.711	12.708	
		121	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
		122	12.708	12.729	12.698	12.708	12.708	12.701	12.698	
		Min	12.698	12.708	12.698	12.708	12.708	12.701	12.698	
		Max	12.719	12.729	12.709	12.719	12.708	12.711	12.708	
		Average	12.709	12.716	12.700	12.713	12.708	12.703	12.701	
UnBiased		10	12.698	12.698	12.709	12.698	12.708	12.701	12.688	
		11	12.708	12.708	12.709	12.708	12.719	12.711	12.698	
		25	12.698	12.708	12.709	12.698	12.708	12.701	12.698	
		31	12.698	12.708	12.698	12.698	12.708	12.701	12.698	
		53	12.708	12.729	12.698	12.708	12.708	12.701	12.698	
		54	12.719	12.708	12.698	12.708	12.708	12.701	12.698	
		72	12.708	12.719	12.688	12.719	12.708	12.701	12.698	
		73	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
		94	12.708	12.719	12.698	12.708	12.708	12.701	12.698	
		95	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
		123	12.708	12.729	12.698	12.719	12.708	12.701	12.708	
		124	12.719	12.719	12.709	12.719	12.708	12.701	12.708	
		Min	12.698	12.698	12.688	12.698	12.708	12.701	12.688	
		Max	12.719	12.729	12.709	12.719	12.719	12.711	12.708	
		Average	12.707	12.715	12.701	12.710	12.709	12.702	12.701	






	T# 10.3	VO- B RL=10K							V
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-13.543	-13.543	-13.532	-13.533	-13.533	-13.530	-13.533	>-12
	45	-13.543	-13.543	-13.543	-13.543	-13.543	-13.540	-13.543	
	120	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
Biased	8	-13.543	-13.533	-13.532	-13.533	-13.533	-13.530	-13.522	
	9	-13.553	-13.543	-13.543	-13.543	-13.543	-13.530	-13.533	
	23	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.533	
	24	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.533	
	51	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.533	
	52	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	70	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.533	
	71	-13.543	-13.543	-13.543	-13.553	-13.543	-13.530	-13.543	
	92	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	93	-13.553	-13.563	-13.543	-13.553	-13.543	-13.540	-13.543	
	121	-13.553	-13.553	-13.543	-13.543	-13.543	-13.530	-13.533	
	122	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.543	
	Min	-13.553	-13.563	-13.543	-13.553	-13.543	-13.540	-13.543	
	Max	-13.543	-13.533	-13.532	-13.533	-13.533	-13.530	-13.522	
	Average	-13.548	-13.551	-13.542	-13.545	-13.542	-13.533	-13.536	
UnBiased	10	-13.533	-13.533	-13.543	-13.533	-13.533	-13.530	-13.522	
	11	-13.543	-13.543	-13.543	-13.533	-13.543	-13.530	-13.533	
	25	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.533	
	31	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.533	
	53	-13.553	-13.553	-13.543	-13.543	-13.543	-13.530	-13.543	
	54	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	72	-13.553	-13.553	-13.532	-13.553	-13.543	-13.530	-13.543	
	73	-13.543	-13.553	-13.532	-13.553	-13.543	-13.530	-13.543	
	94	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	95	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	123	-13.543	-13.553	-13.543	-13.553	-13.543	-13.530	-13.543	
	124	-13.553	-13.553	-13.543	-13.553	-13.543	-13.530	-13.543	
	Min	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	Max	-13.533	-13.533	-13.532	-13.533	-13.533	-13.530	-13.522	
	Average	-13.547	-13.551	-13.541	-13.546	-13.542	-13.534	-13.539	






T# 10.4		VO+ C RL=10K							V
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	12.708	12.708	12.688	12.698	12.698	12.701	12.698	>12
	45	12.698	12.708	12.698	12.698	12.708	12.701	12.698	
	120	12.708	12.719	12.698	12.708	12.708	12.701	12.698	
Biased	8	12.708	12.708	12.698	12.708	12.708	12.701	12.688	
	9	12.719	12.719	12.709	12.719	12.708	12.711	12.698	
	23	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
	24	12.708	12.708	12.698	12.708	12.708	12.701	12.688	
	51	12.698	12.708	12.698	12.698	12.708	12.701	12.698	
	52	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
	70	12.708	12.719	12.698	12.708	12.708	12.701	12.698	
	71	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
	92	12.708	12.719	12.698	12.719	12.708	12.701	12.698	
	93	12.719	12.729	12.709	12.719	12.708	12.701	12.698	
	121	12.708	12.719	12.698	12.708	12.708	12.701	12.708	
	122	12.708	12.729	12.709	12.719	12.708	12.701	12.698	
	Min	12.698	12.708	12.698	12.698	12.708	12.701	12.688	
	Max	12.719	12.729	12.709	12.719	12.708	12.711	12.708	
	Average	12.709	12.716	12.701	12.712	12.708	12.702	12.698	
UnBiased	10	12.698	12.698	12.698	12.698	12.698	12.701	12.688	
	11	12.708	12.708	12.709	12.698	12.708	12.711	12.698	
	25	12.698	12.708	12.698	12.698	12.708	12.701	12.698	
	31	12.698	12.708	12.698	12.698	12.708	12.701	12.698	
	53	12.708	12.729	12.698	12.708	12.708	12.701	12.698	
	54	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
	72	12.708	12.719	12.688	12.719	12.708	12.701	12.698	
	73	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
	94	12.708	12.719	12.698	12.708	12.708	12.701	12.698	
	95	12.708	12.719	12.698	12.719	12.708	12.701	12.698	
	123	12.708	12.729	12.698	12.719	12.708	12.701	12.698	
	124	12.708	12.719	12.709	12.719	12.708	12.701	12.708	
	Min	12.698	12.698	12.688	12.698	12.698	12.701	12.688	
	Max	12.708	12.729	12.709	12.719	12.708	12.711	12.708	
	Average	12.706	12.715	12.699	12.709	12.707	12.702	12.699	






	T# 10.5	VO- C RL=10K							V
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-13.543	-13.543	-13.532	-13.533	-13.543	-13.530	-13.533	>-12
	45	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	120	-13.553	-13.553	-13.543	-13.543	-13.553	-13.540	-13.543	
Biased	8	-13.543	-13.543	-13.532	-13.543	-13.533	-13.530	-13.533	
	9	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.533	
	23	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.533	
	24	-13.543	-13.553	-13.543	-13.543	-13.543	-13.530	-13.533	
	51	-13.553	-13.553	-13.543	-13.543	-13.553	-13.540	-13.543	
	52	-13.553	-13.553	-13.543	-13.553	-13.553	-13.540	-13.543	
	70	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	71	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	92	-13.553	-13.553	-13.543	-13.553	-13.553	-13.540	-13.543	
	93	-13.553	-13.553	-13.543	-13.553	-13.553	-13.540	-13.543	
	121	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	122	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	Min	-13.553	-13.553	-13.543	-13.553	-13.553	-13.540	-13.543	
	Max	-13.543	-13.543	-13.532	-13.543	-13.533	-13.530	-13.533	
	Average	-13.551	-13.552	-13.542	-13.548	-13.546	-13.538	-13.540	
UnBiased	10	-13.543	-13.533	-13.543	-13.533	-13.543	-13.530	-13.533	
	11	-13.543	-13.543	-13.543	-13.543	-13.543	-13.540	-13.533	
	25	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	31	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	53	-13.553	-13.553	-13.543	-13.543	-13.553	-13.540	-13.543	
	54	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	72	-13.553	-13.553	-13.532	-13.553	-13.543	-13.540	-13.543	
	73	-13.543	-13.553	-13.543	-13.553	-13.543	-13.530	-13.543	
	94	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	95	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	123	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	124	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	Min	-13.553	-13.553	-13.543	-13.553	-13.553	-13.540	-13.543	
	Max	-13.543	-13.533	-13.532	-13.533	-13.543	-13.530	-13.533	
	Average	-13.549	-13.551	-13.542	-13.547	-13.544	-13.538	-13.541	






	T# 10.6	VO+ D RL=10K							V
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	12.708	12.708	12.698	12.698	12.708	12.701	12.698	>12
	45	12.698	12.708	12.698	12.698	12.698	12.701	12.698	
	120	12.708	12.719	12.709	12.708	12.708	12.711	12.708	
Biased	8	12.719	12.708	12.698	12.708	12.708	12.701	12.698	
	9	12.719	12.719	12.709	12.719	12.719	12.711	12.698	
	23	12.719	12.708	12.709	12.708	12.708	12.701	12.698	
	24	12.708	12.719	12.709	12.708	12.708	12.701	12.698	
	51	12.708	12.719	12.698	12.708	12.708	12.701	12.698	
	52	12.708	12.708	12.709	12.708	12.708	12.701	12.698	
	70	12.708	12.719	12.709	12.719	12.708	12.701	12.698	
	71	12.719	12.719	12.709	12.729	12.708	12.711	12.708	
	92	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
	93	12.719	12.729	12.709	12.719	12.719	12.711	12.708	
	121	12.719	12.719	12.698	12.719	12.708	12.701	12.708	
	122	12.708	12.729	12.709	12.719	12.708	12.701	12.698	
	Min	12.708	12.708	12.698	12.708	12.708	12.701	12.698	
	Max	12.719	12.729	12.709	12.729	12.719	12.711	12.708	
	Average	12.714	12.718	12.705	12.715	12.710	12.704	12.701	
UnBiased	10	12.708	12.698	12.709	12.698	12.708	12.701	12.688	
	11	12.708	12.708	12.709	12.708	12.719	12.711	12.698	
	25	12.708	12.708	12.709	12.708	12.708	12.701	12.698	
	31	12.698	12.719	12.698	12.698	12.708	12.701	12.698	
	53	12.708	12.729	12.698	12.708	12.719	12.701	12.698	
	54	12.719	12.719	12.698	12.708	12.708	12.701	12.698	
	72	12.708	12.719	12.688	12.719	12.708	12.701	12.698	
	73	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
	94	12.708	12.719	12.698	12.719	12.708	12.701	12.708	
	95	12.708	12.719	12.709	12.719	12.719	12.701	12.708	
	123	12.719	12.729	12.698	12.719	12.708	12.701	12.708	
	124	12.719	12.719	12.709	12.729	12.708	12.701	12.708	
	Min	12.698	12.698	12.688	12.698	12.708	12.701	12.688	
	Max	12.719	12.729	12.709	12.729	12.719	12.711	12.708	
	Average	12.710	12.717	12.702	12.713	12.711	12.702	12.701	






T# 10.7		VO- D RL=10K							V
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	-13.543	-13.543	-13.532	-13.533	-13.533	-13.530	-13.533	
	45	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	120	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
Biased	8	-13.543	-13.543	-13.532	-13.543	-13.543	-13.530	-13.533	
	9	-13.553	-13.543	-13.543	-13.543	-13.543	-13.540	-13.533	
	23	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	24	-13.543	-13.543	-13.543	-13.533	-13.543	-13.530	-13.533	
	51	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	52	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	70	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.533	
	71	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	92	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	93	-13.553	-13.563	-13.543	-13.553	-13.553	-13.540	-13.543	
	121	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	122	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	Min	-13.553	-13.563	-13.543	-13.553	-13.553	-13.540	-13.543	
	Max	-13.543	-13.543	-13.532	-13.533	-13.543	-13.530	-13.533	
	Average	-13.550	-13.551	-13.542	-13.547	-13.544	-13.538	-13.540	
UnBiased	10	-13.543	-13.533	-13.543	-13.533	-13.543	-13.530	-13.533	
	11	-13.543	-13.543	-13.543	-13.543	-13.543	-13.540	-13.533	
	25	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	31	-13.543	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	53	-13.553	-13.563	-13.543	-13.543	-13.553	-13.540	-13.543	
	54	-13.553	-13.553	-13.543	-13.543	-13.543	-13.540	-13.543	
	72	-13.553	-13.553	-13.532	-13.553	-13.553	-13.540	-13.543	
	73	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	94	-13.553	-13.553	-13.543	-13.553	-13.553	-13.540	-13.543	
	95	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	123	-13.553	-13.553	-13.543	-13.553	-13.543	-13.540	-13.543	
	124	-13.553	-13.553	-13.553	-13.553	-13.553	-13.540	-13.543	
	Min	-13.553	-13.563	-13.553	-13.553	-13.553	-13.540	-13.543	
	Max	-13.543	-13.533	-13.532	-13.533	-13.543	-13.530	-13.533	
	Average	-13.550	-13.551	-13.543	-13.547	-13.546	-13.539	-13.541	






T# 10.8		VO+ A RL=2K							V
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	12.159	12.159	12.149	12.149	12.159	12.152	12.159	
	45	12.159	12.169	12.159	12.159	12.159	12.162	12.159	
	120	12.179	12.189	12.169	12.179	12.179	12.172	12.179	
Biased	8	12.169	12.169	12.159	12.169	12.169	12.162	12.149	
	9	12.200	12.200	12.200	12.190	12.189	12.192	12.179	
	23	12.189	12.179	12.179	12.179	12.179	12.172	12.169	
	24	12.179	12.179	12.159	12.149	12.169	12.152	12.149	
	51	12.169	12.169	12.159	12.169	12.169	12.162	12.159	
	52	12.169	12.169	12.169	12.159	12.159	12.172	12.159	
	70	12.179	12.189	12.179	12.179	12.179	12.172	12.169	
	71	12.189	12.189	12.179	12.190	12.179	12.182	12.179	
	92	12.179	12.189	12.169	12.190	12.179	12.172	12.169	
	93	12.189	12.200	12.179	12.179	12.179	12.172	12.179	
	121	12.179	12.179	12.169	12.179	12.179	12.172	12.169	
	122	12.179	12.179	12.169	12.179	12.169	12.172	12.169	
	Min	12.169	12.169	12.159	12.149	12.159	12.152	12.149	
	Max	12.200	12.200	12.200	12.190	12.189	12.192	12.179	
Average	12.181	12.183	12.172	12.176	12.175	12.171	12.167		
UnBiased	10	12.159	12.159	12.169	12.159	12.169	12.162	12.159	
	11	12.189	12.189	12.190	12.190	12.189	12.192	12.179	
	25	12.179	12.179	12.179	12.179	12.179	12.182	12.169	
	31	12.179	12.179	12.179	12.179	12.179	12.182	12.169	
	53	12.169	12.179	12.159	12.169	12.179	12.152	12.149	
	54	12.169	12.169	12.169	12.169	12.169	12.172	12.169	
	72	12.179	12.179	12.159	12.179	12.179	12.172	12.169	
	73	12.189	12.189	12.179	12.190	12.189	12.182	12.179	
	94	12.189	12.189	12.179	12.190	12.189	12.182	12.179	
	95	12.179	12.179	12.179	12.179	12.179	12.172	12.169	
	123	12.179	12.189	12.179	12.190	12.189	12.182	12.179	
	124	12.189	12.189	12.190	12.200	12.189	12.192	12.189	
	Min	12.159	12.159	12.159	12.159	12.169	12.152	12.149	
	Max	12.189	12.189	12.190	12.200	12.189	12.192	12.189	
Average	12.179	12.181	12.176	12.181	12.182	12.177	12.172		






T# 10.11		VO- A RL=2K							V
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-12.993	-12.993	-12.983	-12.983	-12.983	-12.980	-12.983	>-11
	45	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	120	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
Biased	8	-12.993	-12.983	-12.983	-12.983	-12.983	-12.980	-12.983	
	9	-13.014	-13.014	-13.003	-13.003	-13.003	-13.001	-13.003	
	23	-13.024	-13.024	-13.013	-13.014	-13.014	-13.011	-13.014	
	24	-13.003	-13.003	-12.983	-12.963	-12.973	-12.960	-12.963	
	51	-13.014	-13.003	-13.003	-13.003	-13.003	-13.001	-13.003	
	52	-13.014	-13.014	-13.013	-12.993	-12.993	-13.001	-13.003	
	70	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.003	
	71	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	92	-13.014	-13.014	-13.013	-13.014	-13.014	-13.001	-13.003	
	93	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	121	-13.014	-13.003	-13.003	-13.003	-13.003	-13.001	-13.003	
	122	-13.014	-13.014	-13.013	-13.014	-13.003	-13.001	-13.003	
	Min	-13.024	-13.024	-13.013	-13.014	-13.014	-13.011	-13.014	
	Max	-12.993	-12.983	-12.983	-12.963	-12.973	-12.960	-12.963	
Average	-13.014	-13.010	-13.006	-13.003	-13.003	-12.999	-13.001		
UnBiased	10	-12.993	-12.983	-12.983	-12.983	-12.983	-12.980	-12.983	
	11	-13.014	-13.003	-13.003	-13.003	-13.003	-13.001	-13.003	
	25	-13.024	-13.014	-13.013	-13.003	-13.014	-13.001	-13.003	
	31	-13.014	-13.014	-13.013	-13.003	-13.003	-13.001	-13.003	
	53	-13.003	-13.003	-12.993	-13.003	-13.003	-12.990	-12.993	
	54	-13.003	-13.003	-13.003	-13.003	-13.003	-13.001	-13.003	
	72	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	73	-13.014	-13.014	-13.013	-13.014	-13.014	-13.001	-13.014	
	94	-13.024	-13.024	-13.013	-13.024	-13.014	-13.011	-13.014	
	95	-13.014	-13.014	-13.013	-13.014	-13.014	-13.001	-13.014	
	123	-13.014	-13.014	-13.013	-13.014	-13.003	-13.001	-13.003	
	124	-13.034	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
	Min	-13.034	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
	Max	-12.993	-12.983	-12.983	-12.983	-12.983	-12.980	-12.983	
Average	-13.014	-13.010	-13.008	-13.009	-13.008	-13.002	-13.005		






T# 10.12		VO+ B RL=2K							V
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	12.159	12.159	12.149	12.149	12.159	12.152	12.159	
	45	12.159	12.169	12.159	12.159	12.159	12.162	12.159	
	120	12.189	12.189	12.179	12.179	12.179	12.182	12.179	
Biased	8	12.169	12.159	12.159	12.159	12.159	12.152	12.149	
	9	12.200	12.200	12.190	12.190	12.189	12.182	12.179	
	23	12.179	12.179	12.169	12.169	12.169	12.162	12.159	
	24	12.169	12.179	12.159	12.159	12.169	12.162	12.149	
	51	12.159	12.169	12.159	12.169	12.169	12.162	12.159	
	52	12.169	12.169	12.159	12.169	12.169	12.162	12.159	
	70	12.179	12.179	12.169	12.179	12.169	12.172	12.169	
	71	12.189	12.189	12.179	12.190	12.179	12.182	12.179	
	92	12.179	12.189	12.169	12.190	12.179	12.172	12.169	
	93	12.189	12.189	12.179	12.190	12.189	12.172	12.169	
	121	12.179	12.179	12.169	12.169	12.169	12.172	12.169	
	122	12.169	12.179	12.169	12.169	12.169	12.162	12.159	
	Min	12.159	12.159	12.159	12.159	12.159	12.152	12.149	
	Max	12.200	12.200	12.190	12.190	12.189	12.182	12.179	
Average	12.177	12.180	12.169	12.175	12.173	12.168	12.164		
UnBiased	10	12.159	12.159	12.159	12.159	12.159	12.152	12.149	
	11	12.189	12.189	12.190	12.190	12.200	12.192	12.179	
	25	12.169	12.169	12.169	12.169	12.179	12.172	12.169	
	31	12.169	12.179	12.169	12.169	12.169	12.172	12.169	
	53	12.169	12.179	12.169	12.169	12.169	12.162	12.159	
	54	12.169	12.169	12.159	12.159	12.169	12.162	12.159	
	72	12.169	12.169	12.159	12.169	12.169	12.162	12.159	
	73	12.179	12.189	12.169	12.179	12.189	12.182	12.179	
	94	12.179	12.189	12.179	12.179	12.189	12.182	12.179	
	95	12.179	12.179	12.169	12.179	12.179	12.182	12.169	
	123	12.179	12.189	12.179	12.190	12.179	12.182	12.179	
	124	12.189	12.189	12.179	12.190	12.189	12.182	12.179	
	Min	12.159	12.159	12.159	12.159	12.159	12.152	12.149	
	Max	12.189	12.189	12.190	12.190	12.200	12.192	12.179	
Average	12.175	12.179	12.171	12.175	12.178	12.174	12.169		






	T# 10.12	VO- B RL=2K							V
	SN	Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-12.993	-12.993	-12.993	-12.993	-12.993	-12.990	-12.993	>-11
	45	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	120	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
Biased	8	-12.993	-12.983	-12.983	-12.973	-12.973	-12.970	-12.973	
	9	-13.014	-13.014	-13.003	-13.003	-13.003	-12.990	-12.993	
	23	-13.024	-13.024	-13.013	-13.014	-13.014	-13.011	-13.014	
	24	-13.014	-13.014	-12.993	-12.983	-12.993	-12.980	-12.983	
	51	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	52	-13.014	-13.014	-13.013	-13.003	-13.003	-13.011	-13.014	
	70	-13.014	-13.014	-13.013	-13.014	-13.003	-13.001	-13.003	
	71	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	92	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
	93	-13.024	-13.024	-13.024	-13.024	-13.014	-13.011	-13.014	
	121	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.003	
	122	-13.014	-13.014	-13.013	-13.014	-13.014	-13.001	-13.003	
	Min	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
	Max	-12.993	-12.983	-12.983	-12.973	-12.973	-12.970	-12.973	
Average	-13.016	-13.014	-13.010	-13.008	-13.007	-13.002	-13.004		
UnBiased	10	-12.993	-12.983	-12.983	-12.983	-12.983	-12.970	-12.983	
	11	-13.014	-13.014	-13.003	-13.003	-13.003	-13.001	-13.003	
	25	-13.024	-13.024	-13.013	-13.014	-13.014	-13.011	-13.014	
	31	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	53	-13.014	-13.014	-13.003	-13.014	-13.014	-12.990	-13.003	
	54	-13.014	-13.003	-13.013	-13.003	-13.003	-13.001	-13.003	
	72	-13.014	-13.003	-13.003	-13.003	-13.003	-13.001	-13.003	
	73	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	94	-13.024	-13.024	-13.013	-13.024	-13.014	-13.011	-13.014	
	95	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	123	-13.014	-13.014	-13.003	-13.014	-13.003	-13.001	-13.003	
	124	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	Min	-13.024	-13.024	-13.013	-13.024	-13.014	-13.011	-13.014	
	Max	-12.993	-12.983	-12.983	-12.983	-12.983	-12.970	-12.983	
Average	-13.016	-13.011	-13.007	-13.010	-13.008	-13.003	-13.007		






T# 10.13		VO+ C RL=2K							V
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	12.159	12.159	12.149	12.149	12.149	12.152	12.149	>11
	45	12.169	12.169	12.159	12.159	12.169	12.162	12.159	
	120	12.189	12.189	12.179	12.179	12.179	12.182	12.179	
Biased	8	12.159	12.159	12.159	12.159	12.159	12.152	12.149	
	9	12.189	12.189	12.190	12.179	12.179	12.182	12.169	
	23	12.179	12.179	12.169	12.169	12.169	12.172	12.159	
	24	12.169	12.179	12.159	12.159	12.169	12.162	12.149	
	51	12.159	12.169	12.159	12.159	12.159	12.152	12.149	
	52	12.169	12.169	12.159	12.159	12.169	12.172	12.159	
	70	12.179	12.179	12.169	12.179	12.179	12.172	12.169	
	71	12.189	12.189	12.179	12.190	12.189	12.182	12.179	
	92	12.179	12.179	12.169	12.190	12.179	12.172	12.169	
	93	12.189	12.189	12.179	12.190	12.189	12.182	12.179	
	121	12.179	12.179	12.169	12.169	12.179	12.172	12.169	
	122	12.179	12.179	12.169	12.179	12.179	12.172	12.169	
	Min	12.159	12.159	12.159	12.159	12.159	12.152	12.149	
	Max	12.189	12.189	12.190	12.190	12.189	12.182	12.179	
	Average	12.177	12.178	12.169	12.173	12.175	12.170	12.164	
UnBiased	10	12.149	12.149	12.149	12.149	12.149	12.152	12.139	
	11	12.189	12.179	12.190	12.179	12.189	12.192	12.179	
	25	12.169	12.179	12.169	12.169	12.179	12.172	12.169	
	31	12.169	12.179	12.169	12.169	12.169	12.172	12.169	
	53	12.169	12.179	12.169	12.169	12.169	12.162	12.159	
	54	12.169	12.169	12.159	12.169	12.169	12.162	12.159	
	72	12.169	12.179	12.159	12.179	12.169	12.172	12.169	
	73	12.189	12.189	12.179	12.190	12.189	12.182	12.179	
	94	12.179	12.189	12.169	12.179	12.179	12.172	12.169	
	95	12.179	12.179	12.179	12.179	12.179	12.172	12.169	
	123	12.179	12.189	12.169	12.179	12.179	12.172	12.179	
	124	12.179	12.189	12.179	12.190	12.179	12.182	12.179	
	Min	12.149	12.149	12.149	12.149	12.149	12.152	12.139	
	Max	12.189	12.189	12.190	12.190	12.189	12.192	12.179	
Average	12.174	12.179	12.170	12.175	12.175	12.172	12.169		



T# 10.14		VO- C RL=2K							V
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-13.003	-13.003	-13.003	-13.003	-13.003	-13.001	-13.003	>-11
	45	-13.024	-13.024	-13.024	-13.024	-13.024	-13.011	-13.014	
	120	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
Biased	8	-13.003	-12.993	-12.993	-12.993	-12.993	-12.990	-12.983	
	9	-13.024	-13.014	-13.013	-13.003	-13.003	-13.001	-13.003	
	23	-13.034	-13.024	-13.024	-13.014	-13.014	-13.011	-13.014	
	24	-13.024	-13.014	-12.993	-12.993	-12.993	-12.990	-12.993	
	51	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	52	-13.024	-13.024	-13.024	-13.014	-13.014	-13.021	-13.014	
	70	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	71	-13.024	-13.024	-13.024	-13.024	-13.024	-13.011	-13.014	
	92	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	93	-13.034	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	121	-13.024	-13.024	-13.024	-13.014	-13.014	-13.011	-13.014	
	122	-13.024	-13.024	-13.024	-13.024	-13.014	-13.011	-13.014	
	Min	-13.034	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	Max	-13.003	-12.993	-12.993	-12.993	-12.993	-12.990	-12.983	
	Average	-13.024	-13.019	-13.017	-13.014	-13.013	-13.010	-13.011	
UnBiased	10	-13.003	-12.993	-12.993	-12.993	-12.993	-12.990	-12.993	
	11	-13.024	-13.024	-13.013	-13.014	-13.014	-13.011	-13.014	
	25	-13.024	-13.024	-13.013	-13.014	-13.014	-13.011	-13.014	
	31	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	53	-13.024	-13.024	-13.013	-13.024	-13.024	-13.001	-13.014	
	54	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	72	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	73	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	94	-13.034	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	95	-13.024	-13.024	-13.024	-13.024	-13.014	-13.011	-13.014	
	123	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	124	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
	Min	-13.034	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	Max	-13.003	-12.993	-12.993	-12.993	-12.993	-12.990	-12.993	
	Average	-13.021	-13.017	-13.014	-13.016	-13.015	-13.010	-13.013	



T# 10.15		VO+ D RL=2K							V
SN	Initial	2K	10K	30K	50K	75K	100K	Limit	
Control	7	12.159	12.159	12.149	12.159	12.159	12.152	12.159	>11
	45	12.159	12.169	12.159	12.159	12.159	12.162	12.159	
	120	12.189	12.189	12.179	12.179	12.179	12.182	12.179	
Biased	8	12.169	12.159	12.159	12.159	12.159	12.162	12.149	
	9	12.189	12.189	12.190	12.190	12.189	12.182	12.179	
	23	12.189	12.179	12.179	12.179	12.179	12.172	12.169	
	24	12.169	12.179	12.159	12.149	12.159	12.152	12.149	
	51	12.169	12.169	12.159	12.159	12.169	12.162	12.159	
	52	12.169	12.179	12.169	12.159	12.159	12.172	12.159	
	70	12.179	12.189	12.179	12.179	12.179	12.172	12.169	
	71	12.189	12.200	12.190	12.200	12.189	12.182	12.179	
	92	12.179	12.189	12.169	12.190	12.179	12.172	12.169	
	93	12.189	12.189	12.179	12.190	12.179	12.172	12.169	
	121	12.179	12.179	12.169	12.179	12.179	12.172	12.169	
	122	12.179	12.179	12.169	12.179	12.169	12.172	12.169	
	Min	12.169	12.159	12.159	12.149	12.159	12.152	12.149	
	Max	12.189	12.200	12.190	12.200	12.189	12.182	12.179	
Average	12.179	12.182	12.173	12.176	12.174	12.170	12.166		
UnBiased	10	12.159	12.149	12.159	12.159	12.159	12.152	12.149	
	11	12.189	12.189	12.190	12.190	12.189	12.192	12.179	
	25	12.179	12.179	12.179	12.179	12.179	12.172	12.169	
	31	12.169	12.179	12.169	12.169	12.179	12.172	12.169	
	53	12.169	12.179	12.159	12.169	12.179	12.152	12.149	
	54	12.179	12.169	12.169	12.159	12.179	12.172	12.169	
	72	12.169	12.169	12.159	12.179	12.169	12.172	12.159	
	73	12.179	12.189	12.179	12.190	12.189	12.182	12.179	
	94	12.189	12.200	12.179	12.190	12.189	12.182	12.179	
	95	12.179	12.179	12.179	12.190	12.179	12.182	12.179	
	123	12.179	12.189	12.179	12.190	12.189	12.182	12.179	
	124	12.189	12.189	12.190	12.200	12.189	12.192	12.189	
	Min	12.159	12.149	12.159	12.159	12.159	12.152	12.149	
	Max	12.189	12.200	12.190	12.200	12.189	12.192	12.189	
Average	12.177	12.180	12.174	12.180	12.181	12.175	12.171		



T# 10.16		VO- D RL=2K							V
SN		Initial	2K	10K	30K	50K	75K	100K	Limit
Control	7	-12.993	-12.993	-12.993	-12.983	-12.983	-12.980	-12.993	>-11
	45	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	120	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.014	
Biased	8	-12.993	-12.983	-12.983	-12.983	-12.983	-12.980	-12.973	
	9	-13.024	-13.014	-13.003	-13.003	-13.003	-13.001	-13.003	
	23	-13.034	-13.024	-13.024	-13.024	-13.014	-13.011	-13.014	
	24	-13.014	-13.014	-12.983	-12.963	-12.983	-12.970	-12.973	
	51	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	52	-13.024	-13.014	-13.013	-13.003	-13.003	-13.011	-13.014	
	70	-13.014	-13.014	-13.013	-13.014	-13.003	-13.001	-13.003	
	71	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	92	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	93	-13.024	-13.024	-13.024	-13.024	-13.024	-13.011	-13.014	
	121	-13.014	-13.014	-13.013	-13.014	-13.014	-13.001	-13.003	
	122	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	Min	-13.034	-13.024	-13.024	-13.024	-13.024	-13.011	-13.014	
	Max	-12.993	-12.983	-12.983	-12.963	-12.983	-12.970	-12.973	
	Average	-13.019	-13.013	-13.009	-13.007	-13.007	-13.003	-13.004	
UnBiased	10	-12.993	-12.993	-12.993	-12.993	-12.993	-12.980	-12.983	
	11	-13.024	-13.014	-13.013	-13.014	-13.003	-13.011	-13.003	
	25	-13.024	-13.024	-13.013	-13.014	-13.014	-13.011	-13.014	
	31	-13.024	-13.024	-13.024	-13.014	-13.024	-13.011	-13.014	
	53	-13.014	-13.014	-13.003	-13.014	-13.014	-13.001	-13.003	
	54	-13.014	-13.014	-13.013	-13.003	-13.003	-13.011	-13.003	
	72	-13.014	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	73	-13.024	-13.024	-13.013	-13.024	-13.014	-13.011	-13.014	
	94	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	95	-13.024	-13.024	-13.013	-13.024	-13.014	-13.011	-13.014	
	123	-13.024	-13.014	-13.013	-13.014	-13.014	-13.011	-13.014	
	124	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	Min	-13.024	-13.024	-13.024	-13.024	-13.024	-13.021	-13.024	
	Max	-12.993	-12.993	-12.993	-12.993	-12.993	-12.980	-12.983	
Average	-13.019	-13.017	-13.013	-13.015	-13.013	-13.009	-13.010		

