



*AMD Geode™  
NX DB1500 Development Board  
BOM*

Development Board Rev 1.2

---

*October 2004*

Publication ID: 32578A

---

**© 2004 Advanced Micro Devices, Inc. All rights reserved.**

The contents of this document are provided in connection with Advanced Micro Devices, Inc. (“AMD”) products. AMD makes no representations or warranties with respect to the accuracy or completeness of the contents of this publication and reserves the right to make changes to specifications and product descriptions at any time without notice. No license, whether express, implied, arising by estoppel or otherwise, to any intellectual property rights is granted by this publication. Except as set forth in AMD’s Standard Terms and Conditions of Sale, AMD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to its products including, but not limited to, the implied warranty of merchantability, fitness for a particular purpose, or infringement of any intellectual property right.

AMD’s products are not designed, intended, authorized or warranted for use as components in systems intended for surgical implant into the body, or in other applications intended to support or sustain life, or in any other application in which the failure of AMD’s product could create a situation where personal injury, death, or severe property or environmental damage may occur. AMD reserves the right to discontinue or make changes to its products at any time without notice.

**Contacts**

[www.amd.com](http://www.amd.com)

**Trademarks**

AMD, the AMD Arrow logo, and combinations thereof, and Geode are trademarks of Advanced Micro Devices, Inc.

Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies.

# Contents

---

<b>1.0 All Components</b> .....	<b>4</b>
Table 1.Geode™ NX DB1500 Rev 1.2 BOM - All Components .....	4
<b>2.0 Components Not Populated</b> .....	<b>14</b>
Table 2.Geode™ NX DB1500 Rev 1.2 BOM - Components Not Populated .....	14
<b>3.0 Post Assembly Components</b> .....	<b>14</b>
Table 3.Geode™ NX DB1500 Rev 1.2 BOM - Post Assembly Components .....	14
<b>4.0 Revision History</b> .....	<b>14</b>
Table 4.Revision History .....	14

## 1.0 All Components

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
4	1210003-009	1	IC: W83697HF,Winbond,Super I/O/LPC,PQFP128	U27	Winbond	W83697HF
5	12CM000001	1	IC: AMD, NetPHY-LP1, Am79C874, TQFP	U32	AMD	Am79C874
6	12DM000002	1	IC: ALC655, Realtek Audio CODEC, LQFP48	U34	Realtek	ALC655
7	12F0000036	1	IC: VT8237, South Bridge, BGA539	U12	VIA	VT8237
8	12FM000001	1	IC: VIA, KN400A North Bridge, BGA552	U14	VIA	KN400
9	1320004-075	1	IC: 29F004BT, 0.35um, 70ns,512k,top sector,PLCC32	U22	AMD	29F004BT
10	13HM000001	1	IC: 93C46,EEPROM,Serial,1K,10ms, 2.7-5.5V,SOIC8	U18	ISSI	93C46
11	1450006-010	1	IC: GAL22V10,10ns,5V,TSSOP	U9	Atmel	ATF22V10C-15XC
12	1540003-014	1	IC: 74HC14,TSSOP	U17	Fairchild	MM74HC14MTC
13	15NM000002	3	IC: Fairchild NC7SZ08 Single AND Gate, SOT23, VCC 2.5-5V	U205, U206, U207	Fairchild	NC7SZ08
14	15NM000003	3	IC: Fairchild NC7SZ00 Single NAND Gate, SOT23, VCC 2.5-5V	U200, U201, U204	Fairchild	NC7SZ00
15	15NM000004	1	IC: SN74LVC07A,hex buffer,open drain,TSSOP-14	U11	Texas Instruments	SN74LVC07APW
16	15NM000005	2	IC: 74AC04,hex inverter,TSSOP-14	U16, U26	Fairchild	74AC04AMTC
17	16C0000002	1	IC: HIP6602A,Dual Sync-Rec Buck,MOSFET Driver,SOIC14	U24	Intersil	HIP6602BCB
18	16KM000001	1	IC: ISL6223, K7 mobile PWM Reg., SSOP20	U21	Intersil	ISL6223CA
19	16L0000001	1	IC: GD75232, Multi RS232 Drvr/Recvr, TSSOP20	U33	Texas Instruments	GD75232PWR
20	16LM000002	1	IC:ICS950902,K7 Clockgen,TSOP 56 pin	U25	ICS	ICS950902
21	16MM000001	1	IC: LT1763, Linear Regulator, 500mA, SOIC8	U23	Linear Tech	LT1763CS8
22	16N0000005	1	IC: LMV7219,Voltage Comparator,7ns,2.7-5V,SMT,SOT23-5	U202	National	LMV7219
23	16NM000001	1	IC: MAX6512, Temp. Switch, SOT23-6	U203	Maxim	MAX6512EUT105-T
24	16ZM000001	1	IC: LP2995 ,DDR Termination Regulator, PSOP-8	U1	National	LP2995MR
25	16ZM000002	1	IC: LM3477 ,PWM Controller, MSOP-8	U6	National	LM3477A
26	16ZM000003	1	IC: LP3982 , Linear Regulator, MSOP-8	U20	National	LP3982IMM-ADJ
27	16ZM000004	1	IC: LP2985 , Linear Regulator, 150mA, SOT23-5	U15	National	LP2985IM5-2.5
28	19ZM000002	1	IC: NC7SZ74, D Flip-Flop, 1.65-5.5V, US8	U10	Fairchild	NC7SZ74K8X
29	2050001-054	1	Diode: Dual Schottky Barrier,BAT54A,SOT23	CR201	Any	Any
30	2050001-254	1	Diode: Dual Schottky Barrier,BAT54C,SOT23	CR203	Any	Any
31	2050001-454	7	Diode: Dual Schottky Barrier,BAT54S,SOT23	CR205, CR206, CR207, CR208, CR209, CR210, CR211	Any	Any
32	2050009-120	1	Diode: Schottky Barrier Rec, MBRA120LT3,20V,1A,SMA	CR3	Diodes Inc.	B120-13
33	20H0000030	3	Diode: 1N4148,100V,150mA,MiniMELF,SMT	CR4, CR202, CR204	Any	Any
34	20HM000003	2	LED: Green, 0603	CR1, CR2	Any	Any
35	20HM000011	1	Diode: Schottky Barrier Rectifier,20V,3A,SMA	CR200	Diodes Inc.	B340LA-13
36	2150001-702	18	Transistor: 2N7002, N-Channel FET,SOT23	Q201, Q202, Q203, Q205, Q207, Q209, Q210, Q211, Q212, Q213, Q217, Q218, Q219, Q220, Q221, Q222, Q225, Q226	Fairchild	2N7002

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
37	2150002-222	5	Transistor: MMBT2222A,SOT23	Q206, Q208, Q214, Q215, Q223	Fairchild	MMBT2222A
38	2150002-394	4	Transistor: MMBT3904A,SOT23	Q200, Q204, Q216, Q227	Fairchild	MMBT3904
39	2150002-396	1	Transistor: MMBT3906,PNP,SOT23	Q224	Fairchild	MMBT3906
40	21GM000001	2	Transistor: N-Chl Mosfet,IRF7821,SOIC8	U29, U30	International Rectifier	IRF7821
41	21GM000002	2	Transistor: N-Chl Mosfet,IRF7832,SOIC8	U28, U31	International Rectifier	IRF7832
42	21GM000004	5	Transistor: N-Chl Mosfet,FDS6612A,SOIC8,8.4A,30V, RDS=22mohms	U2, U3, U5, U8, U35	Fairchild	FDS6612A
43	2290017-010	10	Inductor: 0.010uH,530ma,5%,1008	L2, L3, L4, L5, L6, L7, L8, L9, L10, L11	CoilCraft	1008CS-100XJBC
44	22HM000005	20	Ferrite: Bead,60ohm@100Mhz,DRC=0.15ohm,500mA,EIA0805	FB2, FB3, FB200, FB202, FB204, FB205, FB207, FB208, FB209, FB211, FB212, FB213, FB214, FB215, FB226, FB227, L200, L201, L202, L203	Yaego	SBK201209T-600Y-S
45	22HM000008	2	Inductor: 1.37uH,22.5A,Power,Toroid, Radial,High Freq	L12, L13	Falco	T04427
46	22HM000009	16	Ferrite: 100ohm@100Mhz,DRC=0.20ohm,400mA,EIA1206	FB1, FB4, FB5, FB201, FB203, FB210, FB216, FB217, FB218, FB219, FB220, FB221, FB222, FB223, FB224, FB225	Vishay-Dale	ILB1206RK100V
47	22HM000011	1	Ferrite: 300ohm@100Mhz,DRC=0.30ohm,250mA,EIA1206	FB206	Vishay-Dale	ILB1206RK300V
48	22HM000012	1	Inductor: 1.10uH, 12%, 4.0A, power, Toroid	L14	Falco	TTID0803-T03004
49	22HM000013	1	Inductor: 3.3uH, CDRH8D28 Series, SMT	L1	Sumida	CDRH8D28-3R3
50	23DM000006	2	IC:AMS1117 V REG,1A,SOT-223	U4, U7	Advanced Monolithic Systems	AMS1117
51	24R0000001	3	Fuse: 1.5, Resettable,6.0V,SMT,1206	F1,F200,F201	Little Fuse	1206L150WRT
52	32CM000001	2	Crystal:25MHz, 18pF, AT cut, 50ppm, SMT	Y2, Y4	Ecliptek	EC2SM-25.000M
53	32CM000002	1	Crystal:14.318MHz, 18pF, AT cut, 50ppm, SMT	Y3	Ecliptek	EC2SM-14.318M
54	32CM000003	1	Crystal:32.768kHz, 12.5pF, AT cut, 20ppm	Y1	Ecliptek	EC38T
55	4000001-020	1	Connector: ATX Power,20 Pin,5566-N20	J15	AMP	794-358-1
56	4000001-207	2	Connector: Serial ATA, Signal, 7 Pos, Vertical , THT	J4, J5	Molex	67491-0010
57	4000002-120	1	Connector: Card Edge,PCI,120 Pos	J11	AMP	145154-4
58	4000003-315	1	Connector: DSUB 15 Pin,Female,3 Row, Rt Angle, PC99	J18	FoxConn	DZ11AA1-B9
59	4000004-762	1	Connector: Cir Mini Din 6 Pos, Dual,0.6 in Ctr-Ctr, PC99	J19	Foxconn	MH11061-PD2
60	4000003-225	1	Connector: D-Sub,25 Pos,PC99,Female,Dual Row,Ext Leads, Rt Angle	J16	FoxConn	DM11351-PR3
61	40AM000002	1	Connector: 90Deg PC Phono Jack, THT	J20	Keystone	901

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
62	40AM000004	1	Connector: Header 3 pos., 2mm, THT	J13	Samtec	TMM-103-05-G-S
63	40AM000005	2	Connector: Header 4 pos. w/ coining, 2mm, THT	J8, J9	Molex	SD-89400-042
64	40AM000006	1	Connector: Serial/Audio,Stereo Jacks 3,DB9	J21	Foxconn	DM10151-PJ8
65	40AM000008	1	Connector: Header 9x2, 2.54mm, THT	J7	Samtec	TSW-109-07-F-D
66	40AM000009	1	Connector: Header 7x2, 2mm, THT	J14	Samtec	TMM-107-07-F-D
67	40AM000010	1	Connector: RJ45/Dual USB, Stacked,w/Meg,w/ LEDs,10/100 Base,THT	J17	Pulse	J6026M51U
68	4100001-005	1	Header: 5x1, .230, Str	J6	AMP	103239-5
69	4100002-010	1	Header: 5x2,.230	J3	AMP	103240-5
70	4100003-116	1	Header: 8x2,.1 Ctr, Vert.(HDT)	J1	Samtec	TSW-108-07-F-D
71	4100003-140	1	Header: 20x2,.230,w/Shroud,Pin 20 Key	J2	AMP	111782-8
72	4100007-003	1	Header: 3x1,.1 in. Ctr, Locking Friction	J10	molex	22-27-2031
73	4100009-012	1	Header: 6x2, 2mm Ctr,Vertical, Molex 87089-1216	J12	Molex	87089-1216
74	4200004-033	1	Mech Part: PLCC32 SOCKET W/ STAND OFFS	U22	molex	822472-3
75	4200009-003	1	Socket: Battery,2032,20mm,THT, Renata	B1	Renata	VBH2032-1
76	4200021-001	1	Socket: Socket 462, PGA, ZIF	U13	FoxConn	PZ46267-001-A
77	43AM000001	3	Switch: PTS453, 4.5mm Tact Switch, THT	SW1, SW2, SW3	ITT Cannon	PTS453SL38
78	45A0000004	1	Socket: Card Edge,DDR DIMM,184 pin,1.27mm ctr, Unbuffered,2.5V,Green,THT	S1	AMP	390241-1
79	5000000-040	1	Resistor: 40.2, 1%, 1/16W, EIA0603	R300	Any	Any
80	5000000-049	5	Resistor: 49.9, 1%, 1/16W, EIA0603	R137, R140, R348, R439, R440	Any	Any
81	5000000-060	3	Resistor: 60.4, 1%, 1/16W, EIA0603	R57, R64, R84	Any	Any
82	5000000-101	4	Resistor: 100, 1%, 1/16W, EIA0603	R296, R297, R344, R345	Any	Any
83	5000000-102	4	Resistor: 1.0k, 1%, 1/16W, EIA0603	R3, R4, R343, R353	Any	Any
84	5000000-103	5	Resistor: 10.0k, 1%, 1/16W, EIA0603	R66, R119, R399, R407, R418	Any	Any
85	5000000-113	1	Resistor: 11.0k, 1%, 1/16W, EIA0603	R235	Any	Any
86	SKIP		SKIP		Any	Any
87	5000000-124	3	Resistor: 121.0k, 1%, 1/16W, EIA0603	R385, R386, R416	Any	Any
88	5000000-127	1	Resistor: 12.7k, 1%, 1/16W, EIA0603	R232	Any	Any
89	5000000-163	1	Resistor: 16.9k, 1%, 1/16W, EIA0603	R237	Any	Any
90	SKIP		SKIP		Any	Any
91	5000000-201	4	Resistor: 200, 1%, 1/16W, EIA0603	R220, R226, R290, R314	Any	Any
92	5000000-203	4	Resistor: 20k, 1%, 1/16W, EIA0603	R213, R236, R253, R391	Any	Any
93	5000000-234	1	Resistor: 232k, 1%, 1/16W, EIA0603	R417	Any	Any
94	5000000-253	1	Resistor: 20.5k, 1%, 1/16W, EIA0603	R201	Any	Any
95	5000000-283	2	Resistor: 28k, 1%, 1/16W, EIA0603	R86, R408	Any	Any
96	5000000-301	1	Resistor: 301, 1%, 1/16W, EIA0603	R63	Any	Any
97	5000000-302	2	Resistor: 3.01k, 1%, 1/16W, EIA0603	R342, R354	Any	Any
98	5000000-432	1	Resistor: 4.32k, 1%, 1/16W, EIA0603	R323	Any	Any
99	5000000-562	2	Resistor: 56.2k, 1%, 1/16W, EIA0603	R415, R419	Any	Any
100	5000000-602	1	Resistor: 6.04k, 1%, 1/16W, EIA0603	R74	Any	Any
101	5000000-603	1	Resistor: 60.4k, 1%, 1/16W, EIA0603	R388	Any	Any
102	5000000-806	1	Resistor: 806, 1%, 1/16W, EIA0603	R383	Any	Any
103	5000000-903	1	Resistor: 90.9k, 1%, 1/16W, EIA0603	R85	Any	Any
104	SKIP		SKIP		REMOVED	REMOVED
105	50B0000008	1	Resistor: 86.6K, 1%, 1/16W, EIA0603	R228	Any	Any

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
106	50B0000042	1	Resistor: 475.0, 1%, 1/16W, EIA0603	R115	Any	Any
107	50B0000096	1	Resistor: 19.1k, 1%, 1/16W, EIA0603	R394	Any	Any
108	50BM000002	1	Resistor: 147, 1%, 1/16W, EIA0603	R82	Any	Any
109	50BM000003	1	Resistor: 56.2, 1%, 1/16W, EIA0603	R302	Any	Any
110	50B0000018	3	Resistor: 365, 1%, 1/16W, EIA0603	R242, R331, R347	Any	Any
111	50BM000006	3	Resistor: 13.0k, 1%, 1/16W, EIA0603	R234, R238, R254	Any	Any
112	5100000-000	13	Resistor: 0, 1/16W, EIA0603	R30, R32, R34, R70, R87, R88, R89, R200, R239, R240, R267, R284, R380	Any	Any
113	5100000-005	5	Resistor: 5.1, 5%, 1/16W, EIA0603	R90, R100, R112, R146, R341	Any	Any
114	5100000-010	13	Resistor: 10, 5%, 1/16W, EIA0603	R8, R9, R11, R13, R15, R17, R20, R22, R25, R62, R91, R92, R230	Any	Any
115	5100000-022	39	Resistor: 22, 5%, 1/16W, EIA0603	R10, R12, R14, R16, R18, R19, R21, R24, R55, R58, R59, R93, R94, R95, R96, R97, R104, R106, R107, R108, R111, R114, R117, R121, R123, R125, R126, R129, R130, R131, R133, R134, R138, R139, R337, R379, R381, R459, R470	Any	Any
116	5100000-033	10	Resistor: 33, 5%, 1/16W, EIA0603	R2, R31, R33, R365, R366, R367, R368, R369, R370, R377	Any	Any
117	5100000-051	1	Resistor: 51, 5%, 1/16W, EIA0603	R269	Any	Any
118	5100000-056	2	Resistor: 56, 5%, 1/16W, EIA0603	R324, R333	Any	Any
119	5100000-068	1	Resistor: 68, 5%, 1/16W, EIA0603	R225	Any	Any
120	5100000-075	3	Resistor: 75, 5%, 1/16W, EIA0603	R456, R457, R458	Any	Any
121	5100000-082	1	Resistor: 82, 5%, 1/16W, EIA0603	R101	Any	Any
122	5100000-101	3	Resistor: 100, 5%, 1/16W, EIA0603	R454, R468, R469	Any	Any
123	5100000-102	25	Resistor: 1k, 5%, 1/16W, EIA0603	R83, R241, R251, R268, R272, R279, R287, R289, R291, R293, R356, R357, R376, R387, R410, R411, R426, R427, R428, R431, R432, R435, R436, R437, R444	Any	Any

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
124	5100000-103	59	Resistor: 10k, 5%, 1/16W, EIA0603	R1, R23, R40, R54, R73, R76, R80, R81, R122, R124, R127, R128, R132, R143, R212, R214, R221, R222, R227, R246, R255, R256, R257, R258, R259, R260, R261, R263, R276, R281, R283, R308, R309, R318, R319, R320, R321, R322, R326, R328, R332, R338, R355, R360, R361, R363, R371, R375, R384, R395, R412, R433, R434, R441, R442, R448, R449, R450, R451	Any	Any
125	5100000-105	2	Resistor: 1M, 5%, 1/16W, EIA0603	R48, R49	Any	Any
126	5100000-152	3	Resistor: 1.5k, 5%, 1/16W, EIA0603	R210, R211, R429	Any	Any
127	5100000-153	9	Resistor: 15k, 5%, 1/16W, EIA0603	R39, R218, R219, R223, R224, R445, R446, R452, R453	Any	Any
128	5100000-162	2	Resistor: 1.6k, 5%, 1/16W, EIA0603	R98, R99	Any	Any
129	5100000-221	1	Resistor: 220, 5%, 1/16W, EIA0603	R455	Any	Any
130	5100000-222	27	Resistor: 2.2K, 5%, 1/16W, EIA0603	R37, R38, R42, R56, R60, R61, R69, R71, R72, R78, R79, R247, R273, R275, R285, R286, R288, R313, R397, R403, R404, R414, R422, R423, R424, R425, R443	Any	Any
131	5100000-223	6	Resistor: 22k, 5%, 1/16W, EIA0603	R460, R463, R464, R465, R466, R467	Any	Any
132	5100000-271	9	Resistor: 270, 5%, 1/16W, EIA0603	R53, R202, R203, R204, R205, R295, R298, R350, R358	Any	Any
133	5100000-273	1	Resistor: 27K, 5%, 1/16W, EIA0603	R401	Any	Any
134	5100000-331	3	Resistor: 330, 5%, 1/16W, EIA0603	R7, R28, R35	Any	Any
135	5100000-332	1	Resistor: 3.3k, 5%, 1/16W, EIA0603	R245	Any	Any
136	5100000-471	4	Resistor: 470, 5%, 1/16W, EIA0603	R216, R292, R294, R420	Any	Any



Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
137	5100000-472	63	Resistor: 4.7k, 5%, 1/16W, EIA0603	R5, R26, R29, R36, R41, R44, R45, R46, R47, R50, R51, R52, R68, R75, R77, R144, R145, R231, R243, R244, R249, R250, R252, R262, R264, R265, R266, R274, R280, R282, R310, R311, R312, R325, R327, R329, R330, R334, R335, R336, R339, R340, R352, R362, R364, R372, R373, R390, R392, R393, R396, R398, R400, R402, R405, R406, R409, R413, R421, R438, R447, R461, R462	Any	Any
138	5100000-474	2	Resistor: 470k, 5%, 1/16W, EIA0603	R27, R471	Any	Any
139	5100000-511	7	Resistor: 510, 5%, 1/16W, EIA0603	R206, R207, R208, R209, R215, R217, R270	Any	Any
140	5100000-562	3	Resistor: 5.6k, 5%, 1/16W, EIA0603	R43, R141, R248	Any	Any
141	5100000-563	1	Resistor: 56k, 5%, 1/16W, EIA0603	R277	Any	Any
142	5100000-564	2	Resistor: 560k, 5%, 1/16W, EIA0603	R229, R472	Any	Any
143	5100000-681	13	Resistor: 680, 5%, 1/16W, EIA0603	R278, R299, R301, R303, R304, R305, R306, R307, R315, R316, R349, R351, R359	Any	Any
144	5100000-753	1	Resistor: 75k, 5%, 1/16W, EIA0603	R271	Any	Any
145	5100000-822	5	Resistor: 8.2k, 5%, 1/16W, EIA0603	R67, R105, R113, R135, R136	Any	Any
146	51BM000002	2	Resistor: 27 ohm, 5%, EIA0603	R102, R103	Any	Any
147	5300008-022	16	RNET: 22,ISO,4 Resistor, EIA0603 Array	RN27, RN28, RN29, RN30, RN31, RN32, RN33, RN34, RN35, RN36, RN37, RN38, RN39, RN40, RN41, RN42	Any	Any
148	5300008-033	36	RNET: 33,ISO,4 Resistor, EIA0603 Array	RN1, RN2, RN3, RN4, RN5, RN6, RN7, RN8, RN9, RN10, RN11, RN12, RN13, RN14, RN15, RN16, RN17, RN18, RN19, RN20, RN21, RN22, RN23, RN24, RN25, RN26, RN51, RN201, RN202, RN203, RN204, RN205, RN206, RN207, RN217, RN218	Any	Any
149	5300008-101	2	RNET: 100,ISO,4 Resistor, EIA0603 Array	RN210, RN211	Any	Any

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
150	5300008-103	8	RNET: 10K,ISO,4 Resistor, EIA0603 Array	RN43, RN44, RN48, RN49, RN50, RN52, RN53, RN54	Any	Any
151	5300008-222	3	RNET: 2.2K,ISO,4 Resistor, EIA0603 Array	RN209, RN212, RN216	Any	Any
152	5300008-332	5	RNET: 3.3k,ISO,4 Resistor, EIA0603 Array	RN45, RN46, RN47, RN200, RN208	Any	Any
153	5300008-472	8	RNET: 4.7K,ISO,4 Resistor, EIA0603 Array	RN213, RN214, RN215, RN219, RN220, RN221, RN222, RN223	Any	Any
154	56GM000002	2	Resistor: 0.0,Power,1W,1%,EIA2512	R109, R110	Any	Any
155	59BM000001	2	Thermistor: B=3435,10k@25C,0603	R65, R120	Any	Any
156	6000000-004	5	Capacitor: 4.7pf,5%,50V, COG,EIA0603	C88, C106, C114, C116, C119	Any	Any
157	6000000-018	2	Capacitor: 18pf,10%,50V, COG,EIA0603	C134, C135	Any	Any
158	6000000-022	5	Capacitor: 22pf,10%,50V, COG,EIA0603	C240, C241, C364, C365, C366	Any	Any
159	6000000-033	4	Capacitor: 33pf,10%,50V, COG,EIA0603	C68, C76, C120, C128	Any	Any
160	6000000-039	4	Capacitor: 39pf,10%,50V, COG,EIA0603	C82, C83, C90, C93	Any	Any

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
161	6000000-047	6	Capacitor: 47pf,10%,50V, COG,EIA0603	C111, C152, C356, C357, C367, C368	Any	Any
162	6000000-121	4	Capacitor: 120pf,10%,50V, COG,EIA0603	C62, C63, C66, C67	Any	Any
163	6000000-473	9	Capacitor: .047uF,10%,16V,X7REIA0603	C319, C321, C323, C324, C329, C334, C335, C336, C338	Any	Any
164	6000000-681	2	Capacitor: 680pf,10%,50V, COG,EIA0603	C77, C85	Any	Any
165	60BM000001	1	Capacitor: 2200pf,10%,50V, COG,EIA0603	C233	Any	Any
166	60BM000002	1	Capacitor: 1800pf,10%,50V, COG,EIA0603	C229	Any	Any
167	6100000-101	7	Capacitor: 100pf,20%,50V,X7R,EIA0603	C358, C359, C360, C361, C363, C370, C372	Any	Any
168	6100000-102	7	Capacitor: 1000pf,20%,50V,X7R,EIA0603	C149, C150, C252, C262, C268, C304, C332	Any	Any
169	6100000-103	30	Capacitor: .01uF,20%,50V,X7R,EIA0603	C49, C50, C69, C89, C91, C100, C121, C122, C129, C231, C232, C236, C242, C244, C256, C258, C260, C274, C277, C281, C282, C284, C286, C295, C299, C301, C303, C310, C318, C362	Any	Any
170	6100000-104	10	Capacitor: .1uF,20%,50V,Z5U,EIA0603	C9, C118, C124, C125, C139, C239, C271, C320, C328, C330	Any	Any
171	6100000-105	24	Capacitor: 1uF,20%,10V, Y5V,EIA0603	C51, C57, C123, C140, C141, C142, C143, C144, C145, C148, C153, C154, C204, C228, C230, C234, C235, C237, C248, C251, C309, C315, C333, C378	Any	Any
172	6100000-152	1	Capacitor: 1500pF,20%,50V,X7R,EIA0603	C112	Any	Any
173	6100000-223	1	Capacitor: .022uF,20%,50V,X7R,EIA0603	C117	Any	Any
174	6100000-473	1	Capacitor: .047uF,20%,16V,Z5U,EIA0603	C243	Any	Any

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
175	6100001-104	131	Capacitor: .1uF,20%,16V,X7R,EIA0603	C1, C2, C7, C8, C10, C11, C13, C14, C15, C17, C18, C20, C21, C22, C23, C24, C26, C27, C28, C29, C31, C32, C33, C34, C36, C37, C38, C39, C41, C42, C43, C44, C45, C46, C48, C52, C56, C60, C61, C64, C65, C107, C108, C113, C115, C136, C151, C157, C203, C205, C206, C207, C208, C209, C210, C211, C212, C213, C214, C215, C216, C217, C218, C219, C220, C221, C222, C223, C224, C225, C226, C238, C245, C247, C249, C250, C253, C254, C255, C257, C259, C261, C263, C264, C265, C266, C267, C269, C270, C272, C275, C276, C279, C280, C283, C285, C287, C288, C289, C291, C292, C293, C294, C296, C297, C298, C300, C302, C307, C311, C312, C313, C325, C326, C339, C340, C341, C342, C344, C345, C346, C347, C350, C351, C352, C353, C354, C355, C375, C376, C377	Any	Any
176	6100001-224	14	Capacitor: .22uF,20%,10V,X7R,EIA0603	C12, C16, C19, C25, C30, C35, C40, C47, C72, C78, C81, C94, C99, C103	Any	Any
177	6100005-101	2	Capacitor: 100uF,16V,20%,6.3x11mm	C146, C147	Any	Any
178	6100012-475	10	Capacitor: 4.7uF,10V,80/20%,X7R,EIA1206	C70, C71, C73, C74, C75, C84, C86, C87, C246, C349	Any	Any
179	6100022-226	5	Capacitor: 22uF,10%,16V,X7R,EIA2220	C54, C130, C131, C132, C133	Any	Any
180	61B0000007	3	Capacitor: 2.2uF,10%,6.3V,X5R,EIA0603	C369, C371, C373	Any	Any

Table 1. Geode™ NX DB1500 Rev 1.2 BOM - All Components (cont.)

Item	Part Number	Qty	Part Description	Ref Des	Manufacturer	Man Part Number
181	61DM000001	33	Capacitor: 10uF,20%,16V,X7R,EIA1206	C4, C6, C53, C55, C92, C95, C98, C101, C102, C104, C105, C126, C137, C138, C155, C156, C200, C201, C202, C227, C273, C278, C290, C305, C306, C308, C314, C322, C327, C331, C337, C343, C348, C374	Any	Any
182	64NM000001	9	Capacitor: 1000uF,6.3V,20%,8x11.5mm,30mOhm ESR	C3, C5, C58, C59, C109, C110, C127, C158	Any	Any
183	66LM000001	4	Capacitor: 680uF,2.5V,ESR 25mOhm, POSCAP, 20%,D-CASE	C79, C80, C96, C97	Sanyo	2R5TPD680M8
184	68D0000002	7	CNET: 180pf,10%,50V, COG,4cap,0603,array	CN200, CN201, CN202, CN203, CN204, CN205, CN206	Any	Any
185	16HM000001	1	IC: PulseCore, EMI, P2040a-08SR,SOIC8	U19	PulseCore	P2040a-08SR
186	6000000-020	2	Capacitor: 20pf,10%,50V, COG,EIA0603	C316, C317	Any	Any
187	SKIP		SKIP			
188	50BM000009	1	Resistor: 221.0, 1%, 1/16W, EIA0603	R233	Any	Any
189	56GM000003	1	Resistor: 0.008 ohm,Power,1W,1%,EIA2512	R6	Any	Any
NA	NA	8	Shorted 0603 resistor footprints	R116, R118, R142, R317, R346, R378, R382, R430	NA	NA

## 2.0 Components Not Populated

**Table 2. Geode™ NX DB1500 Rev 1.2 BOM - Components Not Populated**

Item	Part Number	Qty	Part Description	Ref Des
36	2150001-702	0	Transistor: 2N7002, N-Channel FET,SOT23	Q205
112	5100000-000	0	Resistor: 0, 1/16W, EIA0603	R34, R87, R88, R89, R240, R284
113	5100000-005	0	Resistor: 5.1, 5%, 1/16W, EIA0603	R112
115	5100000-022	0	Resistor: 22, 5%, 1/16W, EIA0603	R381
123	5100000-102	0	Resistor: 1k, 5%, 1/16W, EIA0603	R268, R291, R293, R387
124	5100000-103	0	Resistor: 10k, 5%, 1/16W, EIA0603	R23, R76, R124, R212, R227, R361, R434
130	5100000-222	0	Resistor: 2.2K, 5%, 1/16W, EIA0603	R37, R38, R42, R286, R397
137	5100000-472	0	Resistor: 4.7k, 5%, 1/16W, EIA0603	R264, R265, R274, R312, R327, R364, R402, R405, R413
159	6000000-033	0	Capacitor: 33pf,10%,50V, COG,EIA0603	C120, C128
169	6100000-103	0	Capacitor: .01uF,20%,50V,X7R,EIA0603	C242
170	6100001-104	0	Capacitor: .1uF,20%,16V,X7R,EIA0603	C312
171	6100000-105	0	Capacitor: 1uF,20%,10V,Y5V,EIA0603	C228
182	64NM000001	0	Capacitor: 1000uF,6.3V,20%,8x11.5mm,30mOhm ESR	C158
183	66LM000001	0	Capacitor: 680uF,2.5V,ESR 25mOhm, POSCAP, 20%,D-CASE	C97
185	16HM000001	0	IC: PulseCore, EMI, P2040a-08SR,SOIC8	U19
186	6000000-020	0	Capacitor: 20pf,10%,50V, COG,EIA0603	C316, C317
NA	NA	0	Shorted 0603 resistor footprints	R116, R118, R142, R317, R346, R378, R382, R430

## 3.0 Post Assembly Components

**Table 3. Geode™ NX DB1500 Rev 1.2 BOM - Post Assembly Components**

Qty	Part Description	Ref Des	Manufacturer	Man Part Number
1	NX Processor	U13	AMD	Varies
1	NX Processor Heatsink	U13	AVC	S7YBJ00001
1	KN400 Heatsink	U14	Jet Motor	W014-0032
1	DDR SDRAM DIMM	S1	Any	Any
1	Coin Cell Battery Type 2032	B1	Any	Any
2	2mm Shorting Jumper	J12,J13	Any	Any

## 4.0 Revision History

**Table 4. Revision History**

Date	Description
10/19/04	1. C4 changed from Item 182 (1000uF capacitor) to item 181 (10uF capacitor). 2. Item #8 MFG PN changed from KM400A to KN400



[www.amd.com](http://www.amd.com)

One AMD Place  
P.O. Box 3453  
Sunnyvale, CA 94088-3453 USA  
Tel: 408-732-2400 or 800-538-8450  
TWX: 910-339-9280  
TELEX: 34-6306

**TECHNICAL SUPPORT**

USA & Canada: 800-222-9323 or 408-749-5703  
USA & Canada: PC Microprocessor: 408-749-3060  
Latin America Email: [spanish.support@amd.com](mailto:spanish.support@amd.com)  
Argentina: 001-800-200-1111, after tone 800-859-4478  
Chile: 800-532-853  
Mexico: 95-800-222-9323

Europe & UK: +44-0-1276-803299  
Fax: +44-0-1276-803298  
France: 0800-908-621  
Germany: +49-89-450-53199  
Italy: 800-877224  
Europe Email: [euro.tech@amd.com](mailto:euro.tech@amd.com)  
Far East Fax: 852-2956-0588  
Japan Fax: 81-3-3346-7848

---