



sheet 6 of 11

page 1 upper




sheet 6 of 11
page 2 upper



0	1	2	3	4	
16	17		19		21
45	48	81	83	D2	

sheet 6 of 11
page 3 upper




9		11	12	14	15	D-54600-66501-3			
29	30	32	33	38	43	SYM	REVISIONS	APPROVED	DATE
						A	AS ISSUED	JS	

sheet 6 of 11
 page 4 upper

Pg 7 ○ TRHYS

8 Pg 3 ○ TRTV



- TRNRJ ○ Pg 3
- TRLFRJ ○ Pg 3
- TRACDC ○ Pg 3
- TRHFRJ ○ Pg 3
- TRLVL ○ Pg 7 (0V)

+/- 5.0V
FOR +/- .45V t1


+15V	
+12VC	16.5mA
+5VA	44.7mA
-5VA	73.4mA
-12VC	16.5mA
-15V	59.6mA

TR

TRFL ○ Pg 3

page 1 lower

sheet 6 of 11



Parts on this schematic:

C7, 55-66, 69-71, 81,86, 103, 135,
136, 239, 247, 261, 314


E6-8, 17

Q25-30






R147-156, 158-179, 183, 186, 193-198,
203, 248, 255, 308, 339, 363, 379,
388, 410-418, 421, 422, 429

U9-16, 23, 43


page 2 lower
sheet 6 of 11



page 3 lower
sheet 6 of 11



page 4 lower
sheet 6 of 11

DRAWN BY	JIM STRINGER	DATE	6/27/91	TITLE	 HEWLETT PACKARD
ENGINEER					
RELEASE TO PROD.					D-54600-66501-2