


22354E



REV.	DATE	BY	CHK.
A	3/7/61	RCJ	LC
B	7/1/61	RCJ	LC
C	8/8/61	RCJ	LC
D	8/8/61	RCJ	LC
E	8/8/61	RCJ	LC
F	8/8/61	RCJ	LC
G	4/20/62	RCJ	LC
H	4/20/62	RCJ	LC
I	4/20/62	RCJ	LC
J	4/20/62	RCJ	LC
K	5/1/62	RCJ	LC
L	5/1/62	RCJ	LC

SCHEMATIC DESIGNATIONS NOT USED	
R199	
R190	
R191	
R192	

HIGHEST REFERENCE DESIGNATIONS	
P101	R194
D104	C126
Q123	S102
M101	BT102
J104	VR102

- NOTES:
- ALL RESISTANCE & CAPACITANCE SHALL BE DESIGNATED IN OHMS & MICROFARADS UNLESS OTHERWISE NOTED.
 - FRONT PANEL CONTROL.
 - INTERNAL SCREWDRIVER ADJ.
 - M MEGOHM
 - K 1000 OHM
 - pf PICOFARAD
 - CLOCKWISE ROTATION.
 - ALL RESISTORS ±10% TOLERANCE UNLESS OTHERWISE NOTED.
 - ALL CAPACITORS ±10% TOLERANCE UNLESS OTHERWISE NOTED.
- ▲ IO. * INDICATES NOMINAL VALUE

DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED			DRN. DATE 8-11-62	 KEITHLEY INSTRUMENTS CLEVELAND, OHIO	TITLE
FRACTION	DECIMAL	ANGLE	CRD. DATE 7-62		SCHEMATIC MICROVOLTMMETER
± 1/64	± .005	± 1'	APP. DATE 7-62	MATERIAL	PART NUMBER
DO NOT SCALE	RELEASE DATE	DATE	FINISH	22354E	

Figure 5-3. Model 155 Schematic Diagram, Dwg. No. 22354E