

SAFETY DATA SHEET

Revision: 1.1 Date: 27.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010


www.vishaypg.com

M-Bond GA-2 Resin

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	M-Bond GA-2 Resin
Chemical Name	Mixture
CAS No.	Mixture
EINECS No.	Mixture
REACH Registration No.	None assigned.
1.2 Recommended use of the chemical and restrictions on use	
Identified Use(s)	Adhesives.
Uses Advised Against	None.
1.3 Supplier's details	
Company Identification	VISHAY MEASUREMENTS GROUP UK LTD Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom
Telephone	+44 (0) 1256 462131
Fax	+44 (0) 1256 471441
E-Mail (competent person)	mm.uk@vishaypg.com
1.4 Emergency Phone No.	(00-1) 703-527-3887 CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Skin Irrit. 2; Causes skin irritation. Skin Sens. 1; May cause sensitization by skin contact. Eye Dam. 1; Causes serious eye damage. Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
2.1.2 Directive 67/548/EEC & Directive 1999/45/EC	Xi; R38: Irritating to skin. Xi; R41: Risk of serious damage to eyes. R43: May cause sensitization by skin contact. N; R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.2 Label elements	
Product Name	According to Regulation (EC) No. 1272/2008 (CLP) M-Bond GA-2 Resin
Hazard Pictogram(s)	
Signal Word(s)	Danger
Hazard Statement(s)	H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

Revision: 1.1 Date: 27.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Precautionary Statement(s)

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
2-Ethyl-2-(hydroxymethyl)-1,3-Propanediol polymer with (chloromethyl)oxirane	27 - 32	30499-70-8	-	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 3; H412
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	15 – 20	25068-38-6	500-033-5	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411
Limestone	30 – 35	1317-65-3	215-279-6	Eye Dam. 1; H318 Skin Irrit. 2; H315

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
2-Ethyl-2-(hydroxymethyl)-1,3-Propanediol polymer with (chloromethyl)oxirane	27 - 32	30499-70-8	-	Xi; R36/38: Irritating to eyes and skin. R43: May cause sensitization by skin contact. N; R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	15 – 20	25068-38-6	500-033-5	Xi; R36/38: Irritating to eyes and skin. R43: May cause sensitization by skin contact. N; R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Limestone	30 – 35	1317-65-3	215-279-6	Xi; R38: Irritating to skin. Xi; R41: Risk of serious damage to eyes.

4. SECTION 4: FIRST AID MEASURES



SAFETY DATA SHEET

Revision: 1.1 Date: 27.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

4.1 Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Rinse skin immediately with plenty of water for 15-20 minutes. Take off contaminated clothing and wash before reuse. If irritation (redness, rash, blistering) develops, get medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Drink two glasses of water. Do not induce vomiting. Call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

Skin sensitisation has been reported in humans. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes burns to eyes. Systemic effects; Central nervous system, Liver and Blood disorders.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers. Vapour may create explosive atmosphere.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Shut off leaks if without risk. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection.

6.2 Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning up

Absorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.

6.4 Reference to other sections

See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Do not breathe vapour. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Remove contaminated clothing and wash clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep away from direct sunlight.

Storage temperature

Ideal storage temperature is (°C): <30°C

Storage life

Stable under normal conditions.

Incompatible materials

Reacts violently with - Strong oxidising agents, Alkalis, Acids and Amines

7.3 Specific end use(s)

Adhesives.

SAFETY DATA SHEET

Revision: 1.1 Date: 27.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Calcium carbonate -inhalable dust -respirable	1317-65-3	- -	10 4	- -	- -	WEL: Workplace Exposure Limit (UK HSE EH40).

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

DNEL bisphenol-A-(epichlorhydrin)	Oral	Inhalation	Dermal
Industry - Long Term - Systemic effects	-	12.25 mg/m ³	8.33 mg/kgbw/day
Industry - Short term - Systemic effects	-	12.25 mg/m ³	8.33 mg/kgbw/day
Consumer - Long Term - Systemic effects	0.75mg/kg bw/day	-	3.57mg/kgbw/day
Consumer - Short term - Systemic effects	0.75mg/kg bw/day	-	3.57mg/kgbw/day

PNEC	bisphenol-A-(epichlorhydrin)
Aquatic Compartment	PNEC aqua (freshwater) 0.006 mg/L PNEC aqua (marine water) 0.0006 mg/L PNEC aqua (intermittent releases) 0.018 mg/L PNEC STP 10 mg/L PNEC sediment (freshwater/marine water) 0.0996 mg/kg sediment dw
Terrestrial Compartment	PNEC soil 0.196 mg/kg soil dw

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Have available eyewash bottle with clean water.

Eye/face protection



Wear goggles giving complete protection to eyes to protect against liquid splashes (EN166).

Skin protection



Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Unsuitable gloves materials

Respiratory protection



In case of inadequate ventilation wear respiratory protection. A suitable dust mask or dust respirator with filter type A/P may be appropriate.

Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

SAFETY DATA SHEET

Revision: 1.1 Date: 27.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Black Liquid
Odour	Ether-like Odour
Odour Threshold	Not available.
pH	Not established.
Melting Point/Freezing Point	ca. 320°C (bisphenol-A-(epichlorhydrin))
Initial boiling point and boiling range	>260°C (Mixture)
Flash point	>93°C [Closed cup]
Evaporation Rate	<1
Flammability (solid, gas)	Non-flammable
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	<0.1 mmHg @ 20°C
Vapour density	Not available.
Relative density	1.51 g/cm ³ (H ₂ O = 1) (Mixture)
Solubility(ies)	Slightly soluble in: Water (Mixture)
Partition coefficient: n-octanol/water	log Pow \geq 2.918 (bisphenol-A-(epichlorhydrin))
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not oxidising.

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Epoxy resins release phenolics, carbon monoxide, and water.
10.4 Conditions to avoid	Avoid contact with heat and ignition sources and oxidizers.
10.5 Incompatible materials	Reacts violently with - Strong oxidising agents, Alkalis, Acids and Amines
10.6 Hazardous decomposition product(s)	May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide, phenolics.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion	Not classified.
Inhalation	Not classified.
Skin Contact	Skin Sens. 1; May cause sensitization by skin contact.
Eye Contact	Causes serious eye damage.

Irritation

Skin Irrit. 2; Slightly irritant.

Corrosivity

Eye Dam. 1; Causes serious eye damage. (Limestone)

Sensitisation

Skin Sens. 1; (mouse LLNA) (bisphenol-A-(epichlorhydrin))

Repeated dose toxicity

Not classified.

Carcinogenicity

No evidence of carcinogenicity.

Mutagenicity

There is no evidence of mutagenic potential.

Toxicity for reproduction

Not classified.

11.2 Other information

None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	bisphenol-A Classified as a Marine Pollutant. bisphenol-A Oncorhynchus mykiss Fish: LC50 = 1.2 mg/L (96h) bisphenol-A Daphnia magna Aquatic invertebrates: LC50 = 2.7 mg/L (48h)
---------------	--

SAFETY DATA SHEET

Revision: 1.1 Date: 27.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

12.2	Persistence and degradability	Part of the components are biodegradable.
12.3	Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4	Mobility in soil	The product is predicted to have low mobility in soil.
12.5	Results of PBT and VPVB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	This material and its container must be disposed of as hazardous waste. (2001/118EC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

	Not classified as dangerous for transport.	ADR/RID / IMDG / IATA
14.1	UN number	None assigned.
14.2	Proper Shipping Name	None assigned.
14.3	Transport hazard class(es)	None assigned.
14.4	Packing group	None assigned.
14.5	Environmental hazards	Not classified as a Marine Pollutant.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or Restrictions On Use	None.
15.1.2	National regulations	None known.
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification for reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) (CAS# 25068-38-6), the Classification and Labelling Inventory for Limestone (CAS# 1317-65-3) and 2-Ethyl-2-(hydroxymethyl)-1,3- Propanediol polymer with (chloromethyl)oxirane (CAS# 30499-70-8).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Irrit. 2; H315	Harmonised Classification
Skin Sens. 1; H317	Harmonised Classification
Eye Dam. 1; H318	Threshold Calculation
Aquatic Chronic 3; H412	Threshold Calculation

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic

SAFETY DATA SHEET

Revision: 1.1 Date: 27.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

vPvB vPvT: very Persistent and very Toxic
OECD Organisation for Economic Cooperation and Development

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.