

SAFETY DATA SHEET

Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010


www.vishaypg.com

PL-6/PC-9

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	PL-6/PC-9
Chemical Name	Mixture
CAS No.	Mixture
EINECS No.	Mixture
REACH Registration No.	None assigned.
1.2 Recommended use of the chemical and restrictions on use	
Identified Use(s)	Photostress® measurements.
Uses Advised Against	None.
1.3 Supplier's details	
Company Identification	VISHAY MEASUREMENTS GROUP UK LTD Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom
Telephone	+44 (0) 1256 462131
Fax	+44 (0) 1256 471441
E-Mail (competent person)	mm.uk@vishaypg.com
1.4 Emergency Phone No.	(00-1) 703-527-3887 CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Acute Tox. 4; Harmful by inhalation, in contact with skin and if swallowed. Skin Irrit. 2; Causes skin irritation. Eye Irrit. 2; Causes serious eye irritation. STOT SE 3; May cause respiratory irritation.
2.1.2 Directive 67/548/EEC & Directive 1999/45/EC	Xn; R20/21/22: Harmful by inhalation, in contact with skin and if swallowed. Xi; R36/37/38: Irritating to eyes, respiratory system and skin.
2.2 Label elements	
Product Name	According to Regulation (EC) No. 1272/2008 (CLP) PL-6/PC-9
Hazard Pictogram(s)	
Signal Word(s)	Warning
Hazard Statement(s)	H302: Harmful if swallowed. H312: Harmful in contact with skin. H315: Causes skin irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation.
Precautionary Statement(s)	P261: Avoid breathing vapours. P280: Wear protective gloves/protective clothing/eye protection/face protection. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

SAFETY DATA SHEET

Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309+P311: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

2.3 Other hazards

EUH204: Contains isocyanates. May produce an allergic reaction.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
Poly(propylene glycol), tolylene 2,4-diisocyanate terminated	>99.9	9057-91-4	-	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute Tox. 4; H332 STOT SE 3; H335

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
Poly(propylene glycol), tolylene 2,4-diisocyanate terminated	>99.9	9057-91-4	-	Xn;R20/21/22: Harmful by inhalation, in contact with skin and if swallowed. R36/37/38: Irritating to eyes, respiratory system and skin.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Make victim drink water. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Contains isocyanates. May produce an allergic reaction. May cause irritation to skin, eyes and respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Give a slurry of activated charcoal in water to drink. Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

SAFETY DATA SHEET

Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Unsuitable extinguishing Media	None known.
5.2 Special hazards arising from the substance or mixture	May decompose in a fire giving off toxic fumes.
5.3 Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.




6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Wear protective gloves/protective clothing/eye protection/face protection. Shut off leaks if without risk. Eliminate sources of ignition.
6.2 Environmental precautions	Do not allow to enter drains, sewers or watercourses.
6.3 Methods and material for containment and cleaning up	Absorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.
6.4 Reference to other sections	See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	Ensure adequate ventilation. Heating can generate vapors that could cause headaches, nausea, dizziness, and respiratory irritation if inhaled. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
7.2 Conditions for safe storage, including any incompatibilities	Keep container tightly closed and in a well-ventilated place.
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	Keep away from: Oxidizing agents and Strong Acids and Alkalis.
7.3 Specific end use(s)	Photostress® measurements.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters	
8.1.1 Occupational Exposure Limits	Not established.
8.1.2 Biological limit value	Not established.
8.1.3 PNECs and DNELs	Not established.
8.2 Exposure controls	
8.2.1 Appropriate engineering controls	Ensure adequate ventilation. Guarantee that the eye flushing systems and safety showers are located close to the working place.
8.2.2 Individual protection measures, such as personal protective equipment (PPE)	Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes.
Eye/face protection	Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166). Have available eyewash bottle with clean water.
	
Skin protection	Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
	The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled.
Respiratory protection	Normally no personal respiratory protection is necessary. In case of inadequate ventilation wear respiratory protection.
	

SAFETY DATA SHEET

Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Amber- Viscous liquid.
Odour	Odourless
Odour Threshold	Not available.
pH	Not established.
Melting Point/Freezing Point	Not established.
Initial boiling point and boiling range	Not established.
Flash point	160°C
Evaporation Rate	<1 (BuAc = 1)
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	< 110 kPa (1.10 bar)
Vapour density	Not available.
Relative density	1.05 (H ₂ O = 1)
Solubility(ies)	Reacts slightly with water
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not oxidising.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Combustion or thermal decomposition will evolve toxic and irritant vapours.
10.4 Conditions to avoid	Keep away from heat and flame.
10.5 Incompatible materials	Strong oxidising agents. Strong Acids and Alkalis.
10.6 Hazardous decomposition product(s)	Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, Hydrogen cyanide, Amines and Alcohols.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion	Acute Tox. 4
Inhalation	Acute Tox. 4
Skin Contact	Acute Tox. 4
Eye Contact	Acute Tox. 4

Irritation

Eye Irrit. 2; Skin Irrit. 2

Corrosivity

Not classified.

Sensitisation

Not classified.

Repeated dose toxicity

Not classified.

Carcinogenicity

Not classified.

Mutagenicity

Not classified.

Toxicity for reproduction

Not classified.

11.2 Other information

None.

SAFETY DATA SHEET

Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not classified as a Marine Pollutant.
12.2	Persistence and degradability	No information available.
12.3	Bioaccumulative potential	No information available.
12.4	Mobility in soil	No information available.
12.5	Results of PBT and VPVB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	This material and its container must be disposed of as hazardous waste. (2001/118EC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA
14.1	UN number	UN 2206
14.2	Proper Shipping Name	ISOCYANATE SOLUTION, TOXIC, N.O.S (Poly(propylene glycol), tolylene 2,4-diisocyanate terminated)
14.3	Transport hazard class(es)	6.1
14.4	Packing group	III
14.5	Environmental hazards	Not classified as a Marine Pollutant.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or Restrictions On Use	None.
15.1.2	National regulations	None known.
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS) and the Classification and Labelling Inventory for Poly(propylene glycol), tolylene 2,4-diisocyanate terminated (CAS# 9057-91-4).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Acute Tox. 4; H302	Threshold Calculation
Acute Tox. 4; H312	Threshold Calculation
Skin Irrit. 2; H315	Threshold Calculation

SAFETY DATA SHEET

Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Eye Irrit. 2; H319	Threshold Calculation
Acute Tox. 4; H332	Threshold Calculation
STOT SE 3; H335	Threshold Calculation
EUH204	Regulation (EC) No. 1272/2008 (CLP)

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.