

# SAFETY DATA SHEET

Revision: 1.0 Date: 11<sup>th</sup> April 2017


ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
Product Name RS-200-CK2 Part B
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Identified Use(s) Adhesives  
Uses Advised Against Anything other than the above.
- 1.3 Details of the supplier of the safety data sheet**  
Company Identification VISHAY MEASUREMENTS GROUP UK LTD  
Stroudley Road  
Basingstoke  
Hampshire  
RG24 8FW  
United Kingdom  
Telephone +44 (0) 1256 462131  
Fax +44 (0) 1256 471441  
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number**  
Emergency Phone No. (00-1) 703-527-3887 CHEMTREC (24 hours)  
Languages spoken All official European languages.

## SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)**  
Skin Corr. 1; H314  
Skin Sens. 1; H317  
Eye Dam. 1; H318
- 2.2 Label elements**  
Product Name RS-200-CK2 Part B  
Contains: 2,4,6-tris(dimethylaminomethyl)phenol
- Hazard Pictogram(s)  

- Signal Word(s) Warning
- Hazard Statement(s)  
H314: Causes severe skin burns and eye damage.  
H317: May cause an allergic skin reaction.
- Precautionary Statement(s)  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P260: Do not breathe mist/vapours/spray.  
P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER/doctor.
- 2.3 Other hazards**  
None known.

# SAFETY DATA SHEET

Revision: 1.0 Date: 11<sup>th</sup> April 2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
2,4,6-tris(dimethylaminomethyl)phenol	< 10	90-72-2	202-013-9	Not yet assigned in the supply chain	Acute Tox. 4; H302 Skin Corr. 1C; H314 Skin Sens. 1B; H317 Eye Dam. 1; H318

For full text of H phrases see section 16.

## SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Self-protection of the first aider

Inhalation

Skin Contact

Eye Contact

Ingestion

Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing vapours. Avoid contact with skin and eyes. Contaminated clothing should be laundered before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Continue irrigation until medical attention can be obtained. Immediately call a POISON CENTER/doctor.

IF IN EYES: Flush eyes with water for at least 15 minutes while holding eyelids open. Immediately call a POISON CENTER/doctor. Continue irrigation until medical attention can be obtained. Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Continue irrigation until medical attention can be obtained. Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. May cause sensitization by skin contact.

### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing Media

Unsuitable extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Hazardous decomposition product(s): Nitrogen oxides, Sulphur oxides, Carbon monoxide, Carbon dioxide. Dense smoke is emitted when burned without sufficient oxygen.

### 5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

Revision: 1.0 Date: 11<sup>th</sup> April 2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

## SECTION 6: ACCIDENTAL RELEASE MEASURES

- |     |  |   |
|-----|--|---|
| 6.1 | <b>Personal precautions, protective equipment and emergency procedures</b> | Ensure adequate ventilation. Stop leak if safe to do so. Use personal protective equipment as required. See Section: 8. Avoid breathing vapours. Avoid all contact.   |
| 6.2 | <b>Environmental precautions</b>   | Avoid release to the environment. Do not release undiluted and unneutralised to the sewer. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.                     |
| 6.3 | <b>Methods and material for containment and cleaning up</b>                | Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste. |
| 6.4 | <b>Reference to other sections</b>   | See Section: 8, 13  |

## SECTION 7: HANDLING AND STORAGE

- |     |   |  |
|-----|---|--|
| 7.1 | <b>Precautions for safe handling</b>                                | Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Avoid breathing vapours. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. |
| 7.2 | <b>Conditions for safe storage, including any incompatibilities</b> | Keep only in original container. Keep container tightly closed and in a well-ventilated place.   |
|     | Storage temperature   | Ambient temperatures.  |
|     | Storage life  | Stable under normal conditions.  |
|     | Incompatible materials  | Oxidizing agents, Acids, Bases   |
| 7.3 | <b>Specific end use(s)</b>  | See Section: 1.2.  |

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- |       |  |   |
|-------|--|---|
| 8.1   | <b>Control parameters</b>  |   |
| 8.1.1 | <b>Occupational Exposure Limits</b>  | Not applicable.   |
| 8.1.2 | <b>Biological limit value</b>  | Not established.  |
| 8.1.3 | <b>PNECs and DNELs</b>   | Not established.  |
| 8.2   | <b>Exposure controls</b>   |   |
| 8.2.1 | <b>Appropriate engineering controls</b>  | Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.   |
| 8.2.2 | <b>Individual protection measures, such as personal protective equipment (PPE)</b> | General hygiene measures for the handling of chemicals are applicable. Keep good industrial hygiene. Avoid contact with skin and eyes. Avoid breathing vapours. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or smoke at the work place. IF exposed: Flush with fresh water if contact with skin or eyes. |

Eye/face protection



Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Skin protection

**Hand protection:**

Wear impervious gloves (EN374). Protective index 6, corresponding > 480 minutes of permeation time according to EN 374 Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Neoprene or rubber gloves are recommended.

Revision: 1.0 Date: 11<sup>th</sup> April 2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

Respiratory protection



Thermal hazards

**Body protection:**

Wear suitable coveralls to prevent exposure to the skin.

In case of inadequate ventilation wear respiratory protection. Open system(s):  
Wear suitable respiratory protective equipment. A suitable mask with filter type A  
(EN141 or EN405) may be appropriate.

Not applicable

**8.2.3 Environmental Exposure Controls**

Avoid release to the environment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1 Information on basic physical and chemical properties**

Appearance	Amber Liquid
Odour	Characteristic
Odour threshold	Not determined.
pH	Not determined.
Melting point/freezing point	Not determined.
Initial boiling point and boiling range	> 121 °C
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Specific Gravity: 1.13 g/cm <sup>3</sup> (9.43 lbs/gal)
Solubility(ies)	Water: Immiscible
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not oxidising.

**9.2 Other information**

Organic solvents	0%
Volatile Organic Compound Content	35.25 GMS/L

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	None known. Stable under normal conditions.
<b>10.4 Conditions to avoid</b>	None known.
<b>10.5 Incompatible materials</b>	Oxidizing agents, Acids, Bases
<b>10.6 Hazardous decomposition product(s)</b>	May decompose in a fire giving off toxic fumes. Hazardous decomposition product(s): Nitrogen oxides, Sulphur oxides, Carbon monoxide, Carbon dioxide. Dense smoke is emitted when burned without sufficient oxygen.

## SECTION 11: TOXICOLOGICAL INFORMATION

**11.1 Information on toxicological effects****Acute toxicity - Ingestion**

All test data taken from existing ECHA registrations for the substances mentioned.

Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.

# SAFETY DATA SHEET

Revision: 1.0 Date: 11<sup>th</sup> April 2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

2,4,6-tris(dimethylaminomethyl)phenol	Acute Tox. 4; H302
<b>Acute toxicity - Inhalation</b>	Harmonised Classification. LD50 2 169 mg/kg bw OECD 401 (rat) Based upon the available data, the classification criteria are not met.
<b>Acute toxicity - Skin Contact</b>	Acute Toxicity Estimate Mixture Calculation: Estimated LC50 >20.0 mg/l. Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
<b>Skin corrosion/irritation</b>	Skin Corr. 1; Causes severe skin burns.
2,4,6-tris(dimethylaminomethyl)phenol	Corrosive OECD 404 (rabbit)
<b>Serious eye damage/irritation</b>	Skin Corr. 1; Causes severe eye damage.
2,4,6-tris(dimethylaminomethyl)phenol	Corrosive OECD 404 (rabbit)
<b>Respiratory or skin sensitization</b>	Skin Sens. 1; May cause an allergic skin reaction.
2,4,6-tris(dimethylaminomethyl)phenol	Skin Sens. 1; H317
<b>Germ cell mutagenicity</b>	Harmonised Classification
<b>Carcinogenicity</b>	Based upon the available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based upon the available data, the classification criteria are not met.
<b>STOT - single exposure</b>	Based upon the available data, the classification criteria are not met.
<b>STOT - repeated exposure</b>	Based upon the available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based upon the available data, the classification criteria are not met.
11.2 <b>Other information</b>	None known.

## SECTION 12: ECOLOGICAL INFORMATION

12.1 <b>Toxicity</b>	Based upon the available data, the classification criteria are not met. Estimated Mixture LC50 > 100 mg/l (Fish)
12.2 <b>Persistence and degradability</b>	No data for the mixture as a whole.
2,4,6-tris(dimethylaminomethyl)phenol	Not biodegradable.
12.3 <b>Bioaccumulative potential</b>	No data for the mixture as a whole.
2,4,6-tris(dimethylaminomethyl)phenol	Bioconcentration factor (BCF) : 31
12.4 <b>Mobility in soil</b>	No data for the mixture as a whole.
2,4,6-tris(dimethylaminomethyl)phenol	No data.
12.5 <b>Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB. None of the substances in this product fulfil the criteria for being regarded as a PBT or vPvB substance.
12.6 <b>Other adverse effects</b>	None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

13.1 <b>Waste treatment methods</b>	Dispose of this material and its container as hazardous waste. Send after pre- treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2 <b>Additional Information</b>	Dispose of contents in accordance with local, state or national legislation.

## SECTION 14: TRANSPORT INFORMATION

	ADR/RID	IMDG	IATA/ICAO
14.1 <b>UN number</b>	UN2735	UN2735	UN2735
14.2 <b>UN proper shipping name</b>	AMINES, LIQUID, CORROSIVE, N.O.S. ( Tris-2,4,6- (dimethylaminomethyl)ph enol)	AMINES, LIQUID, CORROSIVE, N.O.S. ( Tris-2,4,6- (dimethylaminomethyl)ph enol)	AMINES, LIQUID, CORROSIVE, N.O.S. ( Tris-2,4,6- (dimethylaminomethyl)ph enol)
14.3 <b>Transport hazard class(es)</b>	8	8	8
14.4 <b>Packing group</b>	III	III	III
14.5 <b>Environmental hazards</b>	Not classified	Not classified	Not classified
14.6 <b>Special precautions for user</b>	See Section: 2		
14.7 <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable		

# SAFETY DATA SHEET

Revision: 1.0 Date: 11<sup>th</sup> April 2017

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

## SECTION 15: REGULATORY INFORMATION

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- 15.1.1 EU regulations**  
Authorisations and/or Restrictions On Use Not restricted
- 15.1.2 National regulations**  
Germany Water hazard class: 1
- 15.2 Chemical Safety Assessment**  
A chemical safety assessment is not required under REACH.

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: New SDS Regulation 2015/830 format, all sections have been updated to include new information. Please review SDS with care.

### References:

Existing Safety Data Sheet (SDS), Harmonised Classification and Existing ECHA registration(s) for 2,4,6-tris(dimethylaminomethyl)phenol (CAS No. 90-72-2)

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Corr. 1; H314	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Dam. 1; H318	Threshold Calculation

### LEGEND

LTEL: Long Term Exposure Limit

DNEL: Derived No Effect Level

EU: Europe

PBT: PBT: Persistent, Bioaccumulative and Toxic

STEL: Short Term Exposure Limit

PNEC: Predicted No Effect Concentration

vPvB: very Persistent and very Bioaccumulative

### Hazard classification / Classification code:

Acute Tox. 4; Acute toxicity, Category 4

Skin Corr. 1C; Skin corrosion/irritation, Category 1 / 1C

Skin Sens. 1; Skin Sensitisation, Category 1

Eye Dam. 1; Eye damage, category 1

### Hazard Statement(s)

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.