

0.00" 0.25" 0.50" 0.75" 1.00" 1.25" 1.50" 1.75" 2.00"

PROPRIETARY STATEMENT: ULTRAVOLT INC.
CONFIDENTIAL DRAWING


2

B PART NUMBER: OL-533 REV B SH 1

REVISIONS				
LTR	DESCRIPTION	BY	DATE	APPD
1	ENGINEERING RELEASE			
2	ADDED HV WIRE	SRO	11/20/06	
3	ADDED THIRD ROW OF PINS, HEIGHT WAS 1.00, COVER HARDWARE WAS PANHEADS	SRO	2/20/08	
A	RELEASED TO DOC-CTRL	SRO	8/27/08	PM
B	REVISED PER ECO EC-00997-UV	A.S.	2/3/10	DB

B

A



NOTES:

- 1- PINS:
 - A- MATERIAL: GOLD PLATED 0.025 [0.64] SQ.
 - B- THE CENTER OF THE PINS AND MOUNTING HOLES ARE LOCATED FROM THE CENTER OF PIN 1.
 - C- PINS 1 THRU 21 SPACING 0.200 [5.08] ON CENTER, HEIGHT FROM COVER 0.300 [7.62] MIN
- 2- MOUNTING:
 - A- 4-40 X 0.210 [5.33] DP UNC-2B THD 4 PLACES.
- 3- FLYING LEAD ϕ 0.210 [ϕ 5.33] MAX. APPROX. 18.00 [457.2] LONG
- 4- CONSTRUCTION:
 - EPOXY FILLED ALUMINUM BOX ANODIZED, GOLD.
- 5-TOLERANCE:
 - A- OVERALL +/-0.050 [1.27]
 - B- PIN TO PIN +/-0.015 [.38]
 - C- MOUNTING HOLE LOCATION +/-0.025 [0.64]

B

A

DASH NUMBER	NEXT ASSY	USED ON
APPLICATION		

UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN INCHES TOLERANCES ARE:		CUSTOMER	
2 PL DEC ± .02	FRACT ± 1/64	DRAWN	S. ORBAN
3 PL DEC ± .010	ANGLES ± 2°	CHKD	D Burkard
		MFG	N/A
		MFG ENGR	G McLaren
		PROCESS	J Tanner
		QA	Daina Baird
		CHIEF ENG	P Match
		CFN:	OL-533_revB_CP-SERIES.dwg

ULTRAVOLT, INC.
1800 OCEAN AVE. FRNT, RONKONKOMA, N.Y. 11779
1-631-471-4444

OUTLINE, CP-SERIES

PART NUMBER: OL-533 REV B

SCALE NONE DO NOT SCALE THIS DRAWING SHEET 1 OF 1

2

1