

#### Important notice

Dear Customer,

On 7 February 2017 the former NXP Standard Product business became a new company with the tradename **Nexperia**. Nexperia is an industry leading supplier of Discrete, Logic and PowerMOS semiconductors with its focus on the automotive, industrial, computing, consumer and wearable application markets

In data sheets and application notes which still contain NXP or Philips Semiconductors references, use the references to Nexperia, as shown below.

Instead of <a href="http://www.nxp.com">http://www.nxp.com</a>, <a href="http://www.semiconductors.philips.com/">http://www.nxp.com</a>, <a href="http://www.nexperia.com">http://www.nexperia.com</a>, <a href="http://www.nexperia.com">http://www.nexperia.com</a>)

Instead of sales.addresses@www.nxp.com or sales.addresses@www.semiconductors.philips.com, use salesaddresses@nexperia.com (email)

Replace the copyright notice at the bottom of each page or elsewhere in the document, depending on the version, as shown below:

- © NXP N.V. (year). All rights reserved or © Koninklijke Philips Electronics N.V. (year). All rights reserved

Should be replaced with:

- © Nexperia B.V. (year). All rights reserved.

If you have any questions related to the data sheet, please contact our nearest sales office via e-mail or telephone (details via **salesaddresses@nexperia.com**). Thank you for your cooperation and understanding,

Kind regards,

Team Nexperia




# **SOD992**

DSN0402-2; Leadless super small package; Reel pack, SMD, 7" Q1/T1 standard product orientation Orderable part number ending ,315 or YL Ordering code (12NC) ending 315

Rev. 1 — 1 February 2016

**Packing information** 

# 1. Packing method





DSN0402-2; Leadless super small package; Reel pack, SMD, 7"
Q1/T1 standard product orientation
Orderable part number ending ,315 or YL
Ordering code (12NC) ending 315


Table 1. Dimensions and quantities

			Outer box dimensions I × w × h (mm)
180 × 8	10000	1	$187\times187\times18$

- [1] d = reel diameter; w = tape width.
- [2] Packing quantity dependent on specific product type.

  View ordering and availability details at NXP order portal, or contact your local NXP representative.

#### 2. Product orientation



## 3. Carrier tape dimensions




Table 2. Carrier tape dimensions

In accordance with IEC 60286-3.

A <sub>0</sub> (mm)	B <sub>0</sub> (mm)	K <sub>0</sub> (mm)	T (mm)	P <sub>1</sub> (mm)	W (mm)
$0.25\pm0.02$	$0.45 \pm 0.02$	$0.155 \pm 0.02$	$0.20\pm0.05$	$2.0\pm0.05$	8 ± 0.10

DSN0402-2; Leadless super small package; Reel pack, SMD, 7"
Q1/T1 standard product orientation
Orderable part number ending ,315 or YL
Ordering code (12NC) ending 315

## 4. Reel dimensions




Table 3. Reel dimensions
In accordance with IEC 60286-3.

A [nom]		B [min]	C [min]	D [min]
(mm)		(mm)	(mm)	(mm)
180	14.4	1.5	12.8	20.2

DSN0402-2; Leadless super small package; Reel pack, SMD, 7"
Q1/T1 standard product orientation
Orderable part number ending ,315 or YL
Ordering code (12NC) ending 315

### 5. Barcode label






Table 4. Barcode label dimensions

	Reel barcode label I × w (mm)
100 × 75	36 × 75

DSN0402-2; Leadless super small package; Reel pack, SMD, 7"
Q1/T1 standard product orientation
Orderable part number ending ,315 or YL
Ordering code (12NC) ending 315

# 6. Revision history

#### Table 5. Revision history

Document ID	Release date	Packing document status	Change notice	Supersedes
SOD992_315	20160201	Packing information	-	-

Date of release: 1 February 2016

Document identifier: SOD992\_315

Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information.